C·J·HEWLETT

AND SON LTD

WHOLESALE & EXPORT DRUGGISTS

ANALYTICAL CHEMISTS
MANUFACTURERS OF
PHARMACEUTICAL AND
CHEMICAL PREPARATIONS AND
ORIGINATORS OF
NEW VETERINARY REMEDIES

CONTRACTORS TO H.M. GOVERNMENT

ESTABLISHED 1832

•

1942

ISSUED TO THE VETERINARY PROFESSION ONLY

DRUGS • SURGICAL INSTRUMENTS
AND VETERINARY SPECIALITIES

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Coll. pam
No. V 26
·BES
1942
H61h



HEWLETT'S VETERINARY PRICE LIST

1942

HEWLETT'S PREPARATIONS

DO THEIR WORK WELL

C.J. HEWLETT & SON LTD. 35-43, CHARLOTTE RD. LONDON. E.C.2

HEWLETT'S TELEGRAPHIC CODE

Registered Telegraphic Address :—"PEPSINE, FINSQUARE, LONDON."

ABBEY.—Send by first passenger train.
ABBOT.—Send by return of post.
ABIDE.—Send by parcel post.
ABJECT.—Send in usual manner.
ABLAZE.—Add to order.
ADHERE.—Do not send off goods until you receive an addition.
ADHIBIT.—Send as before.

AGROUND.—Send as much of order as possible at once.
APTLY.—The order is confirmed.
BASE.—1 lb.
BASSET.—2 lbs.
BECKON.—7 lbs.
BEAVER.—1 cwt.
BECLOUD.—Win. quart.

BEDEW.—One gallon.
CABIN.—One ounce.
CADDY.—Two ounces.
CENTRAL.—Four ounces.
CERISE.—Eight ounces.
CHAPTER.—Half a dozen.
CHARTER.—The smallest quantity you can supply.

TERMS

SATISFACTORY REFERENCES REQUIRED ON OPENING NEW ACCOUNTS.
FIVE PER CENT. DISCOUNT ALLOWED ON THREE MONTHS' ACCOUNT.
CARRIAGE PAID ON ORDERS OF FIVE POUNDS AND UPWARDS.
NO ITEM SUPPLIED UNDER 6d., EXCLUSIVE OF PACKAGE.
EMPTIES RECEIVED IN GOOD CONDITION, CARRIAGE PAID, ARE CREDITED AT PRICES CHARGED.
SAMPLES AND SPECIAL QUOTATIONS ARE GIVEN FOR LARGE QUANTITIES WHEN DESIRED.
PRICES SUBJECT TO MARKET FLUCTUATION.

NOTE.—In the event of packages being tendered by the Railway or Carriers in a damaged condition, they should in such cases be signed for as "damaged." Empties or Returned Packages cannot be credited until actually received. Advice should be sent by post on the day of despatch, stating the number of packages, contents and railway or carrier. All packages should bear the sender's name and address INSIDE the package as well as OUTSIDE. Empties of other firms cannot be credited.

PRACTICES FOR DISPOSAL, SITUATIONS WANTED, ETC.

(For particulars apply to "Transfer Dept., C. J. Hewlett & Son, Ltd.")

Messrs. C. J. Hewlett & Son, Ltd., are constantly being asked for *Locum Tenens* and for qualified Assistants, and suitable applicants are registered free of charge.

C. J. HEWLETT & SON LTD.

WHOLESALE & EXPORT DRUGGISTS

MANUFACTURERS OF VETERINARY SPECIALITIES

Telegraphic Address :
"PEPSINE-FINSQUARE-LONDON"

Telephones :
BISHOPSGATE 4753 (Four lines)

35-43, CHARLOTTE ROAD and 83-85 CURTAIN ROAD
LONDON, E.C.2

For the convenience of our customers, Drugs and Preparations are marked as under. No legal responsibilities, however, can be accepted for any errors or omissions.

DD = Dangerous Drug
S1 = Schedule 1 Poison
M = Purchase Tax 16⅔%
T = Purchase Tax 33⅓%

DRUGS, FINE CHEMICALS & PHARMACEUTICAL PREPARATIONS

Acacia Pulv.		*lb.*	4/4
Acacia Sorts		*lb.*	3/6
Acetanilidum. *Antifebrin*	M	*lb.*	5/6
Acetum. *Malt Vinegar*		*gal.*	5/3
Acetum Cantharidis B.P.C.	S1.M	*lb.*	3/9
Acetum Cantharidis Glacial	S1.M	*lb.*	7/–
Acetum Ipecac.	M	*lb.*	5/–
Acetum Scillæ B.P.	M	*lb.*	1/2
Acid. Acetic Fort.	M	*lb.*	1/–
Acid. Acetic Glacial		*lb.*	1/6
Acid. Acetylsalicylic	M	*lb.*	4/6
Acid. Benzoic.		*oz.*	9d.
Acid. Boric. Cryst.		*lb.*	1/–
Acid. Boric. Pulv.		*lb.*	1/–
Acid. Carbolic. Crude. *For Disinfecting*		*gal.*	9/–
Acid. Carbolic. Liq. *See Phenol Liq.*			
Acid. Carbolic. Powder		*cwt.*	35/–
Acid. Chrysophanic.	M	*oz.*	2/6
Acid. Citric. Cryst.		*lb.*	6/–
Acid. Citric. Pulv.		*lb.*	6/2
Acid. Hydrobrom. Dil.	M	*lb.*	1/8
Acid. Hydrochlor. Com'l.		*lb.*	9d.
Acid. Hydrocyanic. Dil. B.P.	S1.M	*oz.*	10d.
Acid. Hydrocyanic. Scheele's	S1.M	*oz.*	11d.
Acid. Nitric. Com'l.		*lb.*	1/3
Acid. Nitric. Pur.		*lb.*	1/9
Acid. Nitro-Hydrochlor. Dil.	M	*lb.*	10d.
Acid. Oleic		*lb.*	1/6
Acid. Oxalic		*lb.*	2/–
Acid. Picric. 1% Aqueous		*lb.*	1/1
Acid. Salicylic		*lb.*	3/6
Acid. Sulphuric. Com'l.		*lb.*	10d.
Acid. Sulphuric. Pur.		*lb.*	1/3
Acid. Sulphurous		*lb.*	10d.
Acid. Tannic.		*lb.*	12/–
Acid. Tartaric. Cryst. B.P.		*lb.*	5/6
Acid. Tartaric. Pulv. B.P.		*lb.*	5/6
Acriflavine in Paraffin Liq. 1-1000. *See Emulsio Acriflavine*			
Adeps Benz.	M	*lb.*	2/3
Adeps Lanæ Hyd. *Lanoline*		*lb.*	1/8
Aether, Anæsthetic 0.720		*lb.*	3/11
Aether Chloric (Hewlett's) *Duplex*	M	*lb.*	7/3
Aether Nitros Sol. 1-5	M	*lb.*	9/3
Aether Meth. 0.730		*lb.*	3/2
Albumin Tannas	M	*oz.*	2/3
Aloe Barb. good		*lb.*	5/6
Aloe Barb. fine liver		*lb.*	6/3
Aloe Barb. pale liver		*lb.*	6/9
Aloe Barb. Pulv. Opt.	M	*lb.*	6/4
Aloe Barb. Pulv. No. 2	M	*lb.*	5/6
Aloes Barb. Solution	M	*lb.*	1/6
Aloe Cape		*lb.*	1/8
Aloe Cape Pulv.	M	*lb.*	2/2
Aloin	M	*oz.*	3/6
Alterative Powders for Dogs		*Page 16*	
Alterative Powders for Horses		*Page 14*	
Alum. Pulv. Opt.		*lb.*	9d.
Alum. Pulv. Com'l.		*lb.*	6d.
Alum. Rupel. *Roche Alum*		*lb.*	1/4
Alum. Ust.	M	*lb.*	1/9
Alum. Ust. Pulv.	M	*lb.*	1/11
Ammon. Carb.		*lb.*	1/10
Ammon. Carb. Pulv.		*lb.*	1/6
Ammon. Chlorid. Com'l. *Sal Ammoniac*		*lb.*	1/–
Ammon. Chlorid. Pur.		*lb.*	1/8
"Ampuliques"		*Page 12*	
Amyl Nitris	M	*oz.*	1/–
Amylum. *Starch Powder*		*lb.*	1/1
Anchusa		*lb.*	1/10

Anisum Pulv.		*lb.*	**3/2**
Anodyne Draughts		*Page 25*	
Anthemis Flor. *Camomile*		*lb.*	**12/–**
Antifebrin. *See Acetanilidum*			
Antim. Crocus. *Liver of Antimony*	S1	*lb.*	**3/–**
Antim. Nigrum Pulv.	S1	*lb.*	**1/8**
Antim. Sulphuratum. *Golden Sulphide*	S1	*lb.*	**4/–**
Antim. Tart. *Tartar Emetic*	S1	*lb.*	**7/4**
Antipyrin. *See Phenazonum*			
Antiseptic Cream (Hewlett's)		*Page 8*	
Antiseptic Jelly, Biniodide. *2oz. tubes,* **12/–** *doz.*	M	*lb.*	**5/–**
Antiseptic Jelly, Mycotic		*Page 8*	
Antiseptigen (Hewlett's)		*Page 8*	
Antithermogen		*Page 8*	
Apomorph. Hydrochlor. **7/9** *gramme*	M	*gr.*	**1/–**
Aqua Dest.		*gal.*	**1/4**
Aqua Lavand. (Hewlett's)	T	*lb.*	**36/6**
Arecolin. Hydrobrom. **4/6** *gramme*	M	*gr.*	**4d.**
Argent. Nit. Cryst.		*oz.*	**3/3**
Argent. Nit. tough points	M	*doz.*	**9/–**
Arnica		*lb.*	**7/–**
Arnica Pulv.	M	*lb.*	**8/–**
Arsenic. Alb. Pulv. Com'l.	S1	*lb.*	**1/3**
Arsenii Trioxid. B.P.	S1	*lb.*	**2/3**
Asafœtida		*lb.*	**5/3**
Asafœtida Pulv.		*lb.*	**5/6**
Asafœtida Sorts		*lb.*	**3/8**
Ascarine, for round worms in Dogs	M	*Page 27*	
Astringent Powders for Dogs		*Page 16*	
Astringent Powders for Horses		*Page 14*	
Atropin. Sulph. **4/9** *drachm*	S1.M	*gr.*	**5d.**
Balsam. Peru.		*lb.*	**17/–**
Balsam. Sulphur.	M	*lb.*	**2/6**
Balsam. Tolu.		*lb.*	**17/–**
Balsam. Tussis *For Dogs*	M	*lb.*	**3/6**
Barbadoes Tar. *See Pix Barbadense*			
Belladonna	S1	*lb.*	**4/9**
Belladonna Pulv.	S1.M	*lb.*	**5/9**
Belladonnæ Fol. Pulv.	S1.M	*lb.*	**9/6**
BIPP. *Bismuth Iodoform Paste*	M	*lb.*	**17/–**
Bismuth. Carb.		*lb.*	**13/–**
Bismuth. Subgallas		*lb.*	**15/6**
Bismuth. Subnit.		*lb.*	**11/7**
Blister Ointment (Hewlett's Special)		*Page 27*	
Blister Ointment, green (Hewlett's)	M	*lb.*	**9/6**
Bole Armen.		*lb.*	**9d.**
Borax Cryst.		*lb.*	**9d.**
Borax Pulv.		*lb.*	**9d.**
Bougies, Teat		*Page 24*	
Brilliantine	T	*lb.*	**2/6**
Burnett's Fluid	M	*gal.*	**9/–**
Butyl Chloral Hydras	M	*oz.*	**2/6**
Calamina Præp.	M	*lb.*	**1/6**
Calamina Præp. Opt.	M	*lb.*	**2/6**
Calcii Boro-Gluconas	M	*Page 8*	
Calcii Dextrose, Oral	M	*lb.*	**5/–**
Calcii Dextrose Compound Powder		*Page 27*	
Calcii Gluconas		*lb.*	**5/3**
Calumba Pulv.	M	*lb.*	**4/6**
Calx Chlorinata. *Chloride of Lime*		*lb.*	**9d.**
Calx Chlorinata. *1lb. sealed tins*		*each*	**1/2**
Camphor Flor.		*lb.*	**12/–**
Canker Dressing	S1	*Page 28*	
Cantharides	S1	*lb.*	**14/6**
Cantharides Pulv.	S1.M	*lb.*	**16/6**
Capsicum		*lb.*	**2/1**
Capsicum Pulv.		*lb.*	**2/2**
Capsules		*Page 23*	
Carbo Ligni. *Wood Charcoal*	M	*lb.*	**8d.**
Carbo Ligni Pulv.	M	*lb.*	**9d.**
Carum Pulv.		*lb.*	**5/–**
Caryophyllum Pulv.		*lb.*	**3/6**
Cascarilla Pulv.	M	*lb.*	**5/9**
Cassia Pulv.		*lb.*	**3/9**
Catechu Pallid.		*lb.*	**2/4**
Catechu Pulv.		*lb.*	**2/9**
Cattle Drenches		*Page 14*	
Cera Flav.		*lb.*	**3/2**
Charges, red or lead	S1.M	*doz.*	**24/–**
Charges, Compound Mercurial	S1.M	*doz.*	**24/–**
Chloral Hydras Cryst.		*lb.*	**7/6**
Chlorbutol	M	*oz.*	**2/3**
Chlorodyne (Hewlett's) brown or black	M	*lb.*	**5/6**
Chlorodyne (Hewlett's) pink or white	M	*lb.*	**6/6**
Chloroform B.P.		*lb.*	**4/3**
Chloroxydine (Hewlett's)	S1.M	*lb.*	**4/–**
Cinchona Pulv.	M	*lb.*	**4/9**
Coal Tar Alcoholic Solution (Hewlett's)	M	*lb.*	**2/6**
Cocain. Hydrochlor.	DD	*drm.*	**9/–**
Cocain. Hydrochlor. Solution 4%	DD	*oz.*	**3/3**
Cocain. Hydrochlor. Solution 10%	DD	*oz.*	**7/–**
Colchici Rad. Pulv.	M	*lb.*	**4/6**
Colic Drinks		*Page 25*	
Collodium Flex. Meth.	M	*lb.*	**2/9**
Colouring and Flavouring Agents		*Page 25*	
Compressed Tablets		*Page 20*	
Condition Powders		*Page 14*	
Cordial Drinks		*Page 25*	
Cordial Powders		*Page 14*	
Coriandrum Pulv.		*lb.*	**3/–**
Cough Powders for Dogs		*Page 16*	
Cough Powders for Horses		*Page 14*	
Creosotum B.P.	M	*lb.*	**18/6**
"Creosalgen" Disinfecting Fluid			
1 gal. Cans		*each*	**4/–**
10 gal. Drums		*each*	**37/6**
Creta Preparata		*lb.*	**8d.**
Creta Præcip.		*lb.*	**6d.**
Cuminum Pulv.	M	*lb.*	**2/6**
Cupri Oleas		*lb.*	**4/–**
Cupri Sulphas		*lb.*	**9½d.**
Cupri Sulphas Pulv.		*lb.*	**1/–**
Curcuma Pulv. *Turmeric*		*lb.*	**1/2**
"Curex" (Trade Mark). *Eczema Cream*	M	*lb.*	**4/6**
Decoct. Aloes Co. Conc.	M	*lb.*	**2/5**
Decoct. Cinchonæ Conc. 1-7	M	*lb.*	**5/–**
Decoct. Hæmatoxyli Conc.	M	*lb.*	**3/3**
Decoct. Sarsæ Conc.	M	*lb.*	**9/6**
Decoct. Uvæ Ursi Conc.	M	*lb.*	**3/–**
"Deliciol" (Trade Mark). *Intestinal Lubricant*	M	*lb.*	**2/6**
"Deliciol" Liquid. *Intestinal Lubricant*	M	*lb.*	**2/–**
Derris Pulv.		*lb.*	**3/6**
Dextrosum B.P.		*lb.*	**1/9**
Diamorphin. Hydrochlor.	DD.M	*drm.*	**8/–**
Digestole. *Antacid Powder*	M	*lb.*	**6/6**
Digitalis Pulv.	M	*lb.*	**9/–**

Disinfecting Fluid. *See "Creosalgen"*			
Diuretic Powders for Dogs ..			*Page 16*
Diuretic Powders for Horses ..			*Page 14*
Dog Pills			*Page 18*
Dog Powders			*Page 16*
Dog Shampoos			*Page 28*
Dog Soap			*Page 28*
Draughts for Horses			*Page 25*
Dusting Powder			*Page 28*
Ear Canker Lotion		M	*lb.* **3/–**
Ear Cones for Canker			*Page 25*
Ear Ointment for Cats and Dogs			*Page 28*
Eau de Cologne (Hewlett's) ..		T	*lb.* **37/–**
Electuary Belladonnæ			*Page 27*
Electuary Potass. Co.		M	*lb.* **3/6**
Elixir Chelidonii Co.		M	*lb.* **4/6**
Elixir Ephedrin. Co.		M	*lb.* **6/6**
Elixir Hormonigen			*Page 11*
Elixir Valerian. Co.		M	*lb.* **4/6**
Elixir Vitaminæ			*Page 11*
Embrocation, White			*Page 30*
Emulsio Acriflavine 1-1000		M	*lb.* **3/6**
Emulsio Alkalina		M	*lb.* **1/3**
Emulsio Aspirin et Kaolin ..		M	*lb.* **2/9**
Emulsio Hormonigen			*lb.* **3/6**
Emulsio Kaolin Co.			*Page 29*
Emulsio Ol. Chenopodii			*Page 29*
Emulsio Paraffin et Kaolin ..		M	*lb.* **3/–**
Emulsio Thymol Co. (Hewlett's) *For Strongylosis in horses*		M	*lb.* **4/–**
Ergota Opt.		S1	*lb.* **25/–**
Ergota Pulv.		S1.M	*lb.* **26/–**
Ergotin		S1.M	*oz.* **4/–**
Eserine Sulph.	15 *grs.* **10/–**	S1.M	*gr.* **11d.**
Ess. Menth. Pip. 1-5			*oz.* **3/–**
Ess. Zingib. Conc. (Hewlett's Special)			*lb.* **21/–**
Ethyl Chloride (Hewlett's). *Tube*			*each* **5/6**
Eucalyptus Dog Wash		M	*Page 28*
Eupad		M	*lb.* **1/9**
Euphorbium Pulv.		M	*lb.* **3/2**
Eusol		M	*lb.* **1/–**
"Evapogens." *Evaporating Skin Lotions*			*Page 25*
Ext. Belæ Liq.		M	*lb.* **6/–**
Ext. Belladonnæ Virid. Ang. ..		M	*lb.* **20/–**
Ext. Belladonnæ Virid. Liq. 1-7 ..		M	*lb.* **14/6**
Ext. Cascaræ Liq. B.P.		M	*lb.* **3/10**
Ext. Digitalis Liq.		M	*lb.* **8/6**
Ext. Ergotæ Liq. B.P.		M	*lb.* **21/–**
Ext. Filicis Liq. *Male Fern* ..	**3/–** *oz.*	M	*lb.* **36/–**
Ext. Gentian.		M	*lb.* **11/–**
Ext. Glycyrrh. Liq.		M	*lb.* **4/–**
Ext. Hamamelidis Liq. (Hewlett's) Distilled		M	*lb.* **2/6**
Ext. Hydrastis Liq. B.P.C. ..		M	*oz.* **7/–**
Ext. Hyoscyam. B.P.		M	*lb.* **18/–**
Ext. Kolæ Co.		M	*lb.* **15/–**
Ext. Malt. (Hewlett's)			*lb.* **1/2**
Ext. Malt. with Cod Liver Oil ..			*lb.* **1/5**
Ext. Malt. with Cod Liver Oil and Parrish's Food, *toffee flavoured* 1 *lb. jars*		M	*each* **1/5**
Ext. Malt. and Halibut Liver Oil 1 *lb. jars*			*each* **1/5**
Ext. Malt. and Iron			*Page 29*
Ext. Mugwort Liq.		M	*lb.* **6/6**
Ext. Nucis Areca		M	*lb.* **16/–**
Ext. Nucis Vomica		M	*oz.* **1/–**
Ext. Nucis Vom. Liq.		M	*lb.* **6/3**
Ext. Pituitary. *Posterior Lobe* ..			*Page 12*
Ext. Taraxaci		M	*lb.* **6/8**
Ext. Taraxaci Liq.		M	*lb.* **7/2**
Ferri Carb. *Sesquioxide*			*lb.* **1/9**
Ferri Carb. Sacc.		M	*lb.* **1/10**
Ferri et Ammon. Cit.		M	*lb.* **3/10**
Ferri et Quinin. Cit.		M	*oz.* **2/6**
Ferri Iodid.			*oz.* **2/1**
Ferri Sulph. Com'l.			*cwt.* **26/–**
Ferri Sulph. Exsic. Pulv.			*lb.* **1/4**
Ferri Sulph. Pulv.			*lb.* **8d.**
Ferri Sulph. Pur.			*lb.* **9d.**
Fever Drinks			*Page 25*
Fever Powders for Dogs			*Page 16*
Fever Powders for Horses ..			*Page 14*
Filisol Capsules for Fluke			*Page 23*
Fœniculum Pulv. *Fennel*			*lb.* **1/6**
Fœnum-Græcum Pulv.			*lb.* **1/1**
Formaldehyde (Hewlett's Formalin)			*lb.* **11d.**
Fuller's Earth Powder			*lb.* **5d.**
Fly Repellant	**6/6** *gal.*		*lb.* **9d.**
Galla Pulv.		M	*lb.* **2/4**
Gentiana Pulv.		M	*lb.* **2/–**
Glucose Liq.			*lb.* **1/2**
Glucose Powdered. *Pure Medicinal*			*lb.* **1/6**
Glycerin. 1.260 B.P.			*lb.* **1/6**
Glycerin. Acid. Boric.		M	*lb.* **2/6**
Glycerin. Acid. Tannic.		M	*lb.* **3/9**
Glycerin. Belladonnæ		S1.M	*lb.* **6/4**
Glycerin. Phenolis		M	*lb.* **2/6**
Glycyrrhiza Pulv.		M	*lb.* **1/3**
Grana Paradisi Pulv.			*lb.* **4/9**
Guaiaci Resin			*lb.* **4/9**
Hæmorrhaline			*Page 29*
Halibut Liver Oil			*oz.* **3/3**
Heel Ointment, strong		M	*lb.* **2/8**
Heel Ointment, pink			*Page 29*
Helleboris Pulv.		M	*lb.* **1/10**
Hexamina Pulv.			*lb.* **4/–**
Hewsol. *Germicide*			*Page 9*
Hewsol Liq. Antisept. *For Canker*		M	*lb.* **1/6**
Hoof Ointment			*Page 29*
Horse Balls			*Page 15*
Horse Powders			*Page 14*
Hydrarg. Ammoniatum			*lb.* **28/–**
Hydrarg. Ammoniatum Pulv. ..			*lb.* **28/3**
Hydrarg. Biniod.		S1	*lb.* **33/–**
Hydrarg. c. Creta		S1	*lb.* **14/3**
Hydrarg. Oleatum 10%		S1	*lb.* **5/9**

Hydrarg. Oleatum 20%		S1	*lb.*	10/6
Hydrarg. Oxidum Rub.			*lb.*	29/9
Hydrarg. Perchlor. *Corrosive Sublimate*		S1	*lb.*	23/9
Hydrarg. Perchlor. Pulv.		S1	*lb.*	23/3
Hydrarg. Subchlor. *Calomel*			*lb.*	29/–
Hydrarg. Subsulph. *Turpeth's Mineral*			*lb.*	22/–
Hydrogen Peroxide 10 vols. 5/3 *gal.*			*lb.*	9d.
Hydrogen Peroxide 20 vols.			*lb.*	1/2
Hypodermic Tablets			*Page 13*	
Ichthammol		M	*lb.*	9/–
Infus. Amarum Conc. 1-7		M	*lb.*	2/3
Infus. Buchu Conc.		M	*lb.*	6/–
Infus. Catechu Conc.		M	*lb.*	4/6
Infus. Cinchon. Conc.		M	*lb.*	5/9
Infus. Gentian. Co. Conc.		M	*lb.*	2/11
Infus. Jaborandi Conc.		M	*lb.*	4/4
Infus. Zingib. Conc. 1-7		M	*lb.*	2/10
Inject. Chenopodii Co. *For Hoose or Husk*		M	*lb.*	5/–
Inject. Chloroform. Co. *For Husk*		M	*lb.*	3/6
Inject. Terebinth. Co. *For Husk*		M	*lb.*	3/6
Injections, Hypodermic, etc.			*Page 13*	
Insect Powder		M	*lb.*	3/2
Insect Bite Cream and Lotion			*Page 29*	
Iodermiol. *Stainless Iodine Preparation*		M	*lb.*	12/–
Iodine Resub.			*lb.*	14/8
Iodoform		M	*lb.*	18/3
Jalapa Pulv.		M	*lb.*	4/–
Juniper Bacc.			*lb.*	3/10
Juniper Bacc. Pulv.		M	*lb.*	4/6
Kan-kur. *For Canker in Horses' Feet*		M	*lb.*	3/6
Kaolin B.P.			*lb.*	10d.
Kaolin Com'l.			*lb.*	9d.
Lactosum			*lb.*	2/–
Lamellæ Atropine	*Tubes of 50*	S1.M	*each*	2/6
Lamellæ Cocain.	*Tubes of 50*	DD	*each*	2/8
Lamellæ Homatropine.	*Tubes of 50*	S1.M	*each*	5/–
Lamellæ Physostigmine.	*Tubes of 50*	S1.M	*each*	2/6
Lapis Divinus. *Sticks*		M	*oz.*	1/–
Liniment. Aconiti Meth.		S1.M	*lb.*	3/–
Liniment. Arnicæ c. Sapone		M	*lb.*	2/9
Liniment. Belladon. Meth.		S1.M	*lb.*	6/4
Liniment. Betulæ Co. Dil.		M	*lb.*	3/6
Liniment. Camphoræ		M	*lb.*	4/4
Liniment. Camph. Co. Meth.		M	*lb.*	3/–
Liniment. Cantharidis Fort.		S1.M	*lb.*	4/6
Liniment. Iodermiol		M	*lb.*	3/–
Liniment. Iodi		M	*lb.*	7/4
Liniment. Opii Meth.		DD.M	*lb.*	5/–
Liniment. Plumbi Co. *For Cracked Heels*		S1.M	*lb.*	1/9
Liniment. Pot. Iodid. c. Sapone Liq.		M	*lb.*	3/9
Liniment. Resolvens. *For Splints, Capped Hocks, etc.*		M	*lb.*	5/6
Liniment. Safrol Co.		M	*lb.*	6/6
Liniment. Safrol Co. Dil.		M	*lb.*	2/6
Liniment. Saponis Meth.		M	*lb.*	1/6
Liniment. Saponis c. Myrrh. et Benzoin (Hewlett's)		M	*lb.*	4/6
Liniment. Stimulans Co.		M	*lb.*	2/6
Liniment. Terebinth. B.P.		M	*lb.*	2/1
Liniment. Terebinth. Alb.		M	*lb.*	1/6
Liniment. Tereb. Alb. Conc. 1-4		M	*lb.*	4/–
Liniment. Universale		M	*lb.*	1/6
Linum Contus. *Linseed Meal*			*lb.*	9½d.
Linum Pulv.			*lb.*	1/–
Liquor Adrenalin. Hyd.			*Page 13*	
Liquor Alumin. Acet.		M	*lb.*	1/–
Liquor Ammon. Acet. Fort. 1-7		M	*lb.*	1/4
Liquor Ammon. Aromat. Conc.		M	*lb.*	1/9
Liquor Ammon. Fortis. ·880			*lb.*	11d.
Liquor Antimoni Chlorid.		S1	*lb.*	2/–
Liquor Antim. Mur.		S1.M	*lb.*	2/–
Liquor Arsenicalis B.P.		S1.M	*lb.*	1/4
Liquor Arsenici Bromid. (Hewlett's)		S1.M	*lb.*	2/6
Liquor Arsen. et Hydrarg. Iodid. *Donovan's Sol.*		S1.M	*lb.*	2/4
Liquor Bismuth. et Ammon. Cit.		M	*lb.*	2/–
Liquor Caffein. et Pot. Iodid. Veterinary		M	*lb.*	6/–
Liquor Calcis Chlorinatæ		M	*lb.*	1/1
Liquor Calcis Sulph. c. Sulphur.		M	*lb.*	1/3
Liquor Chloral Hydrat. 1-1		M	*lb.*	9/–
Liquor Epispasticus (Hewlett's)		S1.M	*lb.*	16/6
Liquor Ferri Dialysat.		M	*lb.*	2/–
Liquor Ferri Perchlor. Fort. B.P.		M	*lb.*	1/–
Liquor Hydrarg. Perchlor. B.P.		M	*lb.*	1/–
Liquor Iodi Mit. B.P.		M	*lb.*	7/4
Liquor Nitriti Co. (Hewlett's). *Substitute for Spt. Aether. Nit.*		M	*lb.*	2/–
Liquor Opii Sedativus (Hewlett's)		DD.M	*lb.*	9/–
Liquor Picis Carb. Meth.		M	*lb.*	2/6
Liquor Plumbi Subacet.		M	*lb.*	1/1
Liquor Potass Hydrox.		M	*lb.*	1/–
Liquor Quininæ Sulph. Amorph. (Hewlett's)		M	*lb.*	16/6
Liquor Rhamni pro Syrup. 1-7		M	*lb.*	5/6
Liquor Rosæ Dulc.			*Page 25*	
Liquor Sodæ Chlorinatæ		M	*lb.*	1/2
Liquor Strychninæ Hydrochlor.		S1.M	*lb.*	3/–
Liquor Vesicat. Fort. (Hewlett's Special)		S1.M	*oz.*	2/–
Liquor Zinci Chlor.		M	*lb.*	1/2
Liquors Conc. pro. Tinct.		M	*Page 17*	
Locust Meal			*lb.*	1/–
Lotio Belladonnæ Co. *Lainé*		M	*lb.*	2/–
Lotio Calaminæ B.P.C.		M	*lb.*	1/6
Lotio Calaminæ Conc. (Hewlett's)		T	*lb.*	2/–
Lysol. *Hewlett's Surgical Creosalgen*			*gal.*	6/7
Maclean's Powder			*Page 29*	
Magnes. Carb. Levis			*lb.*	1/10
Magnes. Carb. Pond.			*lb.*	2/–

Magnes. Citras Effervescing ..	M	*lb.*	**3/2**
Magnes. Sulph. *Epsom Salts*		*cwt.*	**30/–**
Magnes. Sulph. Pulv. Alb. ..		*cwt.*	**54/–**
Magnes. Sulph. Pulv. coloured drab, pink, yellow, red or blue ..		*cwt.*	**65/–**
Magnes. Sulph. coloured, with Ginger .. .. ..**1½d.** *lb.*		*cwt.*	**70/–**
Magnes. Trisilicas		*lb.*	**6/–**
"Magnum" Pessaries		*Page 24*	
Malto-Phosphates. *Nutritive Tonic for Dogs*		*Page 29*	
Maltovin. *Tonic Wine for Dogs* ..	M	*lb.*	**2/6**
Mange Dressing with Derris ..		*Page 29*	
Mange Liniment, Gray's		*Page 29*	
Mass Aloetic	M	*lb.*	**2/11**
Mel Opt.		*lb.*	**2/4**
Menthol		*oz.*	**3/11**
Mercurial Soap (Hewlett's). *See Sapo Mercurial*	M		
Methyl Salicylas		*lb.*	**3/9**
Methylene Ditannin	M	*oz.*	**2/3**
Mist. Anti-dyspeptic. (Hewlett's)	M	*lb.*	**7/9**
Mist. Bismuth. Co. *Gastric Sedative containing Liquor Morphinae 2½ mins. in each drachm*	M	*lb.*	**5/3**
Mist. Bismuth. Co. sine Morphia	M	*lb.*	**5/–**
Mist. Bismuth. Salicyl. Co. ..		*Page 29*	
Mist. Bromidi Aromat.	M	*lb.*	**2/6**
Mist. Calcii Chlor. c. Ferro ..	M	*lb.*	**1/–**
Mist. Chenopodii Co.	M	*Page 29*	
Mist. Coto Co.	M	*lb.*	**3/4**
Mist. Cretæ c. Creosoti Co. (Hewlett's)		*Page 30*	
Mist. Damianæ Co.		*Page 30*	
Mist. Damianæ Co. c. Yohimbin.	S1.M	*lb.*	**19/3**
Mist. Diamorph. Co. (Hewlett's) *For Coughs, Bronchitis, Laryngitis, etc.*	DD.M	*lb.*	**5/6**
Mist. Diamorph. Co. Rub. *For Dogs*	DD.M	*lb.*	**6/–**
Mist. Diarrhœa Canina	M	*lb.*	**3/–**
Mist. Hexaminæ Co.		*Page 30*	
Mist. Kola Co.	M	*lb.*	**7/2**
Mist. Morph. Co. Rub. (Hewlett's)	M	*lb.*	**6/–**
Mist. Pepsinæ Co. c. Bismutho (Hewlett's)	M	*lb.*	**12/6**
Mist. Phenobarbital Co.	S1.M	*lb.*	**3/4**
Mist. Postpartum Conc.	S1.M	*lb.*	**4/–**
Mist. pro Actinomycosis (Hewlett's)	S1.M	*lb.*	**2/9**
Mist. pro Chorea Conc.	M	*lb.*	**3/7**
Mist. pro Husk or Hoose	M	*gal.*	**7/2**
Mist. Tonica Conc. (Hewlett's) ..		*Page 9*	
Mist. Tussi Rub. Conc. (Hewlett's)	M	*lb.*	**2/9**
Mist. Tussis Alk.	M	*lb.*	**1/8**
Mist. Tussis. *Bruasco*	S1.M	*lb.*	**5/–**
Mist. Tussis Canina	M	*lb.*	**3/6**
Mist. Tussis Expectorans	M	*lb.*	**2/3**
Morphin. Acet. or Hyd. 6/– *drachm*	DD	*oz.*	**36/3**
Mustard, Pure		*lb.*	**4/8**
Mustard for Poultices, Opt. ..		*lb.*	**4/–**
Myroxline (Hewlett's)	M	*Page 10*	
Myrrha		*lb.*	**10/6**
Myrrha Pulv.		*lb.*	**5/–**
Myrrha Sorts		*lb.*	**5/–**
"Nebulique" Rose Formalin. *Spray 5/– gal.*	M	*lb.*	**1/–**
Nux Areca Pulv.	M	*lb.*	**1/5**
Nux Vomica Pulv.	M	*lb.*	**1/10**
Ol. Amygd. Dulc. (Substitute) ..		*lb.*	**8/–**
Ol. Anisi		*lb.*	**28/–**
Ol. Camphoratum. *Camphorated Oil. See Lin. Camph.*			
Ol. Carbolizatum 1-20	M	*lb.*	**2/6**
Ol. Cantharidis Fort. (Hewlett's Special)		*Page 10*	
Ol. Cari B.P.		*oz.*	**3/–**
Ol. Caryoph. B.P.		*lb.*	**19/–**
Ol. Chenopodii	M	*oz.*	**4/–**
Ol. Chenopodii 5% with Castor Oil	M	*lb.*	**4/–**
Ol. Cocois Nucif.		*lb.*	**1/6**
Ol. Crotonis	M	*oz.*	**1/4**
Ol. Eucalypti B.P.		*lb.*	**10/–**
Ol. Iodermiol	M	*lb.*	**6/–**
Ol. Juniper. Bacc.		*lb.*	**35/–**
Ol. Lini		*gal.*	**8/6**
Ol. Menth. Pip. B.P.		*oz.*	**4/6**
Ol. Menth. Pip. Jap		*oz.*	**2/–**
Ol. Morrhuæ British		*gal.*	**33/–**
Ol. Morrhuæ Veterinary		*gal.*	**15/–**
Ol. Neatsfoot .. .. .. **1/6** *lb.*		*gal.*	**14/–**
Ol. Nucis. *Arachis.* **Nut Oil 1/4** *lb.*		*gal.*	**10/–**
Ol. Olivæ Opt. B.P. .. **2/6** *lb.*		*gal.*	**18/9**
Ol. Origanum Opt.		*lb.*	**13/2**
Ol. Palmæ		*lb.*	**1/5**
Ol. Persicæ		*lb.*	**7/9**
Ol. Picis Com'l., dark		*lb.*	**1/1**
Ol. Picis Rect.		*lb.*	**1/6**
Ol. Rapii. *Colza* .. **10/9** *gal.*		*lb.*	**1/4**
Ol. Ricini Opt. *Castor Oil*		*lb.*	**1/6**
Ol. Sesami .. .. **10/–** *gal.*		*lb.*	**1/6**
Ol. Sinapis Fort. (Hewlett's) ..		*lb.*	**4/6**
Ol. Sperm		*gal.*	**6/–**
Ol. Staphisagræ (Hewlett's) ..		*oz.*	**1/7**
Ol. Succini Rect.		*lb.*	**2/3**
Ol. Tereb. Rect. .. **12/6** *gal.*		*lb.*	**1/5**
Ol. Train .. .. **7/4** *gal.*		*lb.*	**1/–**
Ol. Whale		*gal.*	**10/–**
Opium Pulv.	DD.M	*oz.*	**4/9**
Oxymel Scillæ	M	*lb.*	**1/11**
P.A.B.S. (Hewlett's)	S1	*Page 10*	
Paraffin Liq. B.P. .. **11/9** *gal.*	M	*lb.*	**1/6**
Paraffin Molle Alb.		*lb.*	**1/2**
Paraffin Molle Flav.		*lb.*	**8½d.**
Paraldehyde (Hewlett's)	M	*lb.*	**2/9**
Parophyroxia		*Page 10*	
Pessaries, Canine Uterine		*Page 24*	
Pessaries, Intra-Uterine		*Page 24*	
Pessaries, "Magnum"		*Page 24*	
Petrolanum (Hewlett's). *A pure soft Petroleum Jelly for Ointments*	M	*lb.*	**1/2**
Petrolatine (Hewlett's)	M	*lb.*	**1/6**
Phenacetin	M	*lb.*	**12/6**
Phenazonum. *Antipyrin*	M	*lb.*	**35/2**
Phenobarbitonum B.P.	S1.M	*oz.*	**4/1**
Phenobarbitonum Solub. B.P. ..	S1.M	*oz.*	**4/1**
Phenol B.P.		*lb.*	**2/3**
Phenol Liq. B.P.	M	*lb.*	**2/1**
Pig Powders		*Page 17*	
Pigment. Iodi Meth.	M	*lb.*	**2/10**
Pigment. Iodi Fort. Meth. ..	M	*lb.*	**5/6**
Pigment. pro Otorrhœa	M	*lb.*	**3/–**
Pills		*Page 18*	
Pilocarpin. Nitras	S1.M	*drm.*	**6/1**
Pimenta		*lb.*	**5/9**
Pimenta Pulv.		*lb.*	**6/3**
Piper Alb. Pulv.		*lb.*	**3/6**
Piper Nig. Pulv.		*lb.*	**2/6**

Pix Barbadense. *Barbadoes Tar* ..			*lb.*	1/7
Pix Burgund.			*lb.*	1/7
Pix Liquid. *Stockholm Tar*			*lb.*	1/2
Plumbi Acetas			*lb.*	1/4
Plumbi Acetas Pulv.			*lb.*	1/6
Potassa Sulphurata			*lb.*	1/10
Potassa Sulphurata Gran.			*lb.*	2/2
Potassii Acetas			*lb.*	3/6
Potassii Bicarb. Gran.			*lb.*	1/9
Potassii Bicarb. Pulv.			*lb.*	1/9
Potassii Bromid. Gran. or Cryst.			*lb.*	4/5
Potassii Carbonas B.P.			*lb.*	1/9
Potassii Chloras			*lb.*	4/6
Potassii Chloras Pulv.			*lb.*	4/6
Potassii Iodid.			*lb.*	13/6
Potassii Nit. Pulv.			*lb.*	11d.
Potassii Permang.			*lb.*	4/–
Potassii Tart. Acid. Pulv. *Cream of Tartar*			*lb.*	9/6
"Pulvettes"			*Page 16*	
Pulv. Alkalinus. *Maclean's Powder* ..			*Page 29*	
Pulv. Antimonialis		S1.M	*lb.*	6/10
Pulv. Antisepticus		M	*lb.*	2/–
Pulv. Aromaticus (Hewlett's). *A combination of spices and aromatics*		M	*lb.*	1/8
Pulv. Derris Co.		M	*lb.*	2/6
Pulv. Glycyrrhiz. Co.		M	*lb.*	1/6
Pulv. Iodoform. Co. (Hewlett's). *For Nasal Gleet and Nasal Catarrh* ..		M	*oz.*	2/9
Pulv. Ipecac. Co. B.P.1914		S1.M	*lb.*	14/–
Quininæ Sulph. B.P.		M	*oz.*	6/2
Quittor Points. *Perchloride of Mercury*		M	*doz.*	1/3
Resina Flav. Opt.			*lb.*	9½d.
Resina Flav. Opt. Pulv.			*lb.*	1/1
Resorcin			*oz.*	1/4
Rheum E.I. Pulv. Opt.		M	*lb.*	16/9
Rheum E.I. Pulv. No. 2		M	*lb.*	11/6
Rheum Ang. Pulv.		M	*lb.*	4/9
Sacch. Ust. Conc.			*lb.*	1/10
Sacch. Ust. Dil.			*lb.*	1/3
Salicin		M	*oz.*	2/3
Saline, Effervescing		M	*lb.*	2/8
Salol		M	*oz.*	1/4
Santonin		M	*drm.*	7/3
Sapo Carbolic. ..	1*lb. bars*		*lb.*	9d.
Sapo Castil.			*lb.*	1/6
Sapo Duras			*lb.*	2/6
Sapo Duras Pulv.			*lb.*	3/6
Sapo Liq. Ether. *Ether Soap* ..		M	*lb.*	4/6
Sapo Liq. Toilet		T	*lb.*	1/2
Sapo Lubricant		M	*lb.*	2/6
Sapo Mercurial (Hewlett's) ..		M	*lb.*	5/6
Sapo Mollis			*lb.*	1/2
Scammoniæ Resin Pulv.		M	*lb.*	11/–
Scilla Pulv.		M	*lb.*	4/2
Sodii Bicarb. Pulv. ..	30/– *cwt.*		*lb.*	5d.
Sodii Bromid. B.P.			*lb.*	4/7
Sodii Chlor. Com'l.			*lb.*	10d.
Sodii Hydroxid. Sticks			*lb.*	2/10
Sodii Hydroxid. Pur.			*lb.*	3/9
Sodii Salicylas Pulv.			*lb.*	3/11
Sodii Sulphas. *Glauber Salts* ..			*lb.*	4d.
Sodii Sulphas Exsic.			*lb.*	10d.
Sodii Sulphis			*lb.*	7d.
Sodii Thiosulphate. *Hyposulphis* ..			*lb.*	4½d.
"Soltabs"			*Page 22*	
Spirit. Aetheris		M	*lb.*	7/6
Spirit. Aetheris Co.		M	*lb.*	9/6
Spirit. Aether Nitrosi .850 ..		M	*lb.*	5/8
Spirit. Ammon. Aromat. B.P. ..		M	*lb.*	5/10
Spirit. Camphoræ		M	*lb.*	9/–
Spirit. Chirugicalis. *Surgical. colourless*		M	*pint*	1/3
Spirit. Chloroform.		M	*lb.*	6/9
Spirit. Vini Meth. *Maximum 4 gals.*			*gal.*	5/6
Spirit. Vini Meth. Industrial. *Maximum ½ gal.*			*gal.*	4/3
Staphisagria Pulv.		S1	*lb.*	5/4
Strychnina Cryst.		S1.M	*oz.*	6/–
Strychnina Pulv.		S1.M	*oz.*	6/–
Sulphonamide. *See P.A.B.S.*		S1	*Page 10*	
Sulphur Præcip. B.P.			*lb.*	1/8
Sulphur Rotund. *Roll*			*lb.*	8½d.
Sulphur Sublimatum B.P. 50/– *cwt.*			*lb.*	9d.
Sulphur Sublimatum Com'l. 35/- *cwt.*			*lb.*	7d.
Sulphur Vivum. *Black Sulphur* ..			*lb.*	6d.
Syrup. Camph. Co.		M	*lb.*	2/–
Syrup. Chloral Hydrat.		M	*lb.*	2/9
Syrup. Easton.		M	*lb.*	2/6
Syrup. Ephedrina. ¼ *gr. in 1 drachm*		M	*lb.*	3/9
Syrup. Ferri Phos. Co.		M	*lb.*	1/1
Syrup. Ferri Phos. Co. et Ficorum		M	*lb.*	1/10
Syrup. Ficus Co.		M	*lb.*	2/9
Syrup. Glycerophos. Co.		M	*lb.*	2/9
Syrup. Glycerophos. Co. Cherry Flavoured		M	*lb.*	3/–
Syrup. Hypophos. Co.		M	*lb.*	1/7
Syrup. Papav. Alb.		M	*lb.*	2/6
Syrup. Rhamni		M	*lb.*	2/–
Syrup. Rheados		M	*lb.*	2/–
Syrup. Scillæ		M	*lb.*	1/6
Tablets, Compressed			*Page 20*	
Tablets, Hypodermic			*Page 13*	
Tænigen (Hewlett's). *For Worms in Dogs*		M	*lb.*	14/6
Tænigen Capsules			*Page 23*	
Tænigen Pills			*Page 19*	
Tar, Stockholm. *See Pix Liquida* ..				
Teat Bougies			*Page 24*	
Teat Ointment			*Page 27*	
Tereb. Venet. Com'l.			*lb.*	1/6
Theriaca. *Treacle*			*lb.*	7d.
Thymol			*oz.*	1/6
Tinct. Aconiti B.P.1914		S1.M	*lb.*	6/6
Tinct. Aconiti, Fleming's		S1.M	*lb.*	9/–
Tinct. Arnicæ		M	*lb.*	6/4
Tinct. Asafetidæ		M	*lb.*	6/10
Tinct. Belladonnæ		M	*lb.*	7/8

Tinct. Benzoin. Co.		M	*lb.*	7/3
Tinct. Calendulæ		M	*lb.*	10/6
Tinct. Cannabis Indica B.P.	*DD.*	M	*oz.*	3/4
Tinct. Cantharidis	*S1.*	M	*lb.*	8/5
Tinct. Capsici		M	*lb.*	4/9
Tinct. Card. Co.		M	*lb.*	4/5
Tinct. Catechu		M	*lb.*	4/3
Tinct. Chlorof. et Morph. B.P.1885	*S1.*	M	*lb.*	4/3
Tinct. Cinchonæ B.P.		M	*lb.*	5/9
Tinct. Cinchonæ Co.		M	*lb.*	7/1
Tinct. Colchici		M	*lb.*	5/9
Tinct. Conii		M	*lb.*	8/3
Tinct. Digitalis B.P.	*S1.*	M	*lb.*	6/6
Tinct. Ergotæ	*S1.*	M	*lb.*	21/–
Tinct. Ferri Perchlor.		M	*lb.*	1/10
Tinct. Gentian. Co.		M	*lb.*	4/4
Tinct. Hydrastis		M	*lb.*	10/8
Tinct. Iodi. *See Liq. Iodi Mit.*		M		
Tinct. Iodi Decolor. Meth.		M	*lb.*	2/6
Tinct. Jaborandi		M	*lb.*	5/–
Tinct. Lavand. Co.		M	*lb.*	8/11
Tinct. Myrrhæ		M	*lb.*	8/5
Tinct. Myrrh. Co.		M	*lb.*	7/1
Tinct. Nucis Vom. B.P.	*S1.*	M	*lb.*	4/–
Tinct. Opii Camph. B.P.		M	*lb.*	4/11
Tinct. Opii Conc. 1-3	*DD.*	M	*lb.*	19/–
Tinct. Opii B.P.1898	*DD.*	M	*lb.*	8/3
Tinct. Quininæ Ammon.		M	*lb.*	7/–
Tinct. Rhei Co.		M	*lb.*	5/–
Tinct. Scillæ B.P.		M	*lb.*	4/7
Tinct. Scillæ, Physiologically Standardised		M	*lb.*	4/9
Tinct. Strophanthi, Physiologically Standardised	*S1.*	M	*oz.*	10½d.
Tinct. Zingib. B.P.		M	*lb.*	7/4
Tinct. Zingib. Fort.		M	*lb.*	8/8
Tinct. Zingib. Fort. Isopropyl Alcohol		M	*lb.*	3/6
Tonic Powders for Dogs			*Page 16*	
Tonic Powders for Horses			*Page 14*	
Tuberculin			*Page 26*	
Udder Ointment			*Page 30*	
Ung. Acid. Boric. Flav.		M	*lb.*	1/7
Ung. Acid. Chrysophanic.		M	*lb.*	3/9
Ung. Acid. Salicylic.		M	*lb.*	2/9
Ung. Althææ		M	*lb.*	3/10
Ung. Benzocain. Co. ½ *oz. tubes,* **6/–** *doz.*		M	*lb.*	5/–
Ung. Cupri Oleat. 20%		M	*lb.*	3/–
Ung. Eucalypti		M	*lb.*	3/–
Ung. Hydrarg. Iodid. Rub.	*S1.*	M	*lb.*	5/6
Ung. Hydrarg. B.P.		M	*lb.*	13/–
Ung. Hydrarg. Nitras Fort.	*S1.*	M	*lb.*	8/–
Ung. Hydrarg. Nitras Dil.	*S1.*	M	*lb.*	4/–
Ung. Hydrarg. Oleat. 25%	*S1.*	M	*lb.*	4/9
Ung. Hydrarg. Oxid. Flav.		M	*lb.*	2/3
Ung. Iodermiol			*Page 30*	
Ung. Iodermiol c. Methyl Sal.		M	*lb.*	7/6
Ung. Iodi		M	*lb.*	3/8
Ung. Iodoformi		M	*lb.*	7/2
Ung. Lanæ. *Wool Fat Ointment*		M	*lb.*	1/6
Ung. Petrolei Co.		M	*lb.*	2/6
Ung. Phenolis B.P.		M	*lb.*	2/3
Ung. Picis Liquida		M	*lb.*	2/6
Ung. Procain. Co. ½ *oz. tubes,* **7/3** *doz.*		M	*lb.*	6/3
Ung. pro Eczema, pink		M	*lb.*	4/6
Ung. pro Mastitis			*Page 30*	
Ung. pro Tinea		M	*lb.*	4/–
Ung. Resinæ		M	*lb.*	2/6
Ung. Resinæ Co.		M	*lb.*	6/9
Ung. Resinæ Co. Virid.		M	*lb.*	6/9
Ung. Sabinæ	*S1.*	M	*lb.*	6/–
Ung. Sambuci Virid.		M	*lb.*	3/3
Ung. Staphisagriæ (Hewlett's)		M	*lb.*	6/–
Ung. Sulph. Co. (Hewlett's)		M	*lb.*	2/3
Ung. Sulph. Iodid.		M	*lb.*	6/2
Ung. Terebeni (Hewlett's). *Cooling and Antiseptic*		M	*lb.*	2/6
Ung. Zinci Co. c. Eucalypto. *Antiseptic Dressing*		M	*lb.*	2/11
Ung. Zinci Flav.		M	*lb.*	1/6
Ung. Zinci Oleat.		M	*lb.*	4/6
Ung. Zinci Oxid. B.P.		M	*lb.*	1/7
Vaccines and Sera			*Page 26*	
Vaseline Veterinary			*lb.*	1/9
Vin. Colchici		M	*lb.*	5/6
Vin. Ferri		M	*lb.*	4/9
Vin. Ipecac.		M	*lb.*	6/4
"Virophos" (Trade Mark). *Nerve Tonic and Food*			*Page 30*	
Vitonagen (Hewlett's). *Tonic*		M	*lb.*	4/–
Warble Fly Powder			*Page 30*	
Weed Killer Conc. *Non-poisonous*		M	*gal.*	5/–
Wheat Germ Oil. *See also pages* 13 *and* 23			*lb.*	42/3
White Embrocation			*Page 30*	
Worm Pills for Lambs. R/–, *Cupri Sulph. gr.* 3, *Ferri Arsenias gr.* ¼		M	*grs.*	2/–
Wound Dressing and Liniment			*Page 27*	
Yohimbine	*S1.*	M	15 *grs.*	2/2
Zematine (Hewlett's). *For Eczema*		M	*lb.*	5/–
Zinci Chlor. sticks			*lb.*	4/–
Zinci Chlor. Com'l. Cake			*lb.*	1/8
Zinci Oxid. B.P.			*lb.*	1/4
Zinci Sulph. Com'l.			*lb.*	8½d.
Zinci Sulph. Pulv.			*lb.*	10d.
Zinci Sulph. B.P. Purif.			*lb.*	1/–
Zinci Sulphocarb.			*lb.*	4/3
Zingiber Pulv.			*lb.*	2/6

HEWLETT'S VETERINARY SPECIALITIES

ANTISEPTIC CREAM
(Hewlett's)

A pure emollient healing cream containing Oleate of Zinc, Boric Acid, Wool Fat, etc.

It is indicated in Eczema, Eruptions of the Skin and as an adjunct in cases of Otorrohœa in both dogs and cats. In small wounds about dogs' paws and pedal eczema in dogs, it should be spread on the smooth side of lint and applied with a bandage. It is also very useful in pruritic conditions.

M **Price, 5/6 lb.**

In 2 drachm collapsible tubes, with long nozzles, **6/-** per doz.

ANTISEPTIGEN
(Hewlett's)

A most useful and powerful concentrated Liquid Antiseptic. It has proved to be of great value in Quittors, Fistula-Withers, Poll Evil, Foul Ulcers, Thrush in Horses' Feet, and for checking the flow of synovia. Full directions how to dilute "Antiseptigen" appear on the label.

M **Price, 8/6 lb. ; W.Qts., 8/3 lb.**

ANTITHERMOGEN
(Hewlett's)

An antiseptic and absorbent dressing for Inflammation, Tendonitis, Sprains, etc.

As a substitute for the old-fashioned poultice, this preparation has many advantages. It is not an ointment, but when warmed, spread on lint, and applied to the affected part, acts as an antiseptic anodyne and absorbent. It can be left on inflammatory parts for 12 to 24 hours.

Packed in seamless metal containers,

M **1 lb. .. 30/- per dozen.**
M **2 lb. .. 54/- per dozen.**

ANTISEPTIC JELLY (MYCOTIC)
(Hewlett's)

FUNGICIDAL AND BACTERICIDAL

An efficient antiseptic jelly especially suitable for the cure of mycotic infections of the skin. Contains a potent germicide in a water-soluble jelly base, which is perfumed and coloured green. Relief is experienced immediately owing to the soothing effect of the jelly, which allays the irritation and itching and brings the medicament into the closest contact with the infecting organisms.

Indications.

All mycotic infections of the skin, e.g. Tinea pedis, T. tonsurans, T. circinata, T. barbæ, T. versicolor (Pityriasis), Tricophyton endothrix and ectothrix.

Also as a germicidal application to wounds, fistulæ, etc.

Method of application.

Antiseptic Jelly (Mycotic) should be lightly rubbed into the affected areas daily.

M **Prices.**

Collapsible tubes (approx. 2 ozs.),

20/- per dozen.

Single tubes, **1/9** each.

In 4 oz., 8 oz. and 1 lb. jars, **8/6** per lb.

CALCIUM BORO-GLUCONATE INJECTION
(Hewlett's)

For the injection of Milk Fever it is the quality of the injected solution and its Calcium content which is most important.

Hewlett's injection is a sterile, stable solution, free from solid particles and prepared under aseptic conditions. The calcium content never varies and veterinary surgeons can rest assured that they will obtain consistent results in all cases of calcium deficiency.

Doses. Cattle, 200 to 400 c.c.
Sheep and Pigs, 50 to 100 c.c.
Dogs and Cats, 5 to 40 c.c. according to weight.

M **For prices,** see pages 12 and 13.

Calcium Boro-Gluconate Powder, see page 27.

The Neo-Injector, see pages 42 and 48.

CARBAMYLCHOLINE
(Hewlett's)

For cases of impaction of the cæcum and colon, and atony of the bowel.

It is related chemically to Choline, of which it is the urethane, and acts by parasympathetic stimulation, causing a rapid peristalsis. The action is similar to that of Acetylcholine, but is more persistent. Unlike Arecoline and Physostigmine, Carbamylcholine does not depress the circulation, and its action can be controlled by the injection of Atropine which is antagonistic to it.

Dosage.

All doses should be given fractionally by subcutaneous or intramuscular injection, and may be repeated after four to six hours if necessary.

Horses	.. 2 to 4 c.c.
Thoroughbreds ..	.. 2 c.c. only
Foals	.. ½ c.c.
Cattle	.. 3 to 6 c.c.
Calves	.. 1 to 2 c.c.
Sows	.. 1 to 3 c.c.

If it is necessary to control the action of the drug, up to ¼ gr. Atropine Sulphate may be given subcutaneously. Carbamylcholine should not be given to very old horses, to animals in the later stages of pregnancy or in cases of pulmonary disease.

M **For prices,** see pages 12 and 13.

COLCHICINE
(Hewlett's)

For Carcinoma, Sarcoma and other malignant growths in Dogs, Cats, Horses, etc.

Colchicine definitely arrests the growth of certain experimental tumours, and has been used with success clinically where surgical methods have failed.

Dosage.

1/40 mgm. subcutaneously, every other day for one week. Subsequently, 1/20 mgm., gradually increased according to the case.

"Ampuliques" of 1/10, 1/5 and 1 mgm. are now issued.

M **For prices,** see pages 12 and 13.

Trade HEWSOL Mark

A safe and efficient germicide for all purposes, equally valuable in the home or the surgery. Non-poisonous, non-staining, pleasant and economical in use.

The bactericidal value is unusually high (R.W. Co-efficient 5.2) and its efficacy in the presence of organic matter is much greater than that of the carbolic type of disinfectant. It has no caustic action and strong concentrations may be applied to the skin without injury. For disinfecting the skin and hands before operation, **Hewsol Cream** is recommended.

Hewsol has been used with great success as an application to wounds, as the dressing does not adhere and healing is rapid ; also in parturition of Mares and Cows, especially in cases of retention of the placenta.

As a douche it is particularly efficient. Experience has proved it to be of especial value in Canine and Feline surgery.

M **PRICES.**

Hewsol, 1 gallon tins, **11/-** each.
½ gallon W.Qts., **6/-** each.
1 pint bottles, **2/9** each.

In screw-capped bottles, 4oz., **10/-** doz. ;
6oz., **15/-** doz.

Hewsol Cream, 4 oz. tubes, 9d. each.

Hewsol Pessaries, see page 24.

Hewsol Powder, see page 29.

MIST. TONICA CONC.
(Hewlett's)

A valuable Tonic and Antipyretic. It is rapidly absorbed by the blood and does not irritate the stomach or constipate the bowels. Contains Quinine, Dialysed Iron, etc.

Capt. Russell, F.R.C.V.S., said :—"As a antipyretic tonic, and as a food for the system, I recommend it strongly to the profession."

M **Price, 3/6 lb. ; W.Qts., 3/- lb.**

OLEUM CANTHARID. FORT.

(Hewlett's)

As a general vesicant, this preparation is highly recommended by Veterinary Surgeons, who employ it over inflamed, deep-seated parts, as in Pneumonia, Pleuritis and other internal inflammations after the more febrile symptoms have been subdued ; and for diseased and painful joints, eminent veterinarians prefer it to the ointment.

It can likewise be used with excellent results in œdematous abscesses which show no tendency to suppurate, and even in sore throats it is a powerful and effective rubefacient.

It is especially adapted for well-bred horses with fine skins, as it has never been known to blemish when properly applied or produce desquamation, like most common blisters.

*S1.*M **Price, 4/6 lb. ; W.Qts., 4/- lb.**

PAROPHYROXIA

(Hewlett's)

Antiseptic. Purgative. Carminative.

Parophyroxia possesses these three distinct therapeutic powers and is indicated in all cases of Colitis caused by undigested food, or irritative affections of the alimmentary canal, rendering it the safest and most satisfactory purgative in these cases. It is peculiarly adapted to those cases of Colic so frequently met with in aged horses, which are generally described as "gross Feeders."

It is in these cases that Parophyroxia has a very marked effect in reducing the spasm, arresting fermentation and subduing the drum-like condition of the colon.

It should be born in mind that as the drug is purgative in its action no physic ball should be administered, but to follow up the treatment some simple anti-spasmodic can be given if necessary.

M **Price, 4/6 lb.**
W.Qts., 4/3 lb.

MANGANESE BUTYRATE

(Hewlett's)

Manganese Butyrate Injection owes its introduction into veterinary practice to the clinical success which it has attained in the treatment of staphylococcic and streptococcic infections in man. Many practitioners prefer it to Manganese "Colloigen" and its prompt administration in septic conditions is of great value.

Indications and Dosage.

Mastitis. Manganese Butyrate should be injected as early as possible in cases of Mastitis in Cows. Recent cases respond well to the drug, which is given intramuscularly in doses of 2.5 to 3 c.c.

Interdigital Cysts in Dogs have also been successfully treated with injections of Manganese Butyrate. The dose for dogs is 0.3 c.c. (5 minims).

M **For prices,** see pages 12 and 13.

MYROXLINE

(Hewlett's)

One of the most effective applications for the cure of Mange, Ringworm and allied affections in Dogs and Horses.

A veterinary surgeon reports that he had an outbreak of Ringworm amongst a large stud of brood mares and foals, and that Myroxline cured it sooner than Iodine or any other preparation he applied.

Directions. Apply with a brush, rubbing well into the affected parts. One or two applications should be sufficient to effect a cure.

M **Price, 4/- lb. ; W.Qts., 3/9 lb.**

P.A.B.S.

Para-Amino-Benzene-Sulphonamide.
(Hewlett's)

P.A.B.S. was one of the first sulphonamide derivatives to be used extensively in the treatment of streptococcal infections.

Since its introduction it has been found to have a beneficial effect on conditions due to various other organisms.

Administration may be orally, hypodermically or by local application.

In veterinary practice it has been used with success in cases of infection due to hæmolytic streptococci.

Among case reports which have been received good results are reported in the following conditions :—Metritis in bitches, Ulceration of the eyes in Pekinese, Distemper in a Beagle, Mastitis in Cows, etc.

DOSAGE.

An effective concentration in the blood must be produced as soon as possible, so the initial dose should be two or three times that required for maintenance.

Horses and Cattle.

Oral. .. 3 ozs. followed by ½ oz. every five or six hours.

Hypodermic. 100 to 200 c.c. of 5% solution.

Sheep and Pigs.

Oral. .. 1 oz. followed by 2 drachms every five or six hours.

Hypodermic. 50 to 75 c.c.

Dogs and Cats.

Oral. .. 45 grains per 20 lbs. body weight daily, given in small doses (e.g. 1 x 7½ grain tablet every 4 hours).

Hypodermic. 10 c.c. of 5% solution per 20 lbs. body weight.

S1 **Prices and Packings.**

P.A.B.S. Powder, 17/- per lb.

P.A.B.S. Tablets, 7½ grains (0.5 gramme), **3/6** per 100, **30/-** per 1000.

P.A.B.S. Solution 5%, 100 c.c. rubber capped bottles, **4/6** each.

P.A.B.S. Ointment 5%, **5/-** per lb.

ELIXIR HORMONIGEN

(Hewlett's)

A powerful and palatable preparation of the Hormones, Thyroid, Pituitary, Ovary and Testes, constituting a valuable remedy.

It has been used with great success in the treatment of Bronchitis and Asthma, the animal being cured in one month. A paralysed terrier, that could not stand or raise the head and had no co-ordination of its limbs was treated with Elixir Hormonigen and made a rapid and perfect recovery.

A setter, that had been under treatment for Chorea after Distemper for two months, was given a teaspoonful in water three times a day half an hour before food and was completely cured after a month.

This preparation has also been recommended for Rickets and Arthritis in young dogs and particularly in the treatment of Skin Diseases.

The dose for Terriers, etc. is one teaspoonful 3 or 4 times a day before food. Airedales may be given a dessertspoonful and larger dogs in proportion. Puppies half the above dose.

Price, 6/6 lb. ; W.Qts., 6/- lb.

See also Packed Goods Section.

For Hormonigen Tablets, see page 21.

ELIXIR VITAMINÆ

(Hewlett's)

A pleasant and palatable tonic readily taken by dogs and cats of all ages and especially valuable during convalescence.

Therapeutically, it is more active than a mixture of Cod Liver Oil and Chemical Food (Syr. Ferri Phos. Co.) and vastly superior in appearance and taste.

Constituents.

Made by a modern homogenising process, Elixir Vitaminæ contains Vitamins A and D, Glycerophosphates, Organic Iron and Calcium, together with traces of Copper and Manganese. These valuable constituents are distributed with absolute uniformity in a deliciously flavoured syrup containing Glucose.

Indications.

In convalescence and debilitated conditions, particularly after illness or operations, Elixir Vitaminæ provides the vitamins and minerals necessary for a rapid recovery. Its pleasant flavour makes it of great value where the appetite is small and it is readily taken by animals.

Doses.

Toy Dogs, Terriers, etc. half to one fluid drachm.
Spaniels, Setters, etc. one to two fluid drachms.

Large dogs, two to four fluid drachms.

M **Prices : In 20 oz. bottles, 4/6 ;**
40 oz., 7/6 ; 90 oz., 15/9 each.

See also Packed Goods Section.

TRADE "AMPULIQUES" MARK

Sterilised Solutions for injection. Each "Ampulique" contains 1 c.c. unless otherwise stated.

Subject to Purchase Tax as indicated.

Prices for boxes of 50 and 100 on application. Special formulæ can be prepared in "Ampulique" form, in quantities from 1 dozen upwards.

			Box of Six	Box of Twelve
Acetylcholine 0.1 grm.		M	5/6	10/–
Adrenalin (1 in 1,000) ½ c.c.			2/–	3/6
,, ,, 1 c.c.			2/3	4/–
"Anæsco" (Oil Soluble Anæsthetic)				
2 c.c.		M	2/9	4/6
5 c.c.		M	5/6	—
10 c.c.		M	10/–	—
Apomorphine Hydrochloride 1/10 gr.		*S1*.M	2/9	4/6
Arecoline Compound		*S1*.M	4/–	7/–
(See also Colic No. 2)				
Arecoline, ⅓ gr. Eserine (Physostigmine), ½ gr. Strychnine, 1/6 gr.	(2 c.c.)			
Arecoline Hydrobromide ½ gr.		M	2/3	4/–
,, ,, 1 gr.		M	2/6	4/3
,, ,, 2 grs.		M	3/–	5/–
Atropine Sulph. 1/100 or 1/150 gr.		*S1*.M	2/–	3/6
,, ,, ¼ or ½ gr. (2 c.c.)		*S1*.M	2/6	4/3
Caffein Sodium Benz. 3¾ grs.		M	2/3	4/–
Caffein Sodium Salicyl. 1 or 3 grs.		M	2/6	4/3
,, ,, ,, 5 or 10 grs.		M	3/6	6/–
Calcium Boro-Gluconate 20% 5 c.c.		M	2/9	4/6
,, ,, ,, 10 c.c.		M	4/–	7/–
Calcium Dextrose 10% 5 c.c.		M	2/9	4/6
,, ,, ,, 10 c.c.		M	4/–	7/–
Camphor and Ether in Oil ¼, 1 or 3 grs.		M	2/3	4/–
Camphor in Oil ¼, ½ or 1 gr.		M	1/9	3/–
,, ,, 1½, 2 or 3 grs.		M	2/–	3/6
,, ,, 5 grs. (2 c.c.)		M	2/9	4/6
,, ,, 30 grs. (10 c.c.)		M	4/–	7/–
Carbamylcholine (1 in 1,000) 2 c.c.		M	5/–	9/–
,, ,, 4 c.c.		M	7/6	—
Cardiac Tonic		M	2/6	4/3
(See also Digitalis Compound)				
Digitalin, 1/10 gr. Sparteine Sulph., 1/5 gr. Strychnine Sulph., 1/8 gr.				
Cocain Hydrochloride 1/6 gr.		*DD*	2/–	3/6
,, ,, 1 gr.		*DD*	2/6	4/3
,, ,, 2 grs.		*DD*	3/–	5/–
,, ,, 4 grs. (2 c.c.)		*DD*	4/–	7/–
Colchicine 1/40 or 1/20 mgm.		M	2/9	4/6
,, 1/10, 1/15 or 1 mgm.		M	3/–	5/–
Colic No. 1		*DD*.M	2/9	4/6
Morphine Sulphate, 2 grs. Atropine Sulphate, ¼ gr. Aconitine Nitrate, 1/40 gr.	(2.5 c.c.)			
Colic No. 2		*S1*.M	3/6	6/–
Arecoline Hydrobromide, ¼ gr. Lobeline Sulphate, 1/10 gr. Strychnine Sulphate, 1/8 gr.				
Digitalin 1/10 gr.		*S1*.M	2/–	3/6
,, ¼ gr.		*S1*.M	2/6	4/3
Digitalis Compound (Heart Tonic and Stimulant		*S1*.M	2/6	4/3
Tinct. Digitalis min. 1 Tinct. Strophanth. min. 1 Tinct. Belladon. min. ⅛ Caffein Citrate, gr. ¼				
Ergometrine 0.125 mgm.		*S1*	2/9	4/6
,, 0.5 mgm.		*S1*	4/–	7/–
Ergot Injection 10 minims		*S1*.M	2/–	3/6
Ergotinine Citrate 1/100 gr.		*S1*.M	2/3	4/–
Ergotoxine 0.5 mgm.		*S1*.M	3/9	6/6
Eserine, Arecoline and Strychnine (See Arecoline Compound)				

			Box of Six	Box of Twelve
Eserine ½ gr.		*S1*.M	3/6	6/–
,, 1 gr.		*S1*.M	5/6	—
Eserine and Pilocarpine		*S1*.M	4/–	7/–
Eserine Sulphate, ½ gr. Pilocarpine Nitrate, 1 gr.				
Hyoscine Hydrobromide 1/100 gr.		*S1*.M	2/6	4/3
Lobeline 1/20 gr.		M	5/6	—
Manganese Butyrate 5% 0.3 c.c.		M	1/6	2/9
,, ,, ,, 2.5 c.c.		M	5/–	9/–
Manganese "Colloigen" (Colloidal) 0.25% 1 c.c.		M	2/9	4/6
Morphine and Atropine				
(See also Colic No. 1)				
Morphine Sulphate, ⅛ gr. Atropine Sulphate, 1/200 gr.		*DD*.M	2/3	4/–
Morphine Sulphate, ¼ gr. Atropine Sulphate, 1/150 gr.		*DD*.M	2/3	4/–
Morphine Sulphate, 1 gr. Atropine Sulphate, 1/20 gr.	(2 c.c.)	*DD*.M	2/6	4/3
Morphine Sulphate, 2 grs. Atropine Sulphate, ⅛ gr.	(2.5 c.c.)	*DD*.M	2/9	4/6
Morphine Sulphate, 4 grs. Atropine Sulphate, ¼ gr.	(5 c.c.)	*DD*.M	4/–	7/–
Morphine and Hyoscine		*DD*.M	2/3	4/–
Morphine Hydrochloride, ¼ gr. Hyoscine Hydrobromide, 1/150 gr.				
Morphine Sulphate 1/16, ⅛ or ¼ gr.		*DD*	2/–	3/6
,, ,, 1 gr. (2 c.c.)		*DD*	2/3	4/–
,, ,, 2 gr. (2.5 c.c.)		*DD*	2/9	4/6
,, ,, 4 gr. (5 c.c.)		*DD*	4/–	7/–
Normal Saline Solution 1 c.c.		M	1/9	3/–
,, ,, ,, 5 c.c.		M	2/3	4/–
Nuclein 5% solution 5 c.c.		M	2/9	4/6
,, ,, 10 c.c.		M	4/–	7/–
Physostigmine. (See Eserine)				
Pilocarpine Nitrate ½ gr.		*S1*.M	2/6	4/3
,, ,, 1 gr.		*S1*.M	3/6	6/–
Pituitary (Post. Lobe) Extract B.P. (Physiologically standardised)				
½ c.c. (5 Internat. Units)			2/3	4/–
1 c.c. (10 Internat. Units)			3/6	6/–
Procaine 5% 2 c.c.			2/3	4/–
,, ,, 5 c.c.			2/9	4/6
Procaine 5% with **Adrenalin** (1 in 10,000) 2 c.c.			2/6	4/3
,, ,, 5 c.c.			3/–	5/–
Quinine Dihydrochlor. 2 or 5 grs.		M	2/3	4/–
,, ,, 15 grs. (2 c.c.)		M	3/6	6/–
Quinine Urea Hydrochloride 1%				
,, ,, ,, 1 c.c.		M	2/9	4/6
,, ,, ,, 5 c.c.		M	3/9	—
Spleen 40% 5 c.c.		M	7/–	—
Strophanthin 1/100 gr.		*S1*.M	2/–	3/6
Strychnine Sulphate 1/30 or 1/100 gr.		*S1*.M	2/–	3/6
,, ,, ½ gr. (2 c.c.)		*S1*.M	2/3	4/–
,, ,, 1 gr. (5 c.c.)		*S1*.M	2/9	4/6
Water, Sterile Distilled 2 c.c.			1/9	3/–
,, ,, ,, 5 c.c.			2/3	4/–
,, ,, ,, 10 c.c.			2/9	4/6

INJECTIONS

Subject to Purchase Tax as indicated.

STERILISED SOLUTIONS

WAR-TIME PACKING. Please order 2-oz. bottles wherever possible. These are specially made for injections and need little packing. Credit will be allowed on return.

			each
Acetylcholine, 0.1 gramme per c.c., ...	M	oz.	**9/–**
Adrenalin (Liq. Adrenalin Hyd. 1 in 1000) ..		oz.	**2/–**
Adrenalin 1% (10 times B.P. strength). Stop'd bot.		oz.	**10/6**
"Anæsco" (Oil soluble Anæsthetic)	M	oz.	**4/6**
Apomorphine, ½ gr. in 60 minims	*S*1.M	oz.	**3/6**
Arecoline, 1 gr. in 30 minims	M	oz	**3/6**
Atropine, 1 gr. in 60 minims	*S*1.M	oz.	**2/6**
Caffein Sodium Salicyl. 30 grs. in 60 minims ..	M	oz.	**4/6**
Calcium Boro-Gluconate 20%, 60 c.c. See page 8	M	each	**1/3**
,, ,, ,, ,, 100 c.c. ,, ,,	M	each	**1/6**
,, ,, ,, ,, 200 c.c. ,, ,,	M	each	**1/9**
,, ,, ,, ,, 300 c.c. ,, ,,	M	each	**2/3**
,, ,, ,, ,, 400 c.c. ,, ,,	M	each	**2/9**
,, ,, ,, ,, W.Qts. ,, ,,	M	each	**15/–**
,, ,, ,, 40%, W.Qts. ,, ,,	M	each	**24/–**
,, ,, Special dose, 6 oz. 450 c.c.	M	each	**3/9**
Calcium Boro-Gluconate 20% with Magnesium 5%, 200 c.c.	M	each	**2/3**
,, ,, ,, ,, 400 c.c.	M	each	**3/3**
Calcium Dextrose 10%, 200 c.c.	M	each	**2/–**
Carbamlycholine, 1 in 1000. See page 9 ..	M	oz.	**6/–**
Cocaine 10%	*DD*	oz.	**7/–**
Colchicine No. 1, 1/40 mgm. per c.c. See page 9	M	oz.	**2/–**
,, No. 2, 1/10 mgm. per c.c.	M	oz.	**2/3**
,, No. 3, 1 mgm. per c.c.	M	oz.	**2/6**
Ergot, 20 grs. in 60 minims	M	oz.	**3/6**
Eserine, ½ gr. in 60 minims	M	oz.	**3/6**
,, 1 gr. in 60 minims	M	oz.	**5/6**
Flavin. Co. (For Piroplasmosis) 20 c.c.	M	each	**3/6**
,, ,, ,, ,, 100 c.c.	M	each	**15/–**
Local Anæsthetic (**Hewlett's Special**)		oz.	**1/9**
Magnesium Dextrose, 200 c.c.	M	each	**2/3**
,, ,, 400 c.c.	M	each	**3/3**
Magnesium Lactate, 200 c.c.	M	each	**1/9**
Magnesium Sulphate 25%, ...	M	oz.	**1/–**
Manganese Butyrate 5%. See page 10	M	oz.	**5/6**
Manganese "Colloigen" 0.25%	M	oz.	**2/–**
Morphine 5%	*DD*	oz.	**3/6**
,, 10%	*DD*	oz.	**5/6**
Morphine 5% and **Atropine** 0.5%	*DD*.M	oz.	**4/–**
Normal Saline Solution (Sterile), 1 pint bottles ..	M	each	**2/6**
"Novocain" 2%		oz.	**2/6**
"Novocain" 2% with **Adrenalin,** 1 in 15.000 ..		oz.	**2/6**
Nuclein 5%	M	oz.	**2/–**
P.A.B.S. 5% (**Hewlett's Sulphonamide**) 100 c.c. ..		Page	10
Phenolphthalein (For Pigs) 1 gr. in 20 minims	M	oz.	**2/6**
Pilocarpine, 1 gr. in 60 minims	*S*1.M	oz.	**2/–**
Pituitary (**Post. Lobe**) **Ext.** B.P. 15c.c.		each	**3/6**
Procaine 5%		oz.	**2/–**
Procaine 5% with **Adrenalin,** 1 in 10.000 ..		oz.	**2/–**
Quinine Urea Hydrochlor. 1%	M	oz.	**3/–**
Strychnine, 1 gr. in 60 minims	*S*1.M	oz.	**1/–**
Water, Sterile Distilled, 1 pint bottles		each	**2/6**
Wheat Germ Oil, 25 c.c.		each	**3/–**

HYPODERMIC TABLETS

New Process. Very Soluble.

In tubes of six tablets except when otherwise stated, e.g. (20). Each tablet to be dissolved in boiled water, 1 c.c. to 5 c.c. according to the amount of the drug present.

Aconitine 1/30 gr. ..	*S*1.M	**6d.**
Adrenalin 1/100 gr.		**9d.**
Apomorphine 1/20 gr. (20)	*S*1.M	**1/–**
,, 1/10 gr. (20)	*S*1.M	**1/3**
Arecoline ½ gr.	*S*1.M	**1/3**
,, 1 gr.	*S*1.M	**1/6**
Arecoline Compound (Arecoline ½ gr., Physostigmine ½ gr., Strychnine ⅛ gr.)	*S*1.M	**3/6**
Atropine 1/5 gr.	*S*1.M	**6d.**
,, ½ gr.	*S*1.M	**1/–**
Caffeine ½ gr. (20)	M	**1/3**
Cardiac Tonic (Digitalin pure 1/10 gr., Spartein Sulph. 1/5 gr., Strychnin. Nit. ⅛ gr.)	*S*1.M	**1/6**
Cocain 1/10 gr.	*DD*	**9d.**
,, ½ gr.	*DD*	**1/–**
,, 1 gr.	*DD*	**1/6**
Colic No. 1 (Aconitin. Nit. 1/40 gr., Morphin. Sulph. 2 grs., Atropin. Sulph. ¼ gr.)	*DD*.M	**2/–**
Colic No. 2 (Arecoline ¼ gr., Lobeline 1/10 gr., Strychnine ⅛ gr.)	*S*1.M	**3/–**
Digitalin 1/10 gr. (20) ..	*S*1.M	**1/3**
,, ¼ gr.	*S*1.M	**2/–**
Eserine (Physostigmine) ½ gr.	*S*1.M	**2/3**
1 gr.	*S*1.M	**4/–**
2 gr.	*S*1.M	**6/6**
Eserine and Pilocarpine (Eserine ½ gr., Pilocarpine 1 gr.)	*S*1.M	**2/6**
Heart Tonic and Stimulant (Tinct. Digitalis m.1, Tinct. Strophanth. m.1, Tinct. Bellad. m.⅛, Caffein Cit. gr. ¼)	*S*1.M	**1/3**
Lobeline ½ gr.	*S*1.M	**5/6**
Morphine ⅛ or 1/10 gr. (20) ..	*DD*	**10d.**
,, 1 gr.	*DD*	**1/–**
,, 2 gr.	*DD*	**1/9**
Morphine and Atropine Morphine 1/6 gr., Atropine 1/180 gr. (20)	*DD*.M	**11d.**
Morphine 1 gr., Atropine 1/10 gr.	*DD*.M	**1/3**
Morphine 2 grs., Atropine 1/5 gr.	*DD*.M	**2/–**
Pilocarpine ½ gr.	*S*1.M	**1/–**
,, 1 gr.	*S*1.M	**1/9**
Strophanthin 1/100 gr. (20)	*S*1.M	**6d.**
Strychnine ½ gr.	*S*1.M	**6d.**
,, 1 gr.	*S*1.M	**9d.**
Total Opium Alkaloids 1/3 gr. (20)	*DD*	**2/4**

CATTLE DRENCHES

Subject to Purchase Tax 16⅔ per cent.

No 1 Pulv. Magnes. Sulph.
(Finely ground, dried and coloured.)
Red, Yellow, Pink, Drab or White.
1 lb. Packets, 8/6 ; 12 oz. do., 6/8 ;
8 oz. do., 5/– per doz. ; 4 oz., 4/– doz.
In bulk, White, 54/–, Coloured, 65/– cwt

No. 2 P. Magnes. Sulph. c. Zingib.
(Finely ground, dried and coloured.)
Red, Yellow, Pink, Drab or White.
1 lb. Packets, 9/6 ; 12 oz. do., 7/– ;
8 oz. do., 6/– per doz. ; 4 oz., 4/9 doz.
In bulk, 70/– cwt.

No. 3 Pulv. Magnes. Sulph. c. Aloes et Zingib.
(Pulv. Aloes, ½ oz. ; P. Zingib., 1 oz. ; P. Mag. Sulph. ad., 16 oz.)
1 lb. Packets, 12/– ; 12 oz. do., 9/– ;
8 oz. do., 7/– per doz. ; 4 oz. do., 5/6 per doz.
In bulk, 93/– cwt.

No. 4 P. Magnes. Sulph. c. Soda, Gentian, Fœnugræc, &c.
1 lb. Packets, 8/3 ; 12 oz. do., 6/6 ;
8 oz. do., 5/– per doz.

No. 5 P. Magnes. Sulph. c. Pot. Nit., Sodii Bicarb., P. Zingib.
1 lb. Packets, 12/– ; 12 oz. do., 9/– ;
8 oz. do., 6/6 per doz.

No. 6 Cleansing Drench.

Pulv. Camphoræ	.. .. ..	½ dr.
,, Pot. Nit.	.. .. ..	3 drs.
,, Zingib.	.. .. ..	1 oz.
Mag. Sulph. Flav.	.. ..	ad 16 oz.
1 lb. Packets	.. .. ..	per doz. 8/6
12 oz. ,,	.. .. ..	,, 10/–
8 oz. ,,	.. .. ..	,, 7/6
4 oz. ,,	.. .. ..	,, 4/6

No. 7 Red Drink.
Red Epsoms, Sulphur and Fœnugræc, &c.
In 10 oz. Cartons, labelled, with full directions .. .. .. per doz. 6/6

No. 9 Felon Drench.

Camphor	1 drm.
Ammon. Carb.	3 drs.
Pot. Nit.	4 drs.
P. Anisi	4 drs.
P. Zingib.	4 drs.
Mag. Sulph.	4 ozs.
Pulv. Lini.	ad 8 ozs.

Price, 10/– per doz

No. 10 Chill.

Pulv. Anisi	1 oz.
,, Fœnugræc	1 oz.
,, Zingib.	1 oz.
,, Camphor	30 grs.
,, Lini	ad 8 oz.

8 oz. packets, 11/– doz. ; 4 oz., 7/– doz.

No. 11 Cudding and Tonic.

Pulv. Gentian.	4 drs.
,, Zingib.	4 drs.
,, Nucis Vom.	1½ drs.
,, Sodii Bicarb.	4 drs.
,, Lini	ad 4 oz.

Coloured Red.
Price, 6/3 doz. ; gross, 67/–. In bulk, 1/3 lb.

No. 12 Stimulating Drink.
P. Ammon. Carb., P. Nucis Vom. 15%, Pulv. Gentian, etc.
In packets of 6, 18/3 per gross powders ; in tins of 6, 21/– per gross powders ; in tins of 6 ozs., 10/– per dozen tins. (Dose, 1 oz.)

No. 13. Antipyrin Powders.

Antipyrin	2 drs.
Excip.	ad ¾ oz.

Useful in the treatment of Metritis, and when given after difficult obstetric cases the dose is one powder every six hours.
Price, 10/– dozen.

HORSE POWDERS

Packed in boxes of one dozen. Subject to Purchase Tax 16⅔ per cent.

No. 1. Alterative. *S1*

P. Antim. Nig.	ʒss
P. Pot. Nit.	ʒj
Sulph. Sublim.	ʒj
P. Resinæ	ʒj
P. Fœnugræc	ʒss

Price, 14/– gross. In bulk, 1/4 lb.

No. 2. Astringent.

P. Catechu	ʒj
P. Cassiæ	ʒj
P. Cretæ Præp.	ʒij

Price, 15/– gross. In bulk, 1/10 lb.

No. 3. Cordial.

P. Gentian.	ʒiss
P. Zingib.	ʒiss
P. Aromaticus (Hewlett's)	ʒj

Price 15/– gross. In bulk, 1/7 lb.

No. 4. Cough.

P. Fol. Belladonnæ ..	ʒj
P. Ammon. Carb. ..	ʒj
P. Camphor.	15 grs.
P. Anisi	ad ʒiv

Price 26/6 per gross In bulk, 4/6 lb.

No. 5. Condition, No. 1. *S1*

Antim. Oxy-Sulph. Golden	ʒss
P. Pot. Nit.	ʒj
Sulph. Sublim.	ʒj
P. Gentian.	ʒj
P. Fœnugræc.	ʒss

Price 14/– gross. In bulk, 1/2 lb.

Condition No. 2.

P. Nucis Vom. ..	grs. 20
P. Ferri Sulph. ..	1 drachm
P. Gentianæ ..	1½ drachms
P. Aromat. ..	ad 4 drachms

12/– per gross ; 1/3 per lb.
1-lb. Containers, 16/– per dozen.

No. 6. Diuretic.

P. Pot. Nitrat.	ʒij
P. Resinæ	ʒj
Sulph. Sublim.	ʒj
Bole Armen. q. s.	

Price 14/– gross. In bulk, 1/3 lb.

No. 7a. Fever.

Magnes. Sulph. Rub. ..	ʒss
P.Pot. Nit.	ʒij
P.Pot. Chlor.	ʒj
P.Sodii Bicarb.	ʒss

Price 16/– gross. In bulk, 2/3 lb.

No. 8. Tonic.

P. Ferri Sulph.	ʒj
P. Zingib.	ʒj
P. Gentian.	ʒj
P. Aromaticus (Hewlett's)	ʒj

Price 14/– gross. In bulk, 1/6 lb

No. 10. Worm. *S1*

P. Antim. Tart.	ʒj
P. Aloes Barb.	ʒj
P. Ferri Sulph. Exsic. ..	ʒj
P. Aromaticus (Hewlett's)	ʒj

Price 26/– per gross. In bulk, 4/3 lb.

HORSE BALLS

WRAPPED IN PAPER OR "UNIQUE" GELATINE-COATED.

Subject to Purchase Tax 16⅔ per cent.

If supplied in Gelatine capsules, 6d. per doz. extra above "Unique" Gelatine-coated

***Physic Balls.** Containing

	In Paper.		"Unique."	
	doz.	gross.	doz.	gross.
3 and 4 drm. Aloes	2/3	24/–	3/3	36/–
5 „ „	2/9	28/–	3/9	40/–
6 „ „	3/3	31/6	4/3	43/6
7 „ „	3/9	35/6	4/9	47/6
8 „ „	4/3	40/–	5/3	52/–
9 and 10 „ „	4/6	51/–	5/6	62/–

* *Note* 3, 4 & 5 *drm. "Unique" Balls are made up to* 1 *oz. size with simple mass*

No. 3. Alterative
Aloes Barb. .. .. ℥j
Sapo Mollis. .. .. ℥ij
In Paper, 2/6 per doz.
"Unique" 3/6

No. 4. Alterative. *S1*
Aloes Barb. .. .. ℥jss
Antim. Tart. .. .. ℥j
Saponis .. .. .. ℥ij
In Paper 3/6 per doz.
"Unique," 4/6.

No. 4a. Alterative. *S1*
(*Robert's*).
P. Aloes Barb. .. .. ℥ij
P. Pot. Nit. .. .. ℥ij
P. Gentian. .. .. ℥ij
P. Zingib. .. .. ℥i
P. Antim. Tart. .. .. ℥i
Sapo. Dur. .. .. ℥i
In Paper, 3/8 per doz.
"Unique," 4/8.

No. 9. Astringent.
Ext. Catechu Pulv. .. ℥j
Pulv. Cort. Cinnam. .. ℥j
In Paper, 1/9 per doz.
"Unique," 2/9.

No 9a. Condition Balls. *S1*
Antim. Oxysulph. .. ℥j
Sulph. Sublim. .. .. ℥j
Pulv. Pot. Nit. .. .. ℥j
„ Fœnugræci .. ℥ij
In Paper, 1/10 per doz.
"Unique," 2/10

No. 15. Cordial.
Pulv. Zingib. .. .. ℥ij
„ Gentian. .. .. ℥ij
Theriac .. .. .. q.s
In Paper, 1/9 per doz.
"Unique," 2/9.

No. 7. Cough.
Ext. Belladonnæ .. .. ℥i
Pulv. Aloes Barb. .. ℥i
Pulv. Potass. Nit. .. ℥ij
Paper, 3/3 per doz.
"Unique," 4/3

No. 8. Cough. *S1*
Pulv. Aloes Barb. .. ℥j
„ Digitalis .. .. ℥ss
In Paper, 2/6 per doz.
"Unique." 3/6

No. 16. Cough.
Ext. Belladonnæ .. ℥j
Camphor .. .. ..15 grs.
Pulv. Pot. Nit .. .. ℥ij
In Paper, 2/9 per doz.
"Unique," 3/9.

No. 17. Cough. *S1*
Pulv. Scillæ .. .. ℥ss
„ Digitalis .. .. ℥ss
„ Pot. Nit. .. ℥ij
In Paper, 2/3 per doz.
"Unique," 3/3.

No. 27. Cud Balls, in paper, 2/– per doz., 21/– per gross.

No. 13. Diuretic.
Pulv. Resinæ .. .. ℥iiss
„ Potass. Nit. .. ℥ijss
Sapo Durus .. .. ℥ijss
In Paper, 2/– per doz.
"Unique," 3/–.

No. 13a. Diuretic.
(*Snaith's*).
Pulv. Resinæ .. .. ℥ij
P. Pot. Nit. .. .. ℥ij
P. Zingib. .. .. ℥ij
Tereb. Venet. .. .. q.s.
In Paper, 2/– per doz.
"Unique," 3/–

No. 14. Farcy or Grease.
Cupri Sulph. .. .. ℥i
Pot. Chlor. .. .. ℥i
Pulv. Gentian .. .. ℥i
„ Resin. .. .. ℥iss
„ Pot. Nit. .. .. ℥iss
„ Nuc. Vom. .. ..grs. 10
„ Helleb Alb. .. ..grs. 10
„ Saponis .. } ad ℥i
Tereb. Venet .. }
In Paper, 2/– per doz.
"Unique," 3/–.

No. 5. Fever. *S1*
Antim. Tart. .. .. ℥ss
Pulv. Camphor. .. 30 grs.
„ Potass. Nit. .. ℥j
In Paper, 2/6 per doz.
"Unique," 3/6.

No. 6. Fever. *DD*
Camphor .. .. .. ℥i
Pulv. Potass. Nit. .. ℥iv
Hyd. Subchlor. .. .. gr. xx
P. Opii .. .. .. gr xx
In Paper, 6/3 per doz.
"Unique," 7/3

No. 26. Gastric Tonic. *S1*
P. Ammon. Carb. .. .. ℥ij
P. Nucis Vom. .. .. ℥ij
In Paper, 2/–doz., "Unique," 3/-doz.

No. 25. Humour.
P. Ferri Sulph. .. .. ℥iss
Sulphur Sub. .. .. ℥ij
P. Resinæ.. .. .. ℥ij
Tereb. Venet. .. .. ℥j
In Paper, 1/9 doz., 18/6 gross,

No. 17a. Stomachic.
(*Snaith's*).
Pulv. Zingib. .. .. ℥ij
„ Gentian. .. .. ℥ij
P. Ammon. Carb .. ℥ij
In Paper, 1/9 per doz.
"Unique," 2/9.

No. 18. Stimulating.
Ammon. Carb. .. .. ℥j
Camphor .. .. .. ℥ss
Pulv. Cinchonæ .. .. ℥j
„ Zingib. .. .. ℥j
In Paper, 2/9 per doz.
"Unique," 3/9

No. 23. Stimulating and Tonic.
Pulv. Ammon. Carb. .. ℥ij
Quininæ Sulph. .. .. ℥i
Excipient, ad 1-oz
In paper, 10/9 per doz.
"Unique," 11/9

No. 12. Tonic.
Pulv. Ferri Sulph. .. ℥ij
„ Zingib. .. .. ℥i
In Paper, 1/6 per doz.
"Unique," 2/6.

No. 19. Vegetable Tonic.
Pulv. Gentian. .. .. ℥j
„ Calumbæ .. .. ℥j
„ Zingib. .. .. ℥i
In Paper, 1/8 per doz.
"Unique," 2/8.

No. 24. Worm Balls.
Santonin .. .. .. 15 grs.
P. Ferri Sulph .. .. ℥ij
P. Aloes Barb. .. .. ℥iss
P. Gentian. .. .. ℥ij
In Paper, 30/– doz.
"Unique," 32/– doz.

No. 21. Worm Balls. *S1*
Pulv. Aloes Barb. .. .. ℥ij
„ Ferri Sulph. .. .. ℥ij
„ Antim. Tart. .. ℥ij
Ext. Filicis Liq. .. .. ℥j
In Paper, 4/– per doz.
"Unique," 5/–

No. 22. Worm Balls. *S1*
P.Antim. Tart. .. .. ℥j
P.Aloes Barb. .. .. ℥j
P.Ferri Sulph . .. ℥j
In Paper, 3/9 per doz.
"Unique," 2/9

DOG POWDERS FOR DISPENSING

Price, in boxes containing 1 gross, 7/-. In Cartons of 1 dozen Powders.
In Cartons of ½ dozen Powders, price :—1 gross, 8/6.
Subject to 16⅔% Purchase Tax.

THE Cartons are packed in a neat cardboard outer case labelled with the formula. At the suggestion of several of the leading members of the Veterinary Profession who are interested in Canine practice, we have introduced our Dog Powders. Over twenty formulæ are offered, and we are prepared to put up Veterinary Surgeons' own formulæ in this NEAT, ATTRACTIVE and CONVENIENT FORM.

No.

1 Antidyspeptic
Bismuth. Carb. .. gr. 2
Sodii Bicarb. .. gr. 2
Sacch. Lact. .. gr. 1

2 Astringent. (5/9 gross).
Bismuth Salicylat. gr. 4
Sacch. Lact. .. gr. 1

3 Astringent Antiseptic.
Sodii Sulphocarbolat gr. 3
Sacch. Lact. .. gr. 1

4 Astringent Antiseptic.
Salol. .. .. gr. 3
P. Ipecac. sine Emetine gr ¼
Sacch. Lact. .. gr. 1

5 Cough. (*Coloured Grey.*) *DD*
Diamorph. Hydrochlor. gr. 1/64
Sacch. Lact. ad. .. gr. 4

6 Cough. (*Coloured Lilac.*) *DD*
Morph. Hydrochlor. gr. 1/50
Atropin. Sulph. .. gr. 1/200
P. Scillæ .. .. gr ¼
P. Ipecac. .. .. gr. 1/12
Sacch. Lact. ad. gr 5

7 Alterative.
Hyd. c. Creta. .. gr. ½
Sacch. Lact. .. gr. 3

8 Alterative.
Hyd. c. Creta. .. gr. 1
Sacch. Lact. .. gr. 2

9 Antacid.
Sodii Bicarb. .. gr. 3
Sacch. Lact. .. gr. 2

No.

10 Antacid Aperient.
Pulv. Mag. Sulph. (Yellow) .. .. gr. 4
Mag. Carb. Levis .. gr. 2

11 Hepatic.
Calomel .. .. gr. ¼
Sacch. Lact. .. gr. 4

12 Hepatic.
Calomel .. .. gr. ½
Sacch. Lact. .. gr. 4

13 Hepatic.
Calomel .. .. gr. 1
Sacch. Lact. .. gr. 4

14 Vermifuge. (16/6 per gross.)
Santonine .. .. gr. ½
Calomel .. .. gr. ½
Sacch. Lact. .. gr. 4

15 Vermifuge. (16/6 per gross.)
Santonine .. .. gr. ½
P. Arecæ .. .. gr. 3
Sacch. Lact. .. gr. 1

16 Cardiac Tonic. *S1*
P. Digitalis .. gr. 1
P. Scillæ .. .. gr. 2
Sacch. Lact. .. gr. 2

17 Fever.
Pot. Chlor. .. gr. 2
Sodii Bicarb. .. gr. 2
Sacch. Lact. .. gr. 1

18 Tonic.
Ferri Carb. Sacch. .. gr. 4

19 Tonic.
Ferri Phos. .. gr. 1
Quininæ Phos. .. gr. ¼

No.

20 Rheumatic.
Sodii Salicylas .. gr. 5
Sacch. Lact. .. gr. 2

21 Diuretic.
Pot. Nit. .. .. gr. 1
Mag. Carb. Levis .. gr. 1
Sacch. Lact. .. gr. 2

22 Distemper.
P. Ipecac. Co. .. gr. ½
Hyd. c Creta. .. gr. ½
Sodii Bicarb. .. gr. 1
Sacch. Lact. .. gr. 2

23 Distemper. *S1*
Pulv. Antimonialis gr. ½
P. Ipecac. Co. .. gr. ½
Sacch. Lact. .. gr. 3

24 Eczema. *S1*
Arsenic Iodid. .. gr. 1/80
Sacch. Lact. ad. .. gr. 3

25 Eczema. *S1*
Arsenic Iodid. .. gr. 1/60
Sacch. Lact. ad. .. gr. 3

26 Skin Diseases. (*Coloured Orange.*)
Sulphur Precip. .. gr. 3
Sacch. Lact. .. gr. 2

27 Saline.
Pot. Chlor. .. gr. 2
Sacch. Lact. .. gr. 2

28 Antipyretic.
Antifebrin .. .. gr. ½
Sacch. Lact. .. gr. 2

29 Sedative. (8/6 gross.)
Pot. Brom. .. gr. 10
Pulv. Fol. Bellad. .. gr. 3

PULVETTES

DOG POWDERS in Friable Tablet Form, easily powdered.

Subject to 16⅔% Purchase Tax.

No.

1 Alterative.
Hyd. c. Creta .. gr. 3
Jalapin .. .. gr. 1/10
Price, 2/3 per 100.

2 Astringent. *DD*
Pulv. Opii .. .. gr. ¼
Pulv. Catechu Nig. . gr. 1
Pulv. Zingib. .. gr. 1½
Pulv. Cretæ. Aromat. gr. 2
Price, 2/3 per 100.

No.

12 Stomachic.
Bismuth Carb. .. gr. 2
Sodii Bicarb. .. gr. 2
Pulv. Cinnam. .. gr. 1
Price, 2/6 per 100.

13 Tonic.
Ferri Phosph. .. gr. 1
Quininæ Phosph. .. gr. ¼
Price, 2/3 per 100.

No.

14 Tonic and Alterative. *S1*
Acid Arsenios. .. gr. 1/36
Ferri Sulph. .. gr. 1
Aloin. .. .. gr. 1
Ext. Nux. Vom. .. gr. 1/32
Price, 2/6 per 100.

15 Worm.
Santonin .. .. gr. ½
Ext. Areca. .. gr. 2
Jalapin .. .. gr. ½
Price, 9/- per 100.

HEWLETT'S VETERINARY LIQUORS

SUBJECT TO 16⅔% PURCHASE TAX.

FORMULA ON EACH LABEL TO PRODUCE NON-ALCOHOLIC TINCTURES.

ARTICLE.	Per lb.	Therapeutics.	DOSES.	To Produce Tincture.
LIQ. ACONITI CONC, *S1*	11/9	Anodyne and Sedative.	Horses, 3 to 8 mins., Cattle, 4 to 12 mins., Sheep & Pigs, 8 to 4 mins., Dogs ½ to 1 min. in cold water.	Dilute 1 part with 7 parts of 70 per cent. Spirit.
,, ARNICÆ RAD. CONC.	14/-	Internally, Stomachic. Externally, for Sprains.	Horses, 10 to 30 mins. Dogs, ½ to ½ min.	Dilute 1 part with 19 parts of 70 per cent. Spirit.
,, BELLADONNÆ CONC. *S1*	25/-	Anodyne. Stimulates respiratory and cardiac action.	Horses, and Cattle 10 to 30 minims. Dogs, ½ to 1 minim.	Dilute 1 part with 14 parts of 60 per cent. Spirit.
,, CALUMBÆ CONC.	9/3	Gastric Stimulant and Carminative.	Horses and Cattle, 1 to 2 drachms. Dogs, 5 to 10 minims.	Dilute 1 part with 9 parts of 60 per cent. Spirit.
,, CINCHONÆ CONC.	8/6	Stimulant, Stomachic Tonic.	Horses, 2 to 6 drms., Cattle, 6 to 12drms., Sheep & Pigs, ½ to 1 drm., Dogs, 5 to 30 mins.	Dilute 1 part with 3 parts of 70 per cent. Spirit.
,, DIGITALIS CONC. *S1*	12/6	Heart Stimulant, Tonic, Diuretic.	Horses & Cattle, 15 to 30 minims. Sheep & Pigs 4 to 8 mins. Dogs ½ to 1 min.	Dilute 1 part with 9 parts of 70 per cent. Spirit.
,, ERGOTÆ CONC. *S1*	24/-	Parturient.	Mares, 2 to 4 drms., Cows, 2 to 6 drms. Ewe and Sow, 20 to 40 minims, Bitch, 5 to 12 minims.	Dilute 1 part with 3 parts of 45 per cent. Spirit.
,, GENTIAN. CO. CONC.	10/6	Tonic.	Horses & Cattle, 2 to 4 drms. Dogs, 5 to 10 mins. Sheep, 30 to 60 mins.	Dilute 1 part with 7 parts of 45 per cent. Spirit.
,, HYOSCYAMI CONC.	16/6	Anodyne.	Horses & Cattle, ½ to 1 drm. Dogs, 1 to 5 mins.	Dilute 1 part with 9 parts of 70 per cent. Spirit.
,, IODI CONC.	10/-	Internally, Alterative. Externally, Caustic Stimulant & Deobstruent.	Horses, 30 to 90 mins. Cattle, 45 to 120 mins. Pigs, 5 to 15 mins. Dogs, 2 to 6 mins.	Dilute 1 part with 3 parts of Spt. Vini Rect.
,, NUCIS VOMICÆ CONC. *S1*	5/6	Stimulant and Tonic.	Horses & Cattle, 40 to 80 mins. Sheep 2 to 10, Pigs 1 to 3 mins.	Dilute 1 part with 3 parts of Spt. Vini Rect. and water to 6 parts.
,, OPII CONC. *DD*	19/-	Anodyne, Hypnotic, Sedative and Antispasmodic.	Horses & Cattle, 2 to 4 drms. Sheep & Pigs, 10 to 30 mins. Dogs, 2 to 4 mins.	Dilute 1 part with 3 parts of 45 per cent. Spirit.
,, QUASSIÆ CONC.	10/6	Tonic.	Horses and Cattle, 20 to 40 mins. Dogs, 2 to 6 mins.	Dilute 1 part with 9 parts of Spt. Vini. Rect.
,, SCILLÆ CONC.	7/3	Stimulating and Respiratory.	Horses, 15 to 30 mins. Dogs, 1 to 5 mins	Dilute 1 part with 3 parts of 60 per cent. Spirit.
,, VALERIAN CONC.	15/-	Nervine Stimulant, Anti-Spasmodic.	Horses, 30 to 90 mins. Dogs, 4 to 8 mins.	Dilute 1 part with 7 parts of 60 per cent. Spirit.
,, ZINGIBERIS CONC.	14/6	Carminative and Antispasmodic.	Horses & Cattle, 5 to 15 mins. Sheep & Pigs, 3 to 6 mins. Dogs, 1 to 4 mins.	Dilute 1 part with 9 parts of Spt. Vini Rect.

PIG POWDERS

SUBJECT TO 16⅔% PURCHASE TAX.

S1 CONDITION.

Antim. Oxysulph. ..	8 grains
Ferri Carb.	8 ,,
Pot. Nitras.	12 ,,
P. Glycyrrh.	16 ,,
P. Fœnugrec.	16 ,,

Price, 1/8 doz., 16/- gross.

DIARRHŒA.

Bismuth. Subnit. ..	20 grains
P. Cretæ Aromat. .	20 ,,
Methylditannin ..	3 ,,

Price, 2/- doz., 19/6 gross.

WORM.

P. Cupri Sulph. Exsicc .	10 grains
P. Nux. Areca ..	10 ,,
P. Zingib.	10 ,,
P. Aromaticus	ad. 2 drachms

Price, 2/- doz., 19/6 gross.

PEARL COATED DOG PILLS

Subject to 16⅔% Purchase Tax.

No.

1 Pil. Alterative. *S1*

Hyd. c. Creta ..	*Half-size for Small Dogs, 1/8 per 100.*	.. gr. iij
Pulv. Digitalis ..		.. gr. iss
„ Scillæ ..		.. gr. ij
Ext. Hyoscyam.		.. gr. i
Excipient ad ..		.. gr. x

One, night and morning. Price, 2/6 per 100.

2 Pil. Alterative.

P. Aloes Barb. ..	*Half-size for Small Dogs, 1/8 per 100.*	.. gr. ij
Podoph. Resinæ ..		.. gr. ½
Ferri Carb. ..		.. gr. iij
Sodii Bicarb. ..		.. gr. ij
P. Zingib .. .		.. gr. i
Excipient ad ..		.. gr. x

One, night and morning. Price, 2/6 per 100.

2a Pil. Antidyspeptic.

Pepsin.	*Half-size for Small Dogs 2/9 per 100.*	.. gr. ii
Bism. Carb. ..		.. gr. iv
Excipient ad ..		

Price, 3/10 per 100.

3 Pil. Aperient.

Aloes Barb.	*Half-size for Small Dogs, 2/- per 100.*	gr. viij
Ol. Croton.		♏ ss

Price, 2/6 per 100.

4 Pil. Aperient.

Aloes Barb.	*Half-size for Small Dogs, 2/3 per 100.*	gr. viij
Calomel ..		gr. ij

Price, 3/- per 100.

4a Pil. Arecolin. Hydrobrom. .. gr. ⅛ 6/6 100.
„ „ „ .. gr. ¼ 10/- 100.

5 Pil. Astringens. *DD*

Pulv. Opii ..	*Half-size for Small Dogs, 2/- per 100.*	.. gr. j
„ Kino ..		.. gr. i
„ Catechu ..		.. gr. ij
„ Zingiber ..		.. gr. iii
„ Acaciæ ..		.. gr. i
Excipient ad ..		.. gr. x

Dose: One or two occasionally. Price, 3/6 per 100.

6 Condition Pills. *S1*

Hyd. c. Creta ..	*Half-size for Small Dogs, 1/1 per 100.*	.. gr. ij
Aloes Barb. ..		.. gr. iv.
P. Pot. Nit. ..		.. gr. i
P. Antim. Sulph.		.. gr. i
P. Capsici.. ..		.. gr. ½
Ext. Gentian ad		.. gr. x

One, night and morning. Price, 1/11 per 100.

7 Cough Pills. *S1*

Pulv. Digitalis ..	*Half-size for Small Dogs, 2/- per 100.*	.. gr. ij
„ Antimonialis		.. gr. iv
„ Pot. Nit ..		.. gr. iv
„ Ipecac. Co.		.. gr. ij

Price, 2/6 per 100.

8 Cough Pills.

Sodii Bicarb. ..	*Half-size for Small Dogs, 1/8 per 100.*	.. gr. iij
Ext. Bellad. ..		.. gr. j
Pulv. Camph. ..		.. gr. j
„ Digitalis ..		.. gr. ss
Excipient ad ..		.. gr. x

Price, 2/6 per 100.

9 Pil. Distemper. *S1*

Ext. Belladonnæ..	*Half-size for Small Dogs, 1/8 per 100.*	.. gr. i
Potassii Sulphat.		.. gr. ij
Hyd. Sulph. Nig.		.. gr. i
Pulv. Antimonialis		.. gr. i
Excipient ad ..		.. gr. x

Price, 2/6 per 100.

10 Pil. Distemper. (Shipley).

Quininæ Sulph. ..	*Half-size for Small Dogs, 1/8 per 100.*	.. gr. j
P. Potass. Chlor.		.. gr. ij
Sodii Bicarb. ..		.. gr. ij
Excipient ad ..		.. gr. x

Price, 2/6 per 100.

10a Pil. Distemper.

Acid Acetosal. ..	*Half-size, 2/- per 100.*	.. gr. 2
Quininæ Sulph. ..		.. gr. ½

Price, 3/4 per 100.

No.

11 Pil. Purgans.

Podophyllin ..	*Half-size for Small Dogs, 2/6 per 100.*	.. gr. i
Aloin		.. gr. ii
Scammonii ..		.. gr. ½
Pulv. Zingiber ..		.. gr. i
Ol. Menth. Pip ..		.. gr. i

One or two, according to the size of the dog. Price, 4/- per 100.

11a Pil. Purgans.

Double the above strength. Price, 7/- per 100

12 Pil. Sodii Salicylat.

Sodii Salicylat	*Half-size for Small Dogs, 1/8 per 100.*	gr. x
Excipient ..		q.s.

One Pill twice or thrice daily. Useful in rheumatism and distemper. Price, 2/6 per 100.

13 Pil. Sedativa.

Potassii Bromid.	*Half-size for Small Dogs, 1/8 per 100.*	.. gr. ii
Chloral Hydrat ..		.. gr. i
Ext. Hyoscyam ..		.. gr. i
Excipient ad ..		.. gr. x

Price, 2/6 per 100.

13a Pil. Stomachic.

Bism. Subnit. ..	Price, 1/11 Per 100.	.. gr. ii
Soda Carb. Exic. ..		.. gr. ii
Gingerine ..		.. gr. ⅛

14 Pil. Tonic.

Quininæ Sulph. ..	*Half-size for Small Dogs, 1/9 per 100.*	.. gr. j
Ferri Sulph. Exsic		.. gr. iss
Excipient ad ..		.. gr. x

One, twice a day. Price, 2/9 per 100

15 Pil. Vermifuge.

Santonini	*Half-size for Small Dogs, 4/- per 100.*	.. gr. ¼
Podophyllin ..		.. gr. ss
Pulv. Arecæ ..		.. gr. iv
Ext. Filicis Maris		.. gr. ii
Excipient ad ..		.. gr. x

One Pill to be given fasting. Price, 7/- per 100.

16 Pil. Vermifuge.

Santonin	*Half-size for Small Dogs, 4/6 per 100.*	.. gr. ½
Pulv. Coloc. Co.		.. gr. iij
„ Jalapæ ..		.. gr. v
Ol. Caryoph ..		.. ♏ ½

One daily for several days. Price, 7/9 per 100.

17 Pil. Vermifuge.

Santonin	*Half-size for Small Dogs, 4/- per 100.*	.. gr. ¼
Pulv. Ferri Sulph.		.. gr. ij
Ext. Gentian ..		.. gr. ij

Price, 6/- per 100.

17a Pil. Vermifuge.

Hydr. Subchlor. ..	*Half-Size for Small Dogs 2/- per 100.*	.. gr. ii
Pulv. Nuc. Areca.		.. gr. x
Gingerine		.. gr. ⅛

Price, 3/- per 100.

18 Pil. Distemper. *S1*

Pulv. Ipecac. Co	*Half-size for Small Dogs, 3/- per 100.*	.. gr. iss
„ Antimonialis		.. gr. iss
Hyd. c. Creta ..		.. gr. iss
Quininæ Sulph. ..		.. gr. iss

Price, 5/- per 100.

19 Pil. Diabetic.

Cretæ Preparatæ	*Half-size for Small Dogs, 1/6 per 100.*	.. gr. v
Ferri Carb. ..		.. gr. iiss
Pulv. Opii ..		.. gr. ¼
„ Ipecac. ..		.. gr. ¼

One, twice or thrice a day. Price, 2/- per 100

20 Pil. Rheumatic.

Sodii Salicylat ..	*Half-size for Small Dogs, 1/10 per 100.*	.. gr. v
Potass. Iodid. ..		.. gr. i
Sulphur		.. gr. i
Pulv. Opii ..		.. gr. ¼

For chronic rheumatism and chronic spinal meningitis. Price, 3/3 per 100.

HEWLETT'S
"LITTLE" PILL SERIES FOR DOGS

PRICE 1/9 PER GROSS; 5 GROSS 1/6 GROSS

Subject to 16⅔% Purchase Tax.

Leather case, containing six bottles for Pills, price 7/6 each. *Pills as selected charged at List Prices.*

No.

21 Little Anti-Constipation Pills. (*Coloured Red.*)
- Podophyllin .. .. gr. 1/8
- Aloin .. .. gr. 1/8
- Ext. Belladonnæ .. .. gr. 1/8
- Capsicine .. .. gr. 1/30

22 Little Aperient Pills. (*Coloured Green.*)
- Jalapin .. .. gr. 1/10
- Podophyllin .. .. gr. 1/10
- Aloin .. .. gr. 1/10
- Ext. Hyoscyami .. .. .. gr. 1/20
- Ext. Nuc. Vom. .. .. .. gr. 1/40
- Capsicine .. .. gr. 1/20

23 Little Cathartic Pills. (*Coloured Pink.*)
- Podophyllin .. .. gr. 1/5
- Jalapin .. .. gr. 1/5
- Aloin .. .. gr. 1/5
- Ext. Nuc. Vom. .. .. .. gr. 1/32
- Ext. Hyoscyami .. .. .. gr. 1/10
- Capsicine .. .. gr. 1/20

24 Little Cough Pills. *DD* (*Coloured Red-Brown.*)
- Morph. Hydrochlor. .. .. .. gr. 1/36
- Pulv. Ipecac. .. .. gr. 1/12
- „ Scillæ .. .. gr. 1/2
- Ext. Conii .. .. gr. 1/8

25 Little Cough Pills. *DD* (*Coloured Heliotrope.*)
- Morph. Hydrochlor. .. .. .. gr. 1/50
- Atropinæ Sulph. .. .. .. gr. 1/150
- Pulv. Scillæ .. .. gr. 1/2
- „ Ipecac. .. .. gr. 1/12
- Ext. Conii .. .. gr. 1/8

25a As above, "Sine Morphina" (*Coloured Blue.*) *S1*

26 Pil. Antitussi. (*White.*) *DD*
- Morph. Hydrochlor. .. .. .. gr. 1/36
- Potassii Bromid .. .. gr. 2½
- Pulv. Ipecac. .. .. gr. 1/12
- Ext. Conii .. .. gr. 1/8

27 Acid. Arsenios. *S1* .. .. .. gr. 1/36
- Ferri Redact. .. .. gr. 1

28 Acid. Arsenios. *S1* .. .. .. gr. 1/36
- Zinci Sulph. .. .. gr. 2

For Chorea and Epilepsy.

29 Arsenii Iodid. *S1* gr. 1/20 or gr. 1/10
One to be given as required after food.

30 Arsenii Iodid. *S1* .. . . gr. 1/12
- Hydrarg Iodid. Rub. .. .. . gr. 1/12

For Eczema.—To be given, as required, after food.

31 Calcii Sulphid. .. . gr. 1/10, ¼, ½ or 1
For Boils, Abscesses, Sores, &c.

32 Calomel. .. .. .. gr. 1/8, ¼, ½, or 1

No.

33 Pil. Eastoni. (without Strychnine) (2/6 gross) (*Coloured Blue.*)
- Ferri Phos. .. .. gr. ½
- Quininæ Phos. .. .. gr. ½

33a Ferri Phosph. .. .. gr. ¼
- Quin. Phosph. .. .. gr. ¼

34 Ext. Nuc. Vom. .. .. gr. 1/32
- Potassii Bicarb. .. .. gr. 5

Stimulates peristalsis.—One to be given two or three times daily, as required.

35 Ferri Redact. .. .. .. gr. 1 or 2

36 Ferri Redact. (4/– gross) . .. .. gr. 1
- Quininæ Sulph. . .. .. gr. 1
- Ext. Nuc. Vom. . .. .. gr. 1/32

38 Hydrarg. c. Creta. .. .. gr. ¼, ½ or 1

40 Opii Pulv. *DD* .. .. gr. ¼, 1/9; gr. ½, 2/3

41 Potassii Iodid. (5/– gross) .. .. .. gr. 2
- Quininæ Sulph. .. .. gr. 1

(*Coloured Yellow.*)

For scrotal enlargement and swollen submaxillary glands, &c.

42 Quininæ Arsenias. *S1* .. .. gr. 1/10, or ⅕

43 Quininæ Sulph. gr. ½, 2/–; gr. 1, 3/6; gr. 2, 6/6

44 Quininæ Sulph. (4/– gross) .. .. gr. 1
- Phosphori Pur. .. .. gr. 1/50
- Ferri Redact. .. .. gr. 3

For Chorea in Dogs and as General Tonic.

46 Pil. Tussis. (2/6 gross) *DD*
- Pulv. Opii .. .. gr. ¼
- Ac. Benzoic. .. .. gr. ¼
- Camphoræ .. .. gr. 3/16
- Ol. Anisi. .. .. gr. 3/16

(Equivalent to one drachm of Tinct. Camph. Co.)

47 Ext. Cascaræ. .. .. .. gr. ½, 1 or 2

48 Pil. Distemper. *DD*
- Pulv. Jacobi .. .. gr. ½
- „ Doveri .. .. gr. ½

49 Little Astringent Pills. (4/6 gross) *DD*
- Morph. Mur. .. .. gr. 1/10
- Pulv. Kino .. .. gr. ½
- „ Catechu .. .. gr. 1

50 Pil. Vermifuge. (12/– per gross)
- Santonin .. .. gr. ½
- Calomel .. .. gr. 1

51 Tonic, Laxative & Hepatic. *S1*
- Ac. Arsenios .. .. gr. 1/36
- Ferri Sulph. .. .. gr. ½
- Aloin .. .. gr ¼
- Podophyllin .. .. gr. 1/8

52 Yeast Tonic. .. .. .. gr. ½, 1/9; gr. 1, 2/6

"TÆNIGEN" PILLS

Subject to 16⅔% Purchase Tax.

The average dose of "Tænigen" is 5 minims for each 5 lb. weight of the dog.

Equal to 5 minims Tænigen	..	6d. doz.	2/9	100
„ 7 „ „	..	6d. „	3/4	„
„ 10 „ „	..	7d. „	3/10	„
„ 15 „ „	..	9d. „	5/3	„
Equal to 20 minims Tænigen	..	1/1 doz.	6/–	100
„ 30 „ „	..	1/4 „	8/9	„
„ 40 „ „	..	1/8 „	11/–	„
„ 45 „ „	..	1/11 „	13/3	„

"Tænigen" is Hewlett's registered worm remedy.

COMPRESSED TABLETS

Subject to 16⅔% Purchase Tax with the exception of Hormonigen, P.A.B.S. and Saccharin

Packed in bottles of 100, 250, 500 and 1,000.

		Per 1,000
Acid. Acetylsal. gr. 5. 6d. 100		4/–
Acid. Acetylsal. gr. 5. Pink. 7d. 100		4/6
Acid. Acetylsal. gr. 5. Orange colour and flavour. 10d. 100		6/9
Acid. Acetylsal. gr. 5. Yellow 8d. 100		4/6
Acid. Acetylsal. et Quinine. Aspirin, gr. 4. Quinine, gr. 1. 3/–100,		24/–
Acid. Arsenios, gr. 1/20	*S1*	6/6
,, ,, gr. 1 (*Sugar-coated*)	*S1*	8/–
,, ,, **Co.** ,, ,,	*S1*	13/3
Aloin, gr. ½ (*Sugar-coated*)		7/6
Ammon. Bromid. gr. 5 ..		6/6
Anti-Constipation, No. 1. Aloin, gr. ⅕ ; Ext. Bellad. gr. ⅛ ; Pulv. Ipecac. gr. 1/16 ; (*Sugar-coated*)		7/3
Anti-Constipation No. 2. Ext. Cascara, gr. 1 ; Ext. Nuc. Vom., gr. ⅛ ; Ext. Bellad., gr. ⅛ ; Pulv. Ipecac., gr. ⅛ ; Podophyllin, gr. ⅛	*S1*	8/6
Aphrodisiac. Ext. Damianæ, gr. 2 Ext.Nuc.Vom.,gr. ⅛ ; Ferri Phos., gr. 1/10 ; Pulv. Canthar., gr. 1/25 ..		20/6
Barii Chlor. et Tartar Emet. See Rumen Tabs.		
Beta-Naphthol Co. Beta-Naphthol, gr. 1 ; Carbo Lignis, gr. 4 ; Ol. Menth. Pip., min. ½		9/–
Bismuth. Carb., gr. 5 ..		17/6
Bismuth. Carb. et Pot. Bicarb. Bismuth. Carb., gr. 3, Potass. Bicarb., gr.2 ..		13/6
Bismuth. Salicylas., gr. 5 1/10 100		15/–
Bismuth. Salicylas, gr. 2 ..		7/6
Bismuth. Subnit., gr.5 ..		15/9
Bismuth. et. Calomel. Bismuth. Carb., gr.1; Calomel, gr. 1/20 ; Pulv. Ipecac. gr. 1/50 . Sodii Bicarb., gr.½ ..		7/3
Bismuth. et Ipecac. Co. Bismuth. Subnit., gr. 2½ ; P. Ipecac Co., gr. 2½	*S1*	17/6
Bismuth. et Pepsin, No. 1. Bismuth. Subnit., gr. 2 ; Pepsin, gr. 1 ; Carbo Lignis, gr. 2 ..		13/6
Bismuth. et Pepsin, No.2. Bismuth. Subnit., gr. 2 ; Pepsin, gr. 1 ; Sodii Bicarb. gr.3 ..		13/6
Bismuth. et Soda. Bismuth. Subnit., gr. 2½ ; Sodii Bicarb., gr. 2½ ..		12/6
Bismuth. Soda et Zingib. Bismuth. Subnit., gr. 2 ; Sodii Bicarb., gr. 2 ; P. Zingib., gr. 1		10/6
Bismuth. Rhei et Soda. Bismuth. Subnit., gr. 3 ; Pulv. Rhei, gr. 1 ; Sodii Bicarb., gr. 2 ..		13/6
Blaud's Pill, gr. 5 (*Sugar-coated*)		5/9
Blaud's Pill, gr. 5 ; Arsenic, gr. 1/60 (*Sugar-coated*)	*S1*	7/3
Blaud's Pill Co. Pil. Blaud, gr. 3 ; Manganes. Oxid., gr. 1 ; Acid. Arsenios, gr. 1/60; (*Pink, Sugar-coated*)	*S1*	7/9
Calcium Lactate, gr. 5 ..		4/3
Calcium-Vitamin D. Sodio-Calcii Lact., gr. 5 Vitamin D, 500 I.U. 2/3 100		18/–
Calomel, gr. 1/10 , ⅙ or ¼ ..		2/9
Calomel, gr. ½		3/6
Calomel, gr. 1		5/3
Calomel, gr. 2		8/6
Calomel et Jalap. Calomel, gr. 1 ; Pulv. Jalap, gr. 3		8/–
Calomel et Opii. Calomel, gr. 1 ; Pulv. Opii, gr. ½ ..	*DD*	10/6
Cascaræ Ext., gr. 2 (*Sugar-coated*)		5/–
Cascaræ, gr. 4 (*Sugar-coated*)		10/–
Cascaræ Co., No. 1. Ext. Cascara, gr. 1 ; Euonymin, gr. ½ ; Ext.Nuc.Vom.,gr. 1/16 ; Ext. Hyoscy., gr. ⅓ ; (*Sugar-coated*)		12/6
Cascaræ Co., No. 2. Ext. Cascara, gr. 2 Podophyllin, gr. ¼ ; Ext.Nuc.Vom.,gr. ⅓ ; Ext. Hyoscy., gr. ¼ , (*Sugar-coated*)		12/6
Chelidonii Co. 4/– 100		32/–
Chloral Hydras., gr. 5, 1/9 100		14/–
,, gr. 10, 2/6 ,,		20/–
Chloramine—T, gr. 8.75, 3/9 100		
Co-Cerevisiæ. (*Yeast with Glycerophosphates*) 1/9 100 ..		14/–
Co-Cerevisiæ c. Pot. Brom. (*with 1 gr. Pot. Brom.*) 2/6 100		20/–
Diamorphine Hydrochlor. gr. 1/48	*DD*	10/–
Diamorphine Hydrochlor. gr. 1/24	*DD*	15/3
Diamorphine et Terpin. Diamorphine gr. 1/24 ; Terpin. Hydrate, gr. 2½	*DD*	17/–
Diarrhœa. Bismuth. Subnit., gr. 3 ; P. Creta Aromat., gr. 2		13/9
Digestole, 5 gr., 1/5 100 ..		11/6

		Per 1000
Distemper (*Choc. coated*)	1/6	12/–
Iodine, gr. $\frac{1}{25}$		
Creosote, gr. $\frac{1}{4}$		
Bichromate of Potash, gr. $\frac{1}{20}$		
In tubes of 18 tablets, 6/– doz.		

Eastoni (=Syr. ½ drm.)
(Without Strychnine)
(*Sugar-coated*) *Yellow* .. 10/–

Eastoni (=Syr. 1 drm.)
(Without Strychnine)
(*Sugar-coated*) *Yellow* .. 17/–

Ferri Carb. Sacch., gr. 5 .. 4/6

Ferri Phosph. Co.
(=Syrup 1 drm.)
(*Sugar-coated*) 16/6

Ferri Redact., gr. 1 .. .. 5/–

Formalin .. 100 10d. 6/6

Glycerophos. et Nuclein, 100 3/6 28/–

Heart Tonic and Stimulant,
Nitroglycerin, gr. $\frac{1}{100}$;
Tinct. Digitalis, min. 2;
Tinct. Strophanth., min. 2;
Tinct. Bellad., min. ¼;
(*Chocolate-coated*) 100 2/6 *S*1 20/–

Hexamina, gr. 5 .. .. 6/–

Hormonigen No. 1, for dogs
Thyroid (*dry*) gr. 1/10
Pituitary (*dry*) gr. 1/20, with Ovarian and Orchitic substance, 100 3/3 30/–

Hormonigen No. 1, for horses and cattle
Thyroid (*dry*) gr. 1
Pituitary (*dry*) gr. ½, with Ovarian and Orchitic substance, in tubes of 10, 1/6 each, 12/– 100

Hormonigen No. 4,
Pituitary (*dry*) gr. 1/20
Thyroid (*dry*) gr. 1/20, with Orchitic substance and Cerebrinin per 100, 3/3

Hormonigen No. 5,
Pituitary (*dry*) gr. 1/20
Thyroid (*dry*) gr. 1/10
Ovarian (*dry*) gr. 1/5
Mammary (*dry*) gr. 1/5
For sterility in bitches 100 3/6

Hormonigen No. 6,
Thyroid (*dry*) gr. 1/10
Pituitary (*dry*) gr. 1/20 with Orchitic substance and Suprarenal gr. 1/10,
For sterility in dogs 100 2/6
Double strength, 4/6 100

		Per 1000
Hyd. c. Creta, gr. ½ or 1 ..		5/–
gr. 2 or 3 ..		7/–

Hyd. c. Creta et Dover.
Hyd. c. Creta, gr. ½;
P. Ipecac. Co., gr. ½ *S*1 5/–

Hypophos. Co. (=Syrup 1 drm.) (*Sugar-coated*) .. 13/3

Laxans (Phenolphthalein)
,, gr. ¼, 10d. 100 7/–
,, gr. 1½, 1/3 100 10/–
,, gr. 4, 1/9 100 14/–

Magnes. Carb. Co.
Mag. Carb., gr. 2;
Potass. Bicarb., gr. 2;
Sodii Bicarb., gr. 2;
Sodii Chlorid., gr. 3 .. 6/3

Mag. Sulph. et Arsenic No. 1.
Mag. Sulph., 10 grs.
Ac. Arsenios, $\frac{1}{50}$ gr. *S*1 8/–
(*Coloured Mauve*).

Mag. Sulph. et Arsenic No. 2.
Mag. Sulph., 5 grs.
Ac. Arsenios, $\frac{1}{100}$ gr. *S*1 6/–
(*Coloured Mauve*).

Mag. Sulph et Magnes. Lact.
Mag. Sulph, gr. 3
Magnes. Lact., gr. 5 100 2/6 20/–

Magnes. Trisilicas, gr. 20 100 2/6 20/–

Methylene Ditannin, 5 gr. 3/– 100 24/–
,, ,, 10 gr. 4/6 100 36/–

Neuritis. Aspirin, gr. 5
Phenacetin, gr. 2½
Pulv. Ipecac. Co., gr. 2 100 2/3 18/–

Neuritis, ½ size 100 1/3 10/–
,, ,, pink ,, 1/5 11/6

Opium Pulv., gr. ¼ .. *DD* 5/3

P.A.B.S., 7½ gr. 100 3/6 *S*1 30/–

Phenacetin Co.
Phenacetin, gr. 4
Caffein. Cit. gr. 1, 100 2/3 18/–

Phenobarbitonum and Phenobarbitonum Soluble.

gr. ½	*S*1	100 1/2	—
gr. 1	*S*1	,, 1/8	—
gr. 1½	*S*1	,, 2/3	—
gr. 2	*S*1	,, 2/9	—

Peptonic.
Pepsin, Pancreatin, Calcii Lactophos, aa, gr. 2.. .. .. 22/6

		Per 1000
Polyvitamin Co. A.B.C.D.E. 100	3/9	35/–
Potass. Brom., gr. 5 ..		5/–
,, ,, gr. 10 ..		10/–
Potass. Chlor., gr. 5 ..		4/–
Pulv. Ipecac. Co., gr. 5	*S*1	13/3

Quinine Ammoniated,
Each equivalent to 30 mins., Tincture.
(*Sugar-coated*) 12/–

Quininæ Bisulph.
gr. 1 (*Sugar-coated*) 100 2/3 18/–
gr. 2 (*Sugar-coated*) 100 3/6 28/–

Rhei et Soda.
Rhei Pulv., gr. 2;
Sodii Bicarb., gr. 2;
Pulv. Zingib., gr. 2 .. 6/–

Rumen
Barii Chlorid., gr. 15;
Antim. Tart., gr. 15;
Strychninæ, gr. ½, 100 4/6 *S*1 36/–

Saccharin. *Full strength.* 9/–

Saccharin. *Half strength.* 5/6

Salol, gr. 5 .. .. .. 12/–

Sodium Bicarb.
(*Sugar-coated*) gr. 2½, 100, 6d. 2/6

Sodii Brom., gr. 5 .. .. 5/9

Sodii Salicylas, gr. 5.. .. 6/3
,, ,, gr. 2, 100, 8d. 5/6

Sodio-Calcii Lactas, 100 1/8 13/6

Sodio-Calcii Lact., gr. 2½.
Parathyroid, gr. 1/20, 100, 3/6, 28/–

Sodio-Calcii Lact. c. Vitamin D. (See Calcium-Vitamin D)

Stomach—*See page 30.*

Tin Compound.
Stannum Pur. 42·5%
Stanni Oxid. 7·5% 100, 2/3 18/–

Tri-Bromides, 7½ gr. 100 1/1 9/–
,, 15 gr. 100 1/9 14/–

Thyroid, gr. 1 .. 100, 10d. 6/9
gr. 2 .. 100, 1/2 9/–
gr. 3 .. 100, 1/5 11/6

Yeast, gr. 3 .. 100, 9d. 6/–

Yohimbine. *S*1
gr. ⅐ for Dogs, tube of 10, 9d.
gr. 1½ for Horses, tube of 10, 3/9

TRADE "SOLTABS" MARK

Hewlett's special Solution Tablets for the preparation of antiseptic lotions, douches, etc. of definite strength.

Subject to 16⅔% Purchase Tax.

	100.	1,000.
"Soltab" Acriflavine, gr. 1.75 (1 in 1000)	17/6	—
,, **Alum. Sulph.,** gr. 30 **Zinci Sulph.,** gr. 30 **Potass. Permang.,** gr. 2½ ..	2/10	—
Alum. Sulph., gr. 10 **Zinc. Sulph.,** gr. 10 **Ferri Sulph.,** gr. 10 **Cupri Sulph.,** gr. 2 ..	2/9	22/–
,, **Boric Acid,** gr. 15	1/3	10/–
,, **Chinosol,** gr. 5	5/–	—
,, ,, gr. 8	8/–	—
,, ,, gr. 15	14/10	—
Tubes, 12 x 5 gr., 10d.; 10 x 8 gr., 1/1; 10 x 15 gr., 1/6 each.		
,, **Glucose Saline Compound** ..	4/6	36/–
,, **Hyd. Biniod.,** 1 in 2000 .. *S1*	4/–	32/–
,, ,, ,, 1 in 1000 .. *S1*	7/–	56/–
,, **Hyd. Perchlor.,** 1 in 2000 .. *S1*	3/–	24/–
,, ,, ,, 1 in 1000 .. *S1*	4/–	32/–
,, **Hydrogen Peroxide** 2/3 50	4/–	—

	100.	1,000.
"Soltab" Isotonic (Serum)	2/6	20/–
,, **Lead Acetate,** gr. 60	3/9	30/–
,, **Normal Saline,** gr. 20 ..	9d.	6/–
,, ,, ,, gr. 40 ..	1/2	9/6
,, ,, ,, gr. 60 ..	1/3	10/–
,, **Potass Permang.,** gr. 2 ..	9d.	6/–
,, ,, ,, gr. 5 ..	10d.	6/6
,, **Tannic Acid Compound** .. *S1* Tubes of 25, 1/9 each.	5/9	46/–
,, **Zinc Sulphate** (*red*) gr. 2 ..	1/3	10/–
,, **Zinc Sulphate** (*red & scented*) gr. 4	1/9	14/–
,, **Zinc Sulphate** (*white*) gr. 10	1/–	8/–
,, **Zinc Sulphate** (*white*) gr. 20	1/6	12/–
,, **Zinc Sulphate** (*white*) gr. 60	2/6	20/–
,, **Zinc Sulphocarb,** gr. 30 **Alum. Sulph.,** gr. 30 **Ol. Gaultheriæ,** q.s. ..	3/9	30/–
,, **Zinc Sulphocarb,** gr. 30 **Alum. Sulph.,** gr. 30 ..	3/6	28/–

OPHTHALMIC CAPSULES

Prices per box of 12 capsules.

In aseptic condition, requiring only a cut, when the contents can be made to exude by gentle pressure.

Subject to 16⅔% Purchase Tax except Ung. Cocain.

Ung. Atropin. 1% *S1*	per doz. 2/9
,, Cocain. 1% .. .. .. *DD*	,, ,, 2/9
,, Hyd. Oxid. Flav. 1%	,, ,, 2/9
,, ,, ,, ,, 2%	,, ,, 3/–
,, Eserin. 2% *S1*	,, ,, 5/–
Ung. Hyd. Oxid. Flav. 2% c. Cocain. 1% .. .. *DD*	per doz. 3/–
Ung. Hyd. Oxid. Flav. 2% c. Atropin. 1% et Cocain. 2% .. .. .. *DD*	,, ,, 4/6

HEWLETT'S OPHTHALMIC OINTMENTS

The following Ophthalmic Ointments, specially prepared, are supplied in Collapsible Tubes:

Subject to 16⅔% Purchase Tax except Ung. Cocain.

		Doz.
O1	Ung. Hyd. Oxid. Flav. 1%	6/–
O2	,, Atropine 1% *S1*	9/–
O3	,, Cocainæ 1% .. .. .. *DD*	9/–
O4	,, Eserine 0.25% *S1*	8/–
O5	,, Neo-Argentum 5%	10/–
O5	,, ,, half-size ..	6/–
O6	Ung. Pot. Iodid. et Sodii Bicarb. ..	7/–
O7	,, Hyd. Oxid. Flav. 2% with Cocaine 1% *DD*	8/–
O8	,, ,, ,, ,, with Atropine 1% and Cocaine 2% *DD*	8/–
O9	Double Cyanide, ¼% *S1*	8/–

Name and address printed on orders for 3 dozen.

GELATINE CAPSULES

These are Flexible Gelatine Capsules unless otherwise stated, e.g. (Hard).

Subject to 16⅔% Purchase Tax with the exception of Cod Liver Oil, Halibut Liver Oil and Wheat Germ Oil.

		Per Doz.	Per 100.	Per 1,000.
Carbon Tetrachloride	15 min.	9d.	3/–	24/–
,, ,,	30 ,,	1/2	4/6	36/–
Carminative		—	2/6	20/–
Ol. Menth. Pip. ½ min., Ether ½ min., Gingerine, Chloroform ½ min., Acid Carbolic ¼ min.				
Castor Oil	15 min.	—	3/6	28/–
,, ,, ...	30 ,,	—	5/–	40/–
,, ,, ...	60 ,,	—	7/–	56/–
Chenopodii Ol. ..	.. 1 min.	—	4/6	—
,, ,, ..	.. 2 ,,	—	5/–	—
,, ,, ..	.. 3 ,,	—	6/6	—
,, ,, ..	.. 5 ,,	—	7/6	—
Chenopodii et Tænigen Co.				
(For 5 lb. dogs)		—	3/–	—
(For 10 lb. ,,)		—	3/3	—
(For 15 lb. ,,)		—	3/6	—
(For 20 lb. ,,)		—	4/–	—
(For 30 lb. ,,)		—	5/–	—
(For 60 lb. ,,)		1/–	7/6	—
Chenopodii et Terebinth Co.				
(For Puppies)		—	2/6	—
Chenopodii et Filicis Co.				
(For adult dogs)		—	5/–	—
Chenopodii Co.				
Ol. Chenopodii, 1 min., Santonin, 1 gr.		—	27/–	—
Ol. Terebinth, 5 min., Ol. Ricini, 25 min.				
Chlorbutol, 5 gr. (Hard)		—	5/6	—
,, 10 gr.		—	7/6	—
Chlorbutol, 2½ gr., **Arecoline Hydrobrom.,** ¼ gr. (Hard)		1/9	12/6	—
Chlorbutol Co. (Hard)				
Chlorbutol	1½ gr.	—	—	—
Pot. Bromid.	2½ gr.	—	—	—
Ext. Belladon.	½ gr.	—	4/–	32/–
Cod Liver Oil ..	15 min.	—	3/–	—
,, ,, ,, ..	30 ,,	—	5/–	—

		Per Doz.	Per 100.	Per 1,000.
Easton's Syrup (without Strychnine)				
	=30 min.	—	2/9	22/–
,,	=60 ,,	—	4/–	32/–
Extract Cascara, Liq.	=15 min.	—	2/9	22/–
,, ,, ,,	=30 ,,	—	3/6	28/–
,, ,, ,,	=60 ,,	—	6/–	48/–
Extract Male Fern	5 min.	—	4/6	—
,, ,, ,,	10 ,,	—	7/–	—
,, ,, ,,	15 ,,	—	10/6	—
,, ,, ,,	20 ,,	—	15/–	—
,, ,, ,,	30 ,,	—	19/–	—
,, ,, ,,	40 ,,	—	23/–	—
,, ,, ,,	60 ,,	—	31/6	—
Ext. Male Fern and Turpentine (of each 5 min.)		—	5/–	—
Filisol	15 min.	1/3	7/6	—
,, ...	30 ,,	2/3	14/–	—
,, ...	45 ,,	3/–	20/–	—
Halibut Liver Oil ..	.. 3 min.	—	3/6	28/–
Polyvitamin Co. A.D.E.		—	6/6	—
Pro Strongylis		—	10/6	—
Tænigen	= 5 min.	8d.	5/–	—
,, ...	= 7 ,,	9d.	6/–	—
,, ...	= 10 ,,	10d.	7/–	—
,, ...	= 15 ,,	1/2	9/–	—
,, ...	= 20 ,,	1/6	10/6	—
,, ...	= 30 ,,	1/9	12/6	—
,, ...	= 40 ,,	1/10	13/6	—
,, ...	= 45 ,,	2/–	15/–	—
,, ...	= 60 ,,	3/6	25/–	—
,, ...	= 80 ,,	4/6	32/–	—
,, ...	= 120 ,,	6/–	42/–	—
The dose of Tænigen is 5 min. for each 5 lb. weight of the dog.				
Tænigen Co. (equivalent to 20 minims of "Tænigen," 10 minims Extract of Male Fern, 1 gr. Santonin)		5/–	35/–	—
Tetralene	3 min.	6d.	3/6	28/–
,, ...	16 ,,	1/–	7/–	60/–
,, ...	40 ,,	1/9	12/6	—
,, ...	75 ,,	3/–	20/–	—
Wheat Germ Oil ..	3 min.	—	5/9	—
,, ,, ,, ..	60 ,,	6/–	45/–	—

PESSARIES AND BOUGIES

Subject to 16⅔% Purchase Tax.

"MAGNUM" PESSARIES

	Doz.	Gross.
Acid. Boric, 2 drms.	**6/6**	**6/– per doz.**
Acid. Boric, 2 drms. Iodoform, 1 drm.	**11/–**	**10/6 „**
Acriflavine (1 in 1,000)	**7/–**	**6/6 „**
Alkaline	**7/–**	**6/6 „**
Ammon. Ichthosulph., 10%	**6/9**	**6/3 „**
Charcoal	**5/–**	**4/6 „**
Chinosol, ½ drm.	**11/6**	**11/– „**
Creoform	**11/–**	**10/6 „**
Creosalgen Surgical, 3%	**7/–**	**6/6 „**
Formaldehyde, 2%	**11/–**	**10/6 „**
Hewsol	**5/6**	**5/– „**
Hyd. Perchlor. (1 in 2,000)	**7/–**	**6/6 „**
Iodermiol, 10%	**8/–**	**7/6 „**
Iodoform, 1 drm.	**10/–**	**9/6 „**
Lysalform	**7/6**	**7/– „**
Lysoline	**6/–**	**5/6 „**
Salol, 2 drms.	**11/–**	**10/6 „**
Salol, 2 drms. Iodoform, 1 drm.	**15/6**	**15/– „**
Salol, 2 drms. Iodoform, 2 drms.	**17/–**	**16/6 „**

With Cocoa Butter basis (except Formaldehyde), **1**/– doz. extra. Hewsol, **1/6** doz. extra.

INTRA-UTERINE PESSARIES

Creoform	**7/– per doz.**
„ with soap basis	**9/– per doz.**
Hewsol	**3/– per doz.**
„ gross	**33/– per gross**
„ Cocoa Butter base	**4/– per doz.**

"PARVUM" PESSARIES

FOR EWES.

Composition as Canine Uterine Pessaries. See below.

Price **2/6** doz. ; **25**/– per gross.

Iodoform and Salol, 3/– doz.

Chinosol, 3/6 doz.

CANINE UTERINE PESSARIES

Canine Uterine Pessaries are made in 3 sizes : Small (15 grs.), for Pomeranians and Toy Terriers, etc. : medium (60 grs.), for Spaniels, Fox Terriers, etc. ; large (120 grs.), for Retrievers, Danes, etc

C.U.P. Acid. Boric, 15%
„ Alkaline
„ Creosalgin (Surgical), 3%
„ Formaldehyde, 2%
„ Hewsol
„ Iodermiol, 10%

Prices as under

Small.	Medium.	Large.
1/– doz.	**1/6** doz.	**2/6** doz.
10/– gross.	**15**/– gross.	**25**/– gross.

C.U.P. Creoform
„ Acid. Boric, 15% with Iodoform, 7%
„ Salol

Prices as under

Small, **1/6** ; Medium, **2**/– ; Large, **3**/– dozen.

Veterinary Surgeons' own formulæ also prepared.

"HANDY" TEAT BOUGIES

Being the same thickness as a milk syphon, they can be easily inserted or removed as desired. Prepared with an aseptic basis, they have been found most useful for inserting into injured teats or after operating on a blind teat to prevent the closing of the milk duct. A supply of Antiseptic Lubricant is included in each box. They measure 2¼ inches long.


THE "HANDY" TEAT BOUGIES.
For insertion into injured Teats, after milking.
The Antiseptic Ointment should be smeared over the bougie before inserting

Price
1/9 per box of 12 ; 1/– per box of 6 ;
Loose, 1/6 per dozen.

CUPRIC "HANDY" TEAT BOUGIES

Price
2/3 per box of 12
1/3 „ „ „ 6

"SUPER-HANDY" TEAT BOUGIES

Prepared with an aseptic basis, these bougies are convenient, and easily inserted or removed. A supply of Antiseptic Lubricant is enclosed in each box. They measure 3½ inches long.



Price
2/– per box of 12 ; 1/3 per box of 6 ;
Loose, 1/9 per dozen.

CUPRIC "SUPER-HANDY" TEAT BOUGIES

Price
2/6 per box of 12
1/6 „ „ „ 6

DRAUGHTS FOR HORSES

Subject to 16⅔% Purchase Tax.

1. Anodyne .. Tinct. Opii .. .. ¾ oz.
Spt. Æther Nit. .. 1 oz.
Flavoured. In 3 oz. bottles **15/6** doz.

2. Colic .. Parophyroxia .. 4 oz. **18/–** doz.

3. Colic .. Chlorodyne Vet. .. 1 oz.
Tr. Bellad. B.P. 1885 2 drms.
Aq. ad 4 ozs. .. **12/6** doz.

4. Cordial .. Chlorodyne .. .. ½ oz.
Ol. Menth. Pip. .. ½ drm.
Aq. ad 4 ozs. .. **8/6** doz.

5. Fever .. Liq. Nitriti Co. .. 1 oz.
Liq. Ammon. Acet. 2 oz.
Liq. Ammon. Fort. ½ drm.
Aq. ad 6 ozs. .. **8/6** doz.

7. Black Drink For Colic, Chill and Diarrhœa.
Contains Tinct. Kino, Capsicum, Ol. Tereb. and Ol. Menth. Pip.
In 2½ oz. bottles .. **9/6** doz.

8. Tonic .. Liq. Ammon. Fort. ½ drm.
Inf. Gent. Co. Conc. 1 oz.
Aq. ad 4 ozs. .. **6/6** doz.

COLOURING AND FLAVOURING AGENTS

Exempt from Purchase Tax.

Liquor Aurant. Dulc. Imparts an orange colour and flavour, and is also a sweetening agent .. .. **3/–** lb.

Liquor Cocci Cacti .. .. **10/–** lb.

Liquor Croci Co. A powerful yellow colouring agent containing Aniline Yellow and Saffron .. .. **3/6** lb.

Liquor Croci Dulc. Gives a deep saffron tint to medicines .. .. **4/6** lb.

Liquor Limonis Flav. Imparts a bright yellow colour and lemon flavour .. .. **6/–** lb.

Liquor Lividis Dulc. A concentrated blue colouring for mixtures .. .. .. **2/6** lb.

Liquor Rosæ Dulc. A soluble Cochineal preparation, miscilbe with dilute acids and alkalies, pleasantly flavoured with Otto de Rose .. .. **7/9** lb.

Liquor Rosæ Dulc. No. 2. A cheaper preparation of the above .. .. **4/6** lb.

Liquor Rub. For colouring only. A bright red unaffected by acids and alkalies .. **3/–** lb.

Liquor Rubi Idæi Conc. 1-7. Raspberry colour and flavour .. .. **4/–** lb.

Liquor Viride Dulc. A concentrated green colouring for mixtures .. .. .. **2/–** lb.

EAR CONES

Subject to 16⅔% Purchase Tax.

The most useful application for the relief and cure of Canker, etc. The medicaments are combined with a glycerine and gelatine basis, or cocoa butter, and moulded into the required shape for introduction into the meatus.

1.	Acid. Boric.	**1 gr.**
2.	Cocain. Hyd.	**1/5 gr.**
3.	Cocain. Hyd. ..	**1/10 gr.**
	Opium	**1/5 gr.**
4.	Iodoform	**1 gr.**
5.	Morphin. Hyd. ..	**⅛ gr.**
6.	Morphin. Hyd. ..	**1/10 gr.**
	Cocain. Hyd. ..	**1/10 gr.**
7.	Plumbi Acet.	**½ gr.**
8.	Zinci Sulph.	**½ gr.**
	Tannic Acid	**½ gr.**
9.	Salicylic Acid ..	**½ gr.**
	Cocain. Hyd. ..	**1/10 gr.**

9a. As above but sine Cocain.

Price, **1/6** per dozen cones.

"EVAPOGENS"

Evaporating lotions for diseases of the skin.
Subject to 16⅔% Purchase Tax.

No. 1. Evapogen Sulphur. Containing 1 drachm of Precipitated Sulphur in each ounce.

No. 2. Evapogen Sulph. et Picis Carb. Containing 2 drachms of Sulphur and 10% Alcoholic Solution of Coal Tar in each ounce.

No. 3. Evapogen Zinci Oxid. Containing 12 grains of Oxide of Zinc in each ounce.

No. 4. Evapogen Zinci Co. Containing 12 grains of Zinc Oxide together with 1% Resorcin and 5% Alcoholic Solution of Coal Tar in each ounce.

No. 5. Evapogen Zinci et Ichthammol. Containing 12 grains of Zinc Oxide in each ounce with 5% Ichthammol.

No. 6. Evapogen Zinci et Calaminæ. Containing 12 grains of Zinc Oxide, 20 grains of Calamine, together with Boric Acid in each ounce.

No. 7. Evapogen Plumbi Carb. Containing 10% Plumbi Carbonate.

No. 8. Evapogen Camphoræ et Acid. Salicylic. Containing 15 grains of Camphor, 30 mins. of Ether, 40 grains of Sulphur and 7½ grains of Acid. Salicylic. in each ounce.

No. 9. Evapogen Cadinum. Containing 5% Oil of Cade.

No. 10. Evapogen Cadinum et Zinci Oxid. Containing 5% Oil of Cade and 3% Zinc Oxide.

No. 13. Evapogen Picis Carb. Co. Containing 10 mins. Hewlett's Solution of Coal Tar, 12 grains Zinc Oxide, 4 grains Ammoniated Mercury, 8 grains Starch and 1 grain Lead Carbonate in each ounce.

No. 14. Evapogen Resorcin Co. Containing Resorcin 10 grains, Acid. Salicylic. 25 grains and Phenol Liq. 3 mins. in each ounce.

Price, 2/3 per lb.

VACCINES AND SERA

FOR CATTLE, HORSES, DOGS, POULTRY, SWINE, ETC.

Subject to Purchase Tax as indicated.

Telegraphic Code		
Astra	M	**ANTI-STRANGLES SERUM (ANATOXINE),** bottles of 10 c.c., 2/– each.
Atrep	M	**ANTI-STRANGLES VACCINE,** tubes 1/– each, 11/– dozen.
Atubi	M	**ANTISTREPTOCOCCIC SERUM (POLYVALENT),** bottles of 10 c.c., 2/6 each.
Augic	M	**ANTISTREPTOCOCCIC VACCINE (POLYVALENT),** tubes 1/– each, 11/6 dozen.
Axobi		**ANTITETANIC SERUM (TETANUS ANTITOXIN),** single prophylactic dose, 2500 International Units, ampoules 3/– each.
Blagg		**BLACKLEG AGGRESSIN,** 10 dose vials (50 c.c.), 6/3 each.
Cancu	M	**CANINE DISTEMPER VACCINE, CURATIVE** — 2 c.c. ampoules, 1/9 each. Box of 6 x 2 c.c., 10/– each.
Capro	M	**CANINE DISTEMPER VACCINE, PROPHYLACTIC** — Box of 12 x 2 c.c., 18/– each. Rubber capped bottles of 25 c.c., 10/6 each.
Leuco	M	**LEUCOCYTE EXTRACT FOR INFECTIOUS DISEASES,** tubes 1/– each, bottles of 10 c.c. 1/10 each.
Malpa	M	**MALLEIN, INTRAPALPEBRAL,** 1 dose tubes 8d. each, 5 dose tubes 2/6 each.
Malsu	M	**MALLEIN, SUBCUTANEOUS,** 1 dose tubes 11d. each, 5 dose tubes 3/9 each.
Metri	M	**METRITIS VACCINE,** 1 dose tubes 1/– each, 11/– dozen.
Horme		**ŒSTRUAL HORMONE,** 5 c.c. ampoules, 6/– each.
Neumo	M	**PNEUMONIA AND STRANGLES VACCINE FOR HORSES,** 1 dose tubes 1/– each, 11/– dozen
Polbi	M	**POLYARTHRITIS VACCINE FOR COLTS AND FILLIES,** 1 dose tubes 1/– each, 11/– dozen.
Chola		**POULTRY VACCINE FOR CHOLERA,** 5 c.c. ampoules 1/3 each, 13/9 dozen.
Dhali	M	**POULTRY VACCINE FOR DIPHTHERIA,** 5 c.c. ampoules 1/– each, 11/– dozen.
Pyvac	M	**PYOVACCINE FOR SORES AND ACUTE LYMPHANGITIS,** 1 dose tubes 1/– each, 11/– dozen.
Swiry		**SWINE ERYSIPELAS SERUM,** rubber capped bottles 100 c.c. 6/– each, 250 c.c. 14/– each.
Swipo	M	**SWINE VACCINE FOR PNEUMONIA AND ENTERITIS,** 1/– tube, 11/– dozen.
Tynop	M	**TUBERCULIN, INTRADERMAL AND OPHTHALMIC,** 1 dose tubes 8d. each, 5 dose tubes 2/6 each, 50 dose tubes 7/3 each.
Johne	M	**TUBERCULIN FOR JOHNE'S DISEASE,** 10 c.c. ampoules, 3/6 each.
Tynsu	M	**TUBERCULIN, SUBCUTANEOUS,** 1 dose tubes 11d. each, 5 dose tubes 3/9 each.
		TETANUS ANTITOXIN (see Antitetanic Serum).

HEWLETT'S PACKED GOODS

FOR VETERINARY SURGEONS

Only supplied to Qualified Members of the Profession.

Subject to Purchase Tax as indicated.

M ANTISEPTIC DRESSING.

Contains Myrrh, Benzoin, Soap, etc. An admirable styptic and powerful Antiseptic Dressing for Cuts, Bruises, etc.

In 4oz. bottles, 17/– doz. In 8oz. bottles, 30/– doz.

M ANTISEPTIC DUSTING POWDER, No. 1.

Containing Zinc, Boracic Acid, etc. In 3oz. drums, with perforated lids, 8/6 doz. In bulk, 3/– lb.

M ANTISEPTIC DUSTING POWDER, No. 2.

Coloured Pink or White, and perfumed. In 2oz. patent dredger-top glass bottles, with artistic label. 13/– doz. In bulk, 3/– lb.

M ANTISEPTIC DUSTING POWDER, No. 3.
Iodoform

In 2oz. tins with sprinkler tops, 9/– doz.
In bulk, 4/6 lb.
See also Dusting Powder, Parasitic, and Hewsol Powder.

M ANTISEPTIC TEAT OINTMENT.

For Sore Teats, Cracks, Fissures, etc.

4oz. tins, 12/– per doz. ; gross, 11/6 per doz.
8oz. ,, 16/– ,, 1lb. tins, 30/– per doz.
In bulk, 2/– lb.

M ANTISEPTIC OINTMENT FOR WOUNDS.
Ung. Acid. Boric. Flav.

1oz. tubes, 6/– per doz. In bulk, see page 7.

M ANTISEPTIC WOUND DRESSING.

A creosoted oily liniment that has been found very useful as a general treatment for wounds, sores, etc.

In bottles, with directions,
4oz. 10/6 doz., 3 doz. 10/– doz.
8oz. 18/6 ,, ,, 18/– ,,
In bulk, 2/9 lb.

M ANTISEPTIC WOUND LINIMENT.
Acriflavine Emulsion

In bottles, with directions, 2oz., 8/6 doz. ; 4oz., 14/– doz. ; 8oz., 24/– doz. In bulk, see page 3.

M ASCARINE.

Containing Ol. Chenopodii, Ol. Ricini, etc., for round worms in puppies and dogs.

Dose.—For adult dogs, one to two fluid drachms according to size. Puppies, half to one drachm, always after fasting.

Labelled "The Worm Cure," with directions.

In 2oz. bottles, 14/– per doz. In bulk, 4/6 lb.

M BATH POWDER FOR DOGS AND HORSES.

Half-pound in carton, with full directions.

For Parasitic Mange, and destroying Lice, Fleas, etc., in Horses, Cattle, etc. Price 12/– per doz. cartons.

4oz. size for Dogs, 6/6 per doz. cartons.
In bulk, 1/9 lb.

With Derris Root, 4oz. 8/– doz., 8oz. 13/– doz.
In bulk, 2/3 lb.

M BELLADONNA ELECTUARY.

This useful preparation for Coughs and Colds is put up in lever-lid tins, labelled "The Electuary."

In 4oz. tins, 21/– ; 8oz. tins, 36/– doz.
In 1oz. gallipots, similarly labelled, 6/– doz.
In 2oz. ,, ,, ,, 11/6 ,,
In bulk, 6/– lb. ; 14 lbs., 5/9 lb.

M BELLADONNA ELECTUARY No. 2.

In 4oz. tins, 16/– ; 8oz. tins, 27/– doz.
In bulk, 4/6 lb. ; 14 lbs., 4/3 lb.

M BLISTER OINTMENT.
Hewlett's Special

With directions. In 2oz. tins, 15/– doz.
In bulk, 6/6 lb.

M CALCIUM BORO-GLUCONATE POWDER.

In 2oz. packets, 6/6 box of 6 ; 12/– box of 12.
In 2½oz. packets, 7/6 box of 6 ; 14/– box of 12.
In 3oz. packets, 8/6 box of 6 ; 16/– box of 12.
In bulk, 5/9 lb. ; 7 lbs., 5/6 lb.

M CALCIUM DEXTROSE COMPOUND POWDER.

In tins, labelled "The Powder."

6oz., 17/6 doz. ; 12oz., 27/6 doz.
In bulk, 2/6 lb.

M CANKER DRESSING.
Zinc Chloride

For Horses' Feet.

Reputed pints, 33/– doz.

M COUGH MIXTURE FOR DOGS.
Mist. Tussis Canina, Hewlett's

A reliable mixture for dogs, containing Ammon. Carb., Vin. Ipecac., Vin. Antim., Glycerine and Honey.

2oz. bottles, 8/6 doz. 4oz. bottles, 16/– doz.

In bulk, see page 5.

M COUGH MIXTURE FOR DOGS.
EXPECTORANT Mist. Tussis Expect., Hewlett's

2oz. bottles, 7/6 doz. In bulk, see page 5.

M COUGH MIXTURE FOR HORSES AND CATTLE.
Mist. Tussis Bruasco

Labelled "Mixture for Chronic Cough and Broken Wind" with dose.

4oz. bottles, 17/6 doz. In bulk, see page 5.

M COUGH SYRUP FOR DOGS.
Mist. Morph. Co. Rub., Hewlett's

An excellent remedy for Coughs, Bronchitis and Laryngitis in Dogs and Horses.

2oz. bottles, 11/6 doz. In bulk, see page 5.

M DERRIS COMPOUND POWDER.

For Fleas and Lice in dogs, cats, fowls, etc., In drums labelled "Insect Powder."

1½oz. 5/6 doz.; 3oz., 8/– doz. In bulk, 2/6 lb.

M DERRIS AND SULPHUR COMPOUND POWDER.

In cartons, 4oz., 9/– doz., 1 gross, 8/6 doz.; 8oz., 15/– doz., 1 gross, 14/6 doz. In bulk, 2/6 lb.

M DIARRHŒA MIXTURE FOR DOGS.
Mist. Diarrhœa Canina

3oz. bottles, 10/– doz. In bulk, see page 5.

M DISINFECTING POWDER.
Hewlett's "Creosalgen"

1-lb. tins, 7/6 doz.; in bulk, 26/– cwt.

T DOG SHAMPOO, DRY.

Antiseptic white powder for dry cleaning.

Oval tins with sprinkler tops, 10/– doz.

T DOG SHAMPOO, LIQUID.

Quick drying. No water required.

2oz. bottles, with sprinklers 8/6 per doz.
4oz. ,, ,, ,, 12/– ,,

In bulk, 4/– lb.

T DOG SHAMPOO POWDER.

In small Drums with directions.

7/6 per doz.

Each in Envelope, 19/– gross.

T DOG SHAMPOO POWDERS (SOAPLESS).

Each in Envelope with directions.

3/6 doz. 38/– gross.

T DOG SOAP.

A special detergent and antiseptic soap, in large 4oz. tablets. Wrappers and labels to match.

8/6 doz. tablets.

M DOG WASH, EUCALYPTUS.

Strongly recommended in the treatment of skin diseases in dogs, as well as for the preservation of the coat, prevention of fleas, etc.

In 4oz. flats, 8/6 doz.; 8oz., 13/– doz.

In bulk, 1/9 lb.; W.Qt. 1/7 lb.

M DUSTING POWDER, PARASITIC.

In 3oz. tins with sprinkler tops, 12/6 doz.

In bulk, 3/6 lb.

See also Antiseptic Dusting Powder.

M EAR CANKER POWDER.

An antiseptic dusting powder for cats and dogs.

Bottles, with elongated tops for inserting in the ear, 12/6 doz.

M EAR OINTMENTS FOR CANKER.

For the treatment of Canker in the ears of Dogs and Cats. Packed in collapsible tubes.

No. 1. Containing Resorcin, Balsam Peru, etc. Price, 6/6 doz.

No. 2. Ung. Cupri Oleat. Price, 6/6 doz. In bulk, see p. 7.

No. 3. Stannous Chloride, 2%. Price, 8/– doz.

M EAR PAINT.
Pigmentum pro Otorrhœa

For Canker in the ears of dogs and cats.

In 1oz. bottles, 8/6 doz. In bulk, see page 5.

M ECZEMA OINTMENT.
Zematine (Hewlett's)

In pots, with celluloid caps, labelled "The Ointment for Eczema," with directions.

1oz., 8/– doz. 2oz., 14/6 doz. In bulk, see page 7.

ELIXIR HORMONIGEN.
Hewlett's.

In bottles labelled "Tonic Elixir for Dogs."
2oz., 15/– doz. ; 4oz., 25/– doz.
In bulk, see page 11.
For Hormonigen Tablets, see page 21.

M **ELIXIR VITAMINÆ.**
Hewlett's

In 2oz. bottles labelled "The Tonic Mixture," 7/6 doz.
In bulk, see page 11.

M **EMULSIO KAOLIN CO.**

In 4oz. bottles, labelled "The Mixture," with directions.
8/– per doz.
In bulk, 1/3 lb.

M **EMULSIO OL. CHENOPODII.**

For Ascarides in Swine.
In 4oz. bottles, 15/– doz. In bulk, 3/6 lb.

M **HÆMORRHALINE.**

For the treatment of Hæmorrhoids.
In 2 drachm tubes with long nozzles, 8/6 doz.
In bulk, 7/6 lb.

M **HEEL OINTMENT (PINK).**

In 2oz. tins, 8/6 doz. ; 4oz. tins, 13/– doz.

M **HEWSOL POWDER.**

Contains 2½% Hewsol. Has been used with complete sucess in the treatment of all kinds of wounds in animals. Also useful in the final stages of Canker.

In drums labelled "Antiseptic Dusting Powder. To be used as directed."

1½oz., 5/– doz. ; 3oz., 9/– doz.
In bulk, 1/6 lb.

M **HOOF OINTMENT.**

Specially recommended for preserving the hoof, and as an application to Canker.

In 1 lb. tins, 33/– doz.
In bulk, 2/6 lb.

T **INSECT BITE CREAM.**

Small tubes, 10d. each ; large tubes, 1/4 each.

T **INSECT BITE LOTION.**

2oz. bottles, 10d. each ; 4oz. bottles, 1/4 each.

M **INSECT POWDER, CANINE.**

For killing Fleas, etc.
In Drums, about 3oz., 9/6 per doz.
See also Derris Compound Powder.

M **IODINE LINIMENT, STAINLESS.**
Lin. Iodermiol, Hewlett's

2oz. bottles, 8/6 doz. ; 4oz. bottles, 15/6 doz.
Labelled "Liniment for Cow's Udder."
In bulk, see page 4.

M **MACLEAN'S POWDER.**

In 2oz. boxes, 7/6 doz. ; 4oz. boxes, 12/6 doz.
In bulk, 2/8 lb.

M **MANGE DRESSING WITH DERRIS.**

In 4oz. packets, 8/– doz. ; 8oz. packets, 13/– doz.
In bulk, 2/3 lb.

M **MANGE LINIMENT.**
Gray's

Labelled "The Skin Dressing," with directions.
In 4oz. bottles, 10/– doz. ; 6oz., 14/6 doz.
In bulk, 2/– lb.

M **MANGE AND RINGWORM CURE.**
Hewlett's Myroxline

For Horses, Dogs, etc. Very effective.
In 4oz. bottles, 15/– doz. In 8oz. bottles, 28/6 doz.
See page 10.

M **MALT EXTRACT with IRON.**

A ferruginous powder, invaluable as a tonic for dogs, horses and cattle.

In 1-lb. tins, 2/6 each ; 28/– doz.

M **MALTO PHOSPHATES FOR DOGS.**

An ideal nutritive tonic for dogs.

In 2oz. bottles, 7/6 doz. ; in 4oz. bottles, 11/– doz. ; in 8oz. bottles, 18/– doz. If desired this can be labelled : "The Medicine for Dogs."

In bulk, 2/– lb.

M **MIST. BISMUTH. SALICYL. CO.**

For White Scour in Calves. Contains Bismuth. Salicyl., Colloidal Kaolin, etc.

In bottles labelled "Corrective Mixture for Scour in Calves." 6oz. size, 20/– doz. ; 8oz.., 25/– doz. ; 10oz., 30/– doz.

In bulk, 3/6 lb.

M **MIST. CHENOPODII CO. (Hewlett's)**

Containing Oil of Chenopodium and Oil of Turpentine with a bland oil and coloured.

The Dose for Horses is half a pint and usually a cure or improvement takes place with one or two doses. For Yearlings, one or two fluid ounces.

In 10oz. bottles, labelled "The Draught" with dose.
44/– doz. In bulk, 5/– lb.

M MIST. CRETÆ c. CREOSOTI CO.

Labelled "Mixture for Scour in Cattle," with doses for Calves, Foals, Lambs, Sheep and Swine.

In 10oz. bottles, 33/– doz. In bulk, 4/– lb.

M MIST. DAMIANÆ CO.

Nerve Tonic and Stimulant.

In 2oz. bottles, 11/6 doz. ; 4oz., 21/– doz.
In bulk, 5/– lb.

M MIST. HEXAMINÆ CO.

For Coughs, Colds, Colic, Inflammation, etc.

In 12oz. bottles, labelled "The Cattle Medicine," 12/6 doz.

In bulk, 1/1 lb. ; 7/9 gallon.

M OIL OF CANTHARIDES.

A liquid blister, more convenient to use at times than ointment, acting more slowly, but over a longer period.

In 2oz. bottles, 10/6 doz. ; in 4oz. bottles, 18/6 doz. ; in 8oz. bottles, 30/– doz.

Labelled "Liquid Blister."

See page 10.

M RINGWORM DRESSING.
Hewlett's Myroxline

For Dogs, Horses, etc. Suitably labelled, with directions.

In 4oz. bottles, 15/– doz. ; in 8oz. bottles, 28/6 doz.

See page 10.

M SCOUR MIXTURE FOR CALVES.
(Dalling's)

In 6oz. bottles, labelled "Mixture for Scour in Calves," with directions.

9/6 doz.

M SKIN DRESSING (POWDER).

This is our Bath Powder, but labelled "Skin Dressing," with directions. Especially intended for Dogs.

Also supplied with Derris Root.

For prices, see **Bath Powder.**

M SKIN DRESSING (LIQUID).

This is our Myroxline, and is labelled "Skin Dressing, Poison," with directions.

In 4oz. bottles, 15/– per doz.
In 8oz. ,, 28/6 ,,

Please order Liquid Skin Dressing when this line is required.

See page 10.

M SKIN OINTMENT.
Calamine and Sulphur.

1oz. tubes	5/6 doz.
2oz. ,, ...	10/6 ,,
In bulk	3/6 lb.

M TABLETS FOR DOGS.

18 tabs. in each glass tube.

1 doz. tubes in box labelled with dose.

	Doz. tubes
DISTEMPER (Chocolate coated)	7/–
STOMACH No. 1 (Bismuth Rhei & Soda)	7/–
STOMACH No. 2 (Bismuth & Pepsine) ..	7/–
STOMACH No. 3 (Absorbent Dyspeptic)..	7/–
STOMACH No. 4 (Bismuth & Soda) ..	7/–

M UDDER LOTION.
Lotio Belladonnæ Co., Laine

In wide mouth oval bottles, with directions.

2oz., 7/– ; 4oz., 12/– ; 8oz., 20/– ; 16oz., 33/– per doz.

In bulk, see page 4.

M UDDER OINTMENT.

Containing Extract of Belladonna, Iodine, etc.

In 1-lb. tins, labelled "The Udder Ointment, to be used as directed," 40/– doz. ½-lb. tins, 22/– doz. ; ¼-lb. tins, 12/– doz. In bulk, 3/– lb.

M UNG. IODERMIOL.
(Hewlett's)

An excellent non-staining iodine ointment for capped hocks, Spavin, Ringbone, etc.

In 2oz. tins, 12/– doz. ; 4oz., 21/– doz.
In bulk, 6/– lb.

M UNG. PRO MASTITIS.

Ointment for Summer Weed.

In lever lid tins : 4oz, 13/– doz. ; 8oz, 24/– doz. ; 1-lb., 44/– doz. ; 2-lb., 85/– doz.

In bulk, 3/6 lb.

M VETERINARY WHITE EMBROCATION.

A stable Emulsion of Turpentine, Oils, Acetic Acid, etc., of proved utility for sprains, strains, curbs, broken knees, etc. Full directions on label.

In 4oz. flat bottles, price, 10/– per doz. ; 8oz., 17/– per doz. ; in 10oz. bottles, 16/– doz. In bulk, 2/6 lb.

M VIROPHOS.

An ideal Nerve Tonic and stimulating Food for Dogs and Cats.

Composition : Casein of Milk, Extract of Malt, Glycerophosphate, etc.

No. 1 (1¾oz.), 15/– ; No. 2 (3¼oz.), 28/– ;
No. 3 (6½oz.) tins, 45/– doz.

If desired this can be labelled "The Tonic Food for Dogs and Cats," with dose.

In bulk, 6/6 lb.

WARBLE FLY POWDER.

Prepared in accordance with the Warble Fly (Dressing of Cattle) Order of 1936.

In tins, 27/6 doz. ; cartons, 25/– doz. In bulk, 2/6 lb.
In 3½oz. packets for 1 quart of water, 6/6 doz.

WORM CURE, see ASCARINE.

HEWLETT'S VETERINARY INSTRUMENTS AND SUNDRIES

Subject to Purchase Tax as indicated.

ABSCESS LANCETS.

See Lancets.

ANÆSTHETIC APPARATUS. Ether.

Wright's, for Dogs and Cats, Fig. 1	complete	90/–
Dog Mask, with inflated rubber pad	.. ..	35/–
Cat Mask, ditto	.. ..	33/–
Graduated Bottle	.. ..	22/6
Tubing	.. ..	1/9
Bellows for above	.. ..	4/–

ANTHRAX SPECIMEN BOXES.

Containing four microscopic slides and glass tube with swab, in cartons ready for posting doz. **13/6**

T APRONS.

Operating, with separate sleeves, two pockets, tape fastenings, white drill	10/6
Ditto, Batiste	7/–
Surgeons' I.R.	7/–

ASPIRATOR.

With needles in mahogany case, complete .. **56/–**

AURISCOPE.

Metal, battery in handle, with magnifier and swing-out lens, complete with ear specula .. **23/–**

BAGS.

The V.P. Surgical Bag, in black or brown cowhide. Size, 14 in. × 9½ in. × 6¾ in., Fig. 2. Containing : Nickel-plated cases for Ampoules, Hypodermic Tubes ; hinged nickel-plated box for Tablets, Pills, etc. ; Spring Tape Measure, 1 yard ; aluminium box for Finger Cots ; Clinical Thermometer in aseptic case ; Record Hypodermic Syringe, 20 minims, in spirit-proof case ; Pewter Syringe, 1 oz. ; set of four Trocars and Canulas, stainless steel, fitting on one handle ; "Slip-on" Knife handle, and two blades ; nickel-plated Caustic Holders ; Symes' Knife, folding lock-back ; Castrating Knife, lock-back ; Spencer Wells' Artery Forceps ; Spring Dressing Forceps ; Esmarch's Tourniquet ; pair of 5 in. Scissors ; nickel-plated case, hinged, 6 in. × 1¼ in. ; nickel-plated spirit-proof box for blades and needles ; 5 × 1 oz. stoppered bottles in metal cases, numbered on top ; six only Suture Needles ; card of four sizes Ligature Silk ; 2 oz. packet of Boric and Plain Lint ; 1 yard packet of Plain Gauze ; 1 oz. packet of Wool ; 2 in. × 3 in. Unbleached Calico Bandages ; two Tendon Bandages.

Complete	190/–
Bag, empty	70/–

The "Canonbury." Size, 14 in. × 7 in. × 12¾ in. deep, in black or brown cowhide, pegamoid lined, fitted with four drawers having depths of 1⅝, 2⅜, 3 and 4 in., the largest being deep enough to hold 2 × 400 c.c. bottles of Calcium Boro-Gluconate and Hewlett's "Neo-Injector." Pocket in lid to hold papers, Fig. 3 .. .. **72/–**

Tuberculin Test Outfit. Attache Case. Size, 14 in. × 4½ in. × 10 in., fitted with partitions, green baize lined, containing pair of Calipers ; pair of Dressing Forceps, 6 in. ; pair of Scissors, 6 in., curved on flat ; nickel-plated Sterilizer ; Cotton Wool ; Hypodermic Syringe, 1 c.c. ; 1 doz. Hypodermic needles ; Bull Holder, and "Ever Ready" Head Lamp with Battery. This case is used by Veterinary Inspectors, Fig. 4 .. .. **105/–**

BALLING GUNS.

Boxwood	10/6
Brass	18/–
Portable (Nelson's), as Fig. 5	18/–
Spiral wire, leather covered	12/–

BANDAGES.

Indiarubber, 7½ feet by 3 inches **5/–**

Plaster for Tendons, black or brown, **18/–** doz. **1/8**

Calico, unbleached : 6-yard lengths.

	1 in.	2 in.	2½ in.	3 in.	4 in.	
	1/9	**3/4**	**4/3**	**5/–**	**6/–**	doz.
Cellona, 3-yd :	**6/3**	**9/3**	**10/6**	**11/6**	**14/–**	,,

Elastoplast, in tin :

24/–	**26/–**	**29/–**	**36/–**	**43/–**	,,
Elastocrepe : —	**13/–**	**16/–**	**18/–**	**23/–**	,,

Woollen, Horse, in Blue, Fawn or Grey, in sets of four .. .. per set **8/–**

Water dressing, bleached :

1/2	**2/2**	**2/9**	**3/4**	**4/6**	,,

Plaster of Paris, 5-yard :

10/–	**11/–**	**12/–**	**14/–**	—	,,

T BATH PERFUME.

Cologne .. .. per lb.	3/1
Lavender .. .. ,,	3/9

T BATH SALTS.

Perfumed .. .. per lb. **1/9**

T BAY RUM.

Industrial .. .. per lb. **1/9**

BISTOURIES.

Curved, Sharp, or Probe-pointed, metal handles, as Fig. 7	10/–
Ditto, with spring lock-back	13/–
Cachee, for Cow's teats, as Fig. 8	15/–
Rowelling, as Fig. 6	10/–

BLOCKS.

Pulley .. .. per set **60/–**

BOTTLES.

Dispensing. Plain or graduated :

1oz.	2oz.	3oz.	4oz.	6oz.	8oz.	10oz.	12oz.	16oz.	20oz.	
15/–	**15/–**	**15/–**	**17/6**	**19/–**	**20/–**	**25/–**	**28/6**	**35/–**	**46/–**	gross

BOXES.

	4 oz.	6 oz.	8 oz.	16 oz.	
Parcel Post ..	**4/6**	**6/3**	**6/8**	**8/3**	dozen

Pill. Pink or white, deep or cut down :

Nested, 1 drm. to 1 oz. .. .. **7/–** per gross

	½dr.	1dr.	2dr.	½oz.	1oz.	
Single						
Common	**1/–**	**1/–**	**1/5**	**2/8**	**3/6**	,,
Purple Shouldered	**3/9**	**3/9**	**4/6**	**5/8**	**6/9**	,,

Ointment, Card, Seamless :

2dr.	½oz.	1oz.	2oz.	3oz.	4oz.	
4/4	**4/10**	**6/–**	**6/9**	**8/4**	**9/6**	,,

Ditto Tin, Bronze :

5/–	**7/6**	**8/9**	**13/9**	—	**20/–**	,,

Powders. White, for 6, **11/–** ; for 12, **12/6** ,,

Do., Cartons, Printed, for 6, **10/6** ; for 12, **11/3** ,,

BULL HOLDERS.

With slide and spring	8/6
Black, very portable	5/–

BULL NOSE PUNCHES.

All Black .. .. **14/3** and **33/–**

BULL RINGS.

Copper **2/4**

BULLET EXTRACTORS.

Each **20/–**

CALIPERS.

Nickel-plated, for Intradermal work, as Fig. 9.. **12/–**

CAMEL HAIR PENCILS.

Dozen **1/3**
Ditto, large **1/6**

CAPSULES.

Empty, Gelatine, .. 1dr. 2dr. ½oz. 1oz.
per 100 **10/–** **14/–** **16/–** **23/9**

CAPSULE GUN.

A cheap instrument for administering capsules to sheep, that can be handed to farmers or shepherds. In two sizes, capable of taking 15 min. (or 1 c.c.) and 60 min. capsules. Made of stout red rubber tubing with hard wood plunger, as Fig. 10 .. small, **2/6**; large **3/6**

CARTONS.

Folding, for Drenches, 4 oz. and 8 oz. per gross **8/–**
12 oz. and 16 oz. ,, **9/–**

CASTRATORS.

Burdizzo's Pattern, large size **67/–**
Ditto, medium **64/–**

CATHETERS.

Cow, (Armatage's), German silver **7/9**
Cow, Uterine, gum elastic, with 18 in. rubber tubing, fitted with clips **2/9**
Dog, cylindrical, with two eyes, 16 in. long, assorted sizes **1/9**
Horse, gum elastic, with whalebone stilette, 42 in. long **14/6**
Horse, gum elastic, with cane stilette, 42 in. long **9/–**
Horse, cylindrical, with two eyes, 40 in. long, assorted sizes, with cane stilette **8/6**
Mare, gum elastic, with whalebone stilette .. **13/–**
Mare, with two eyes, 22 in. long, with cane stilette **7/–**

CAT BAG.

As Fig. 11, strong canvas sides, draw-string one end and metal trap-door at other **9/–**

CAT HOUSE.

As Fig. 12 .. .. **55/–**

CATTLE PROBANGS.

See Probangs.

CAUSTIC CASES.

Silver-plated holder **4/–**
Silver **10/–**
Vulcanite **2/6**

CHAMOIS SKINS.

Per doz. **15/–** **24/–** **36/–** **72/–**

CLAMS.

Castrating. With slide handle **20/–**
Spoon-shaped blades **29/–**
With regulating rack, as Fig. 16 .. .. **26/6**
For holding testicles, Fig. 18 .. .. .. **11/–**
Wood, with leather cap, Fig. 15, doz., **20/–**, ea. **1/10**
Robertson's **24/–**
With knife, for Lambs, Fig. 17 .. .. **6/6**
Hernia. Aluminium, Fig. 14 :
Small, **15/9**; large, **21/6**; straps **2/6**
Steel **17/6**

CLAMPS.

West's Prolapsus, as Fig. 13, nickel-plated, four sizes .. .. **11/–, 12/6, 15/–** and **17/6**

CORK PRESSERS.

Each **4/–**

CORKS.

Per gross .. .. **1/–, 1/3, 1/6, 1/9, 2/–** and **2/6**

COTTON WOOL.

Cotton Wool .. .. 14 lbs. **1/8** lb. **1/9**
Absorbent, Best .. .. ,, **2/4** ,, **2/6**
Boric .. .. ,, **2/8**
Carbolized .. .. ,, **3/–**

COTTON WOOL HOLDER.

Nickel-plated, with bayonet catch and flat handle, 6 in. long, as Fig. 19 .. .. ,, **3/3**

CRADLES.

For Horses' necks **10/–**

T **DANGEROUS DRUG REGISTER.**

Each **6/–**

DIRECTORS.

German silver, with scoop **2/6**

DOCKING MACHINES.

Powerful, rosewood handles **60/–**
Ditto, plain wood handles **29/–**

DRAINAGE TUBING.

Indiarubber, medium size .. .. yard **1/3**

DREDGERS, IODOFORM.

Boxwood **2/9**

DRENCHING BIT.

For Dogs or Sheep, nickel-plated, complete with straps **11/–**
For Horses and Cattle, nickel-plated, complete with rope and strap **31/–**
For Pigs, galvanized, complete with straps .. **22/6**

DRENCHING TINS.

For Cows **4/9**

M **DRESSING BINS.**

Enamelled, with foot lever and inner galvanised iron container :
13¾ in. × 9¾ in., **9/–**; 16 in. × 12 in. **12/–**

EAR PUNCH.

Elam's, as Fig. 20, for surgical treatment of Hæmatoma of the Ear.. .. .. .. **7/6**

ECRASEUR.

Farmer Miles' pattern, as Fig. 21 .. .. **106/–**
Chains **21/–**
Wires **4/9**
Wire ropes **6/–**

EMASCULATOR.

Triple crushing, nickel-plated as Fig. 22 .. **66/–**

ENVELOPES.

Powder Manilla (plain whitey brown) :
½ oz., **8/–**; 1 oz., **9/–**; 2 oz., **10/–** per 1,000

FARRIER'S CASE.

With pincers, buffer hammer, drawing knife, rasp, etc... .. .. **40/–**

FARRIER'S PINCERS.

Each **7/-**

FILTER PAPERS.

Per packet .. .. .. 9 in., **2/7** ; 13 in. **4/6**

FORCEPS.

Artery. Spencer Wells **6/6**
‡Dieffenbach's Bull Dog **3/9**
Bow, or dressing, Fig. 25‡ **5/6**
Bullet **12/-**
Capsule. Plated wire, Fig. 23, each **1/3** doz. **12/9**
Nickel-plated, length 11½ ins., Fig. 24 .. **8/-**
Castrating. For Lambs **9/-**
Torsion, Robertson's, Fig. 28 .. .. .. **33/-**
Ditto, William's, Fig. 29 .. .. .. **39/-**
Ditto, ditto, ring shape, Fig. 30 .. .. **48/-**
Dissecting .. .. **2/3** and **3/6**
Needle-holding‡ **12/-**
Suture. Bi-pronged, an improvement on the ordinary pattern **6/3**
Sandcrack **39/-**
Tooth. Various .. .. .. **14/6, 22/-** and **28/-**
For Dogs **14/6**
Gowing's, large, for Molars **126/-**
Santy's, with lever **84/-**
For Horses and Cattle :
7 in., **8/6** ; 9 in., **13/6** ; 12 in. **27/-**
For Incisors **38/-**
Tracheotomy. Spooners' Regulating **26/-**
Whelping. For Toy Dogs, Fig. 27, **16/9** ; large size **21/-**
For Dogs, Fig. 26 .. .. **14/-**

FUNNELS.

Clyster. Dickinson's, 3 pint **9/-**
Composition. 1½ oz. 2 oz. 3 oz. 6 oz. 1 pint 2½ pint
1/10 **2/1** **2/3** **3/2** **7/-** **13/3**
Glass. 1 oz. 2 oz. 4 oz. 8 oz. 1 pint
6d. **7d.** **8d.** **10d.** **1/4**

GALLIPOTS.

Nested, 1—8 oz. .. .. .. **21/-** doz. nests
1 oz. 2 oz. 3 oz. 4 oz. 6 oz. 8 oz.
2/- **2/6** **3/2** **3/6** **4/9** **5/-** doz.

GLASS MEASURES.

Graduated :
½ oz. 1 oz. 2 oz. 4 oz. 6 oz. 10 oz. 20 oz.
1/2 **1/3** **1/5** **1/9** **1/11** **2/3** **2/7** each

GLASS RODS.

Eye, as Fig. 34 .. .. doz. **2/6**
Elphick's pattern .. .. .. ,, **2/6**
Stirring .. .. ,, **2/6**

T GLOVES.

Indiarubber, plain .. .. .. per pair **1/8**
Ditto, Non-slip .. .. ,, **1/9**

GUTTA PERCHA TISSUE.

Best .. .. per yard **2/3**

HOBBLES.

Very strong, latest improved **200/-**
For Dogs **17/-**
Rope and Chain **40/-**

HOOKS.

Dissecting **2/6**
Embryotomy. With ring **7/3**
Foal. Blunt or sharp, for dead foals **6/-**
Ditto, complete with rope **9/-**
Blunt, on long handle **21/-**
Hobble. Improved spring **14/6**
Parturition. Sharp and blunt **6/-**
With rope **8/6**

HORSE SLINGS.

Best quality, with rope tackle and iron cross bar, complete **350/-**
Best quality, fitted endless chain and iron cross bar, complete **400/-**

HORSE STANDARDS.

With boxwood measure, spirit level, silver-mounted bamboo walking stick **48/-**
Superior malacca, silver-mounted, with brass measure and spirit level **60/-**
Tape, with spring for pocket **4/6**

IMPREGNATOR.

Nickel-plated **37/6**

T INFRA-RED DUO-RAY APPARATUS.

Complete with Universal stand, black body, Infra-Red Ray Generator, luminous radiant heat bulb, connecting cable, plug or lamp socket adapter. The lamp is detachable from the stand and can be used as a hand lamp when required **105/-**
Please state voltage when ordering.

INSTRUMENT SETS.

‡**Caponing.** In leather case, containing two Forceps, Spreader, Knife, Needles, Ligature Thread and Rubber Rings for contracting the forceps, Fig. 31 .. .. .. complete **40/-**
‡Croudace's, comprising two Forceps, Retractor, Spoon Forceps, Curved Canula, combined Scoop and Hook, Knife, set of three Hooks and Cord, complete in wood case, Fig. 32.. .. **70/-**
Castrating. In leather roll-up case, consisting of Clams, Knife and two Irons **60/-**
"Compactum."‡ A useful outfit comprising all instruments necessary for injections, minor operations and sutures, in flat spirit-proof container.
Contents : Record Syringe 1 c.c., two Stainless Needles, two pairs Spring Dressing Forceps, one pair Spencer Wells Forceps, one pair Lister Sinus Forceps, one pair Scissors, one Dressing Probe, Rack for Bard Parker Scalpel or similar pattern. The instruments are stored on a four-plate rack which opens fanwise. Fig. 33, complete **82/6**
Dissecting. In mahogany case, containing six Scalpels in metal handles, large Dissecting Scissors, small Dissecting Scissors, large Dissecting Forceps, Blow Pipe, and set of Chain Hooks **48/-**
Minor Operating. In metal-lined Aseptic case, fitted in metal trays, containing Aneurism Needle, Curved Probe Bistoury, three Scalpels, Tenaculum, Hernia Bistoury, Curved Sharp Bistoury, Hernia Director and Needle, Reel of Wire and Silk, Spencer Wells' Artery Forceps, Dressing Forceps, Sharp, Straight Bistoury Scissors, Needles **275/-**
Parturition. P. M. Walker's improved Set, with case, containing Forceps, Double-jointed Hook, Small Jointed Hook, Crutch, Cutis Separator, Cutis Slitter and Embryotomy Knife with Separator combined **170/-**
Post-Mortem. In case, containing Saw, Strong Knife, Cartilage Knife and Chisel, fitting one Spring Socket Handle, six Scalpels, two pairs of Scissors, Chain Hooks, Forceps, Blow Pipe and Needles **108/-**
Ditto, in case, containing Blow Pipe, Bowel Scissors, Brain Knife, two Cartilage Knives, Catlin, Chain Hooks, Chisels, two Forceps, Hammer, Mallet, Saw, six Scalpels, Scissors, Needles, Wrench, and Tripod **160/-**
Sandrack. With Forceps, iron, and three dozen Clamps **54/-**

‡Foreign

(*Continued on page* 47)



Fig. 1.—ANÆSTHETIC APPARATUS, ETHER, **90/–**.



Fig. 2.—BAG, SURGICAL, The "V.P," complete, **190/–**. Empty, **70/–**.



Fig. 3.—BAG, SURGICAL, The "CANONBURY," **72/–**.



Fig. 4.—TUBERCULIN TEST OUTFIT, **105/–**.



Fig. 5.—BALLING GUN, NELSON'S, **18**/–.

Fig. 6.—BISTOURY, ROWELLING, **10**/–.

Fig. 7.—BISTOURY, PROBE-POINTED, CURVED, Metal Handle, **10**/–; ditto, lock-back, **13**/–.



Fig. 8.—BISTOURY, CACHEE, **15**/–.



Fig. 9.—CALIPERS, for Intradermal work, nickel plated, **12**/–.

Fig. 10.—CAPSULE GUN. Small, **2**/**6**; Large, **3**/**6**.



Fig. 11.—CAT BAG, **9**/–.



Fig. 12.—CAT HOUSE, 4ft. by 2ft. by 2ft. Strongly built with 2 in. frame. Sliding door separates day and night compartments, **55**/–.



Fig. 13.—CLAMP, PROLAPSUS, WEST'S, 4 sizes.
No. 1, **11/–**; No. 2, **12/6**; No. 3, **15/–**; No. 4, **17/6**.



Fig 14.—CLAM, HERNIA. Small, **15/9**; Large, **21/6**.

Fig. 15.—CLAM, CASTRATING (WOOD), **1/10**.



Fig. 16.—CLAMP, CASTRATING, **26/6**.



Fig. 17.—CLAM, CASTRATING, with Knife, **6/6**.



Fig. 18.—CLAM, for holding Testicles, **11/–**.

Fig. 19.—COTTON WOOL HOLDER, nickel plated, bayonet catch, flat handle, 6 in. long, **3/3**.

Fig. 20.—EAR PUNCH, Elam's, **7/6** each.

Fig. 21.—ECRASEUR, FARMER MILES', **106/-**.



Fig. 22.—EMASCULATOR, triple crushing, nickel plated, **66/-**.



‡ Fig. 23.—FORCEPS, CAPSULE, Wire, **1/3** each.

Fig. 24.—FORCEPS, CAPSULE, **8/-**.



‡Fig. 25.—BOW FORCEPS, DRESSING, **5/6**.

‡Fig. 26.—FORCEPS, WHELPING, **14/-**.

Fig. 27.—FORCEPS, WHELPING, **21/-**.

‡ Foreign.

Fig. 28.—Forceps, Castrating, Robertson's Torsion, **33**/-.



Fig. 29.—Forceps, Castrating, Torsion, **39**/-.



Fig. 30.—Forceps, Castration, Torsion, Ring Shape, **48**/-.



‡Fig. 31.—Instrument Set, Caponing, **40**/-.



‡Fig. 32.—Instrument Set, Caponing, Croudace's, **70**/-.

Fig. 34.—Glass Rods for Eye, **2**/**6** doz



Fig. 33.—Instrument Set, "Compactum," **82**/**6**.

‡Foreign.



Fig. 35.—THE "COLLEGE" SET OF ASEPTIC POCKET DRESSING INSTRUMENTS, **100**/–.



Fig. 36.—THE ARMY POCKET CASE, **60**/–.



Fig. 37.—"THE HANDY" SET OF POCKET DRESSING INSTRUMENTS, **64**/– each.

Fig. 39.—FIRING IRONS, Superior Quality, **11**/–.



Fig. 40.—FIRING IRONS, WITH SOCKET HANDLE, Set of Three, **24**/–.

Fig. 41.—KNIFE, COLES' EMBRYOTOMY, **13/3**.



Fig. 42.—KNIFE, CASTRATING, Metal handle, **6/–**; ditto, lock-back, **9/–**.

Fig. 43.—KNIFE, DRAWING, **2/9**.



Fig. 44.—LANCETS, ABSCESS, **4/9**.



Fig. 45.
KNIFE, SYME'S ABSCESS, **6/9**.



Fig. 47.—MEDICINE CHEST, **60**/–, fitted complete.



Fig. 48.—MEDICINE SPOON, CANINE.
1/4 each ; **13/6** dozen.



Fig. 49.—MILKING TUBE, SELF-HOLDING, **4/6**.
(Hewlett's.)



Fig. 50.—MILK FEVER SYRINGE TEAT TUBE, with metal screw cover and screw end on cover to enable cover to be cleaned, **2/9** each.



Fig. 51.—MILKING TUBE, with Shield, **1/8** each.



Fig. 52.—MILKING TUBE, with Rings, **1**/– each ; **10/6** doz.



Fig. 53.—MOUTH GAG FOR SHEEP, **2/9**.



Fig. 55.—Gag, for Dogs, **15/6**.



Fig. 56.—Mouth Gag, **57/–**.



Fig. 57.—The Improved Neo-Injector, **10/6**.



Fig. 58.—Pappillatome, **3/9**.

Fig. 59.—Probang, Spiral Wire, **40/–**.

Fig. 60 —Probang, **13/6**.

Fig. 61.—Pump, Stomach, nickel-plated, **37/6**.



Fig. 62.—SCALPEL, POCKET, Spring Back, Metal Handle, **6**/–.
Ditto, Lock-back, **9**/–.



Fig. 63.—SCALPEL AND BISTOURY, Metal Handle, Spring, **15**/–.

Fig. 64.—SCISSORS, CLIPPING, **11**/– and **12**/–.



Fig. 65.—SPECULUM, EYE, **6**/**6**.



Fig. 66.—SYRINGE, CLYSTER, Portable, **40**/–.



Fig. 67.—SYRINGE, CLYSTER, WINTON'S, **78**/–.



Fig. 69.—SYRINGE, "RECORD", complete in Case, 10 c.c., **13/6**.



Fig. 70.—SYRINGE, MAJOR WALKER'S MILK FEVER, **9/6**.



Fig. 71.—SYRINGE, MILK FEVER, **13/–**.

Fig. 72.—SYRINGE, QUITTOR, **10/–**.



Fig. 73.—SYRINGE, WOUND, PEWTER, with long Canula. 1 oz., **7/–** ; 2 oz., **9/–** each.



Fig. 74.—TABLE, OPERATING, FOR CATS AND DOGS, **£13 0 0**



Fig. 75.—TABLE, OPERATING, FOR CATS AND DOGS, **£5 0 0.**



Fig. 76.—TEAT COMPRESSOR, **5/3.**



Fig. 77.—TEAT DILATOR, **4/9.**



Fig. 78.—TEAT TUBE, **2/3.**

Fig. 79.—TEAT TUBE, **2/–.**



Fig. 80.—TEAT PUNCTURING SOUND, **2/6.**



Fig. 81.—THERMOMETER, CLINICAL, HOBDAY'S, **4/–.**

Fig. 82.—THERMOMETER, CLINICAL, STUB-END, **1/9.**



Fig. 83.—Tooth Rasp, with Guard, **14/6**.



Fig. 85.—Tracheotomy Tube, Jones', **24/9**.



Fig. 86.—Transfusion Tube (Mitchell's), **7/6**



‡Fig. 87.—Trocars, Set of Four Aseptic, fitting one handle, **14/6**.



Fig. 88.—Trocar with Canula, Oval, **12/-**.

‡Foreign

INSTRUMENT SETS. POCKET.

No. 1. Contains a Russell's Castrating Knife, Gowan's Operating Knife, with an Exploring Needle, Symes' Abscess Knife, Blunt Bistoury, Curved and Straight Scissors, Artery Forceps, Caustic Holder, Probe and Director, Canula and Trocar, Clinical Thermometer, Needles and Silk. The knives are set in metal, and are beautifully finished, and all the instruments are of the very best quality and are arranged in a handsome Russian case **80/–**

No. 2. The "College" Set of Aseptic Pocket Dressing Instruments, as Fig. 35, containing Symes' Knife and Scalpel, Rowelling Bistoury, Artery Forceps, Straight and Curved Dressing Scissors, Probe, Director, Caustic Holder, Castrating Knife, Bow Dressing Forceps, Tenaculum, Clinical Thermometer, Needles and Silk. In pigskin case **100/–**

No. 3. The "Army" Pocket Case, as Fig. 36. This latest pattern Pocket Case contains: Symes' Abscess Knife, with lock back and Aseptic metal handle, two Spencer Wells' Artery Forceps with Collins' Aseptic joint, Dressing Scissors, Director with Scoop, Silver Probe, Clinical Thermometer, Suture Needles, half curved, Hank of Suture Silk. In stout morocco case with metal catch, complete .. **60/–**

Empty case only **17/9**

No. 4. The "Handy" Pocket Dressing Instruments Case. Suggested by Mr. Percival Snaith, M.R.C.V.S., Fig. 37. Folds easily for the pocket. Size when folded, 6 ins. by 4½ ins. The "Handy" Case is of best morocco leather, and has two side flap pockets for Silk, Suture, Needles, etc. It contains Symes' Abscess Knife (spring-back), Scalpel (spring-back), Scissors, 5 in. curved on flat, Dressing Scissors, 5 in., Director with Scoop, Silver Probe, Spencer Wells' Forceps, Metal Caustic Case, Clinical Thermometer, ½ doz. Suture Needles and Card of Silk (four sizes), complete .. **64/–**

Empty case only **21/–**

No. 5. Pocket Instrument Set. Rexine leather case, folding, with white detachable washable lining, fitted with Symes' Abscess Knife and Scalpel, Artery Forceps, Dressing Forceps, set of four Trocars fitting one handle, Scissors 5 in., Metal Caustic Holder, Scoop and Director combined, Clinical Thermometer, Probe, six Needles and card of Silk .. complete **54/–**

Case only, empty **7/–**

Morocco leather case, as above, empty .. **9/–**

The "Unique." (Pigskin.) Containing Scalpel and Probe-pointed Bistoury, French lock-back Symes' Abscess Knife, Probe-pointed Scissors and Quittor Probe, with Needles and Silk. Knives and Scalpels in aseptic metal handles, complete **46/–**

IRONS.

Balling. Open-sided, black **10/9**
Ditto, bright **14/6**
Circular ring, black **8/6**
Varnell's, with regulating screw **48/–**
Budding. Bright **6/6**
Castrating. In fixed handles **6/–**
For socket **6/–**
Socket handles only **6/6**
Docking **6/6**
Firing. In fixed handles **6/–**
Superior quality, light and well balanced with thin edge, 19½ ins. long, Fig. 39 .. .. **11/–**
In socket handle. (Socket handle only, **6/–**) .. **12/–**
Set of three, Fig. 40 .. .. .. set **24/–**
Pyro-Puncturing. 5 points **13/3**
7 points **15/9**
9 points **18/–**
Iron and set of three Firing Irons, in leather wallet, suggested by C. T. Bray, M.R.C.V.S. **60/–**
Sandcrack **7/6**

KENNELS.

Hygienic, for Dogs, particulars on application.

KNIVES.

Abscess. Spring-back, metal handle **6/–**
Ditto, lock-back **9/–**
Symes', metal handle, Fig. 45 .. .. .. **6/9**
Castrating. Large, in horn handle, Fig. 42 .. **5/6**
Small, metal handles **6/–**
Ditto, lock-back **9/–**
Large, with lock-back **11/–**
And Spaying (Farmer Miles' pattern) .. **11/–**
Drawing. As Fig. 43 .. .. **2/9**
For pocket, spring-back, buffalo handles .. **6/–**
Embryotomy. Sliding blade, horn handle .. **12/6**
Cole's, with spring, as Fig. 41 .. .. .. **13/3**
Cowen's, hook shape **8/3**
With ring **7/3**
Palette. 3 in. 4 in. 6 in. 8 in. 9 in. 10 in.
1/5 **1/6** **2/2** **3/2** **3/9** **4/–**
Pill. Bone, 6 in., **10d.**; 8 in., **1/6**; 9 in., **1/8**; 10 in., **2/–**
Steel, 3 in., **1/5**; 4 in., **1/6**; 5 in., **2/–**
Post-Mortem **11/–**
Tracheotomy. Regulating **22/–**

T LABELS.

Large blanks 1,000 **6/–**
Extra large .. .. ,, **9/–**

T LAMPS.

Anglepoise. Table model, arm space of 3 ft. 6 in., black arms, enamelled base and shade .. **63/–**
Ditto, chrome-plated arms **84/–**
Ditto, Trolley model, dull black finish, polished black enamelled base on rubber castors, height of stand 3 ft., width of base 13 in. Each lamp is supplied with push bar switch, long flex and compound plug **94/–**
Ditto, chrome-plated arms, polished black enamelled base **115/–**

LANCETS.

Abscess. Metal handles, Fig. 44 .. .. **4/9**
Bleeding. Metal handles **5/6**
Eye. Metal handles **4/9**
Gum. Spring back, metal handles **6/6**
Ditto, ditto, lock back **9/–**

LIGATURES.

Catgut, in screw-capped tubes of fifty 12 in. lengths, in solution :
Fine, **3/6** ; Medium, **4/–** ; Coarse, **5/–** per tube
In sealed glass tubes, about 5 ft. in tube, in solution. Per box of three tubes, assorted sizes .. .. per box **3/3**
Dry, in hanks of 10 ft., assorted thicknesses, from **6/–** to **10/–** per doz. hanks.
Catgut, carbolized, one reel in bottle .. bottle **2/9**
Ditto, three reels in bottle **4/6**
Horsehair, in screw-capped tubes of 50. 12 in. lengths, in solution .. .. per tube **2/3**
Dry, in boxes of 100 strands .. per box **1/2**
Silk, in screw-capped tubes of 50 12 in. lengths, in solution .. .. .. per tube **3/6**
Per hank : Thin, **10d.**; medium, **1/–**; thick, **1/3**; extra thick, **2/3**
Per card of one size, **1/2** ; card of four sizes, **2/3**
Reels .. .. per reel **1/4**
Wire, electro-plated .. .. per hank **9d.**
Silver .. .. ¼ oz. reel **2/9**
Thread .. ..per oz. **1/6**
Silkworm Gut, in screw-capped tubes of 50 12 in. lengths, in solution : Fine, **4/9** ; medium, **5/–** ; coarse **5/3**
Boxes of 100 strands, loose .. per box **6/–**
Ditto, 50 ditto .. .. ,, **3/6**
Tape, Iodoform and Eucalyptus (Hewlett's), box **1/6**
Cord, ,, ,, ,, ,, ,, **1/6**
Silk, ,, ,, ,, ,, ,, **1/6**
Needles. See **Needles, Suture.**

LINT.

Second quality, **3/3** ; Best .. ..per lb. **4/–**
Boric .. .. ,, **2/6**

LITMUS AND TUMERIC PAPER.

Books .. .. per doz. **1/6**

T MAGNIFYING GLASS.

Folding handle, in case **4/6**

M MEDICINE CHEST.

Fitted complete, Fig. 47 .. .. **60/–**
Empty **19/–**

T MEDICINE DROPPER.

Dogs. The "Handiesque" **4/–**

MEDICINE SPOON.

Canine. Stainless steel, Fig. 48, each, **1/4** ; doz. **13/6**

MICROSCOPIC COVER GLASSES.

English make. In ½ oz. boxes	Squares	Circles	
L164. Thin	**6/9**	**7/9**	oz.
L163. Extra thin ..	**8/3**	**10/–**	,,

MICROSCOPIC SLIDES.

3 in. × 1 in.

L168.	Half-white	gross	**6/9**
L167.	Extra white, polished edges ..	,,	**9/3**

MILK FEVER SYRINGE TEAT TUBES.

Each **1/3**
Ditto, with metal screw cover **1/9**
Ditto, with metal screw cover and screw end on cover to enable cover to be cleaned, as Fig. 50 **2/9**

MILKING TUBES.

Taper, with shield, Fig. 51 (per doz., **18/–**) **1/8**
Straight, with shield .. (per doz., **12/–**) **1/2**
With rings, as Fig. 52 .. (per doz., **10/6**) **1/–**
Trocar .. .. .. (per doz., **22/–**) **2/–**
Self-Holding, Fig. 49. .. .. **4/6**

MORTARS AND PESTLES. Composition.

2oz.	3oz.	4oz.	5oz.	8oz.	12oz.	16oz.	22oz.
1/10	**1/10**	**2/2**	**2/6**	**2/9**	**3/2**	**3/9**	**4/6**
26oz.	36oz.	2½pt.	3pt.	5pt.	7pt.	10pt.	13pt.
5/6	**7/6**	**8/3**	**10/6**	**15/–**	**20/–**	**25/–**	**32/–**

MOUTH GAGS.

Dogs, improved, Fig. 55 :
Small, **15/6** ; medium, **17/6** ; large, **26/6**
Horses, self-locking, nickel-plated, with straps, Fig. 56 **57/–**
Sheep, stout wood, Fig. 53 .. .. .. **2/9**

NAIL CLIPPERS.

Dogs .. .. pair **6/6**

NASAL INSUFFLATOR.

Rubber ball, vulcanite pipe **8/6**

NEEDLES.

Aneurism and Tenaculum **4/–**
Blacklegine .. .. **9d.**
Exploring, in metal turn-back case **4/–**
Hypodermic (English make) :
Record pattern and fitting, small size for dogs, etc.

Sizes	18	16	14	12	
Carbon Steel ..	**4/–**	**4/–**	**4/–**	**4/–**	doz.
Stainless Steel ..	**5/–**	**5/–**	**5/–**	**5/–**	,,

Large size for Cattle, etc. :

Sizes ..	14/10	16/10	17/10	20/10	22/10	
Steel ..	**6/–**	**7/–**	**7/–**	**7/6**	**7/6**	,,
Stainless Steel..	**7/–**	**8/–**	**8/–**	**8/6**	**8/6**	,,

Neurotomy, in metal handle .. .. ,, **5/–**
Post-Mortem .. .. .. ,, **6/–**
Seton Frog, full curved **4/–**
Ditto, (Varnell's), side curved.. .. .. **5/3**
Ditto, sharp points, 4 in. to 10 in. **4/–**
Ditto, sharp points, 11 in. to 14 in. **5/–**
Ditto, sharp points, 15 in. to 18 in. **7/6**
Ditto, probe points, 4 in. to 10 in. **4/9**
Ditto, probe points, 11 in. to 14 in. **6/–**
Ditto, probe points, 15 in. to 18 in. **8/6**
Ditto, handles, with set screw **6/6**
Ditto, single **4/–**
Spraying .. .. .. per packet of 12 **1/–**
Suture, straight .. .. ,, ,, 6 **1/8**
Ditto, curved .. .. ,, ,, 6 **1/8**
Ditto, French model .. .. ,, ,, 6 **2/8**
Ditto, half-curved .. ,, ,, 6 **1/8**
Ditto, French model .. ,, ,, 6 **2/8**
Ditto, plated .. .. ,, ,, 6 **4/–**
Ditto, grooved for wire .. .. each **1/5**
Ditto, to screw for wire .. .. ,, **1/9**
Ditto, Ward Finnemore's .. set of 3 **1/9**

"NEO-INJECTOR."

For administering Calcium Injections and other solutions of large bulk.

Advantages.

1. Fits any ordinary bottle from 8 ozs. to 20 ozs.
2. No special cork or rubber cap is required.
3. No extra bottle to be carried. (Fits into injector bottle).
4. Easy to clean, and supplied in compact washable case.
5. Whole apparatus readily sterilised by boiling.
6. Any quantity may be injected by simple adjustment.

Complete in case **10/6**

OBSTETRIC ROPES.

Wire (Ryan's) .. .. .. per set of 3 **9/–**

OILED SILK.

Green .. .. per yard **3/6**

OILED PAPER.

Per dozen yards **2/–**

OINTMENT JARS.

Per dozen	4 oz.	8 oz.	1 lb.	2 lb.	4 lb.
White with flat covers ..	**9/6**	**13/6**	**21/–**	**40/–**	**78/–**
Blue Moulded	**16/6**	**25/–**	**35/–**	**70/–**	**138/–**

PAPER.

White Demy .. .. .. per ream **14/–**
Brown, Double Imperial .. .. ,, **36/–**
Ditto, single .. .. .. ,, **24/–**

PAPPILLATOME.

For removing papillæ, etc., from cow's teats, as Fig. 58 .. .. **3/9**

PILL CARRIER.

Fletcher's, for dogs and small animals **2/9**

PILL GUN.

For Dogs and Cats. The "Handiesque," in two sizes .. .. **4/–** and **4/6**

M PLASTERS.

Adhesive. Best :
On brown holland, 8 ins. wide .. yard **1/4**
Ditto, 16 ins. wide .. .. .. ,, **2/8**

POTS.

China, Celluloid Cap : ½ oz. 1 oz. 2 oz. 4 oz.
2/3 **2/8** **3/2** **5/–** per doz.

PROBANGS.

Spiral wire, leather covered, cane stilette, as Fig. 59 .. .. **40/–**
Ditto, corkscrew, leather covered, cane stilette **37/6**
Gum elastic, 72 in. long, with cane stilette .. **23/–**
Cattle, jointed **44/–**
Gum elastic, for sheep, Fig. 60 .. .. .. **13/6**
Dogs', expanding bristles.. .. .. .. **3/9**

PROBES.

Silver .. .. **1/2** and **1/8**
Metallic, various lengths .. .. .. **6d. to 1/–**
Whalebone, 4 to 16 inch .. .. per inch **3d.**
Quittor **1/9**
This Probe does not slip aside when propelling medication down a quittor.

PUMPS.

Clyster. Brass, in mahogany case **84/–**
Winton's, with wooden pipe and 4 ft. india-rubber tubing, in leather bag **60/–**
Brass, large size, Read's, with 6 ft. elastic gum tubing, in leather bag **84/–**
Stomach. Nickel-plated, 16 in. barrel, 1¼ in. diameter, with union and 10 ft. of grey india-rubber tubing, ⅜ in. bore, Fig. 61 .. .. **37/6**
10 ft. red indiarubber tubing, ⅜ in. bore, for passing through the nostrils **25/–**
Ditto, grey rubber tubing **12/–**

SANDCRACK INSTRUMENTS.

Clamps or Nails .. .. .. per doz. **1/9**

SCALES AND WEIGHTS.

Oak Box, with Brass Pans, 6 in. Dispensing : per pair **9/3**
Ditto, with Glass Pans, ditto .. ,, **10/9**
Mahogany Box, with Brass Pans, ditto ,, **10/9**
Ditto, with Glass Pans, ditto .. ,, **13/–**
With Brass Beam, fitting on Mahogany Box ,, **86/–**
Weights, ½ grain to 2 drachms .. per set **1/–**
Ditto, stamped .. .. .. ,, **7/–**

SCALE CORDS.

Per set .. .. **8d.**

SCALE PANS.

Per pair **2/3**

SCALPELS.

Pocket. In metal handle, Fig. 62 .. .. **6/–**
Ditto, lock back **9/–**
Post-Mortem **4/6**

SCALPEL AND BISTOURY.

In metal handle, spring back, Fig. 63 .. .. **15/–**

SCISSORS.

Castrating. Matthew's **14/–**
Clipping. Leather covered bows, as Fig. 64, **11/–** and **12/–**
Dissecting .. .. **3/6** and **4/–**
Dressing. Strong **3/–**
Angular **5/–**
Curved **5/–**
Neurotomy **9/–**
Rowelling **6/3**
Tail .. .. plain, **9/–** ; serrated **10/–**

SCOOPS.

Horn .. .. per doz. **8/–**

T SEALING WAX.

Per lb. **3/–**

SEARCHERS.

Buffalo handles, for pocket **6/–**
Stag handles **2/4**
Metal handles **5/6**
Ditto, lock-back **10/3**

M SEIDLITZ POWDERS.

Per box **1/3**

SLEEVE PROTECTOR.

Parturition. Battist .. .. .. pair **5/6**

SLINGS.

See Horse Slings.

SPECULUM. Eye.

Spring, Fig. 65 .. .. **6/6**

SPIRIT LAMP.

Glass, Screw Burner .. 2 oz., **1/6** ; 4 oz. **1/9**

SPLINTING.

Gooch's :
1 yd. sq., **12/3** ; 18×27 in., **5/–** ; 27×36 in., **9/–**

SPONGE HOLDERS.

Each **3/–**

SPRAY.

Acid Tannic. For burns, complete with tube of tablets **4/6**

STETHOSCOPES.

Single **4/6**
Ditto, nickel-plated **7/–**
Binaural **10/–**
Phonendoscope, in case **20/–**

SYRINGES.

Clyster. Metal pipe carried in piston rod for greater portability, large wooden pipe separate, 2 pints, as Fig. 66 .. .. **40/–**
Ditto, ditto, 3 pints **48/–**
With cross-shaped handles, small metal and large wood pipes fitting into piston rods, ½ pint **22/–**
Ditto, ditto, 1 pint **29/–**
Ditto, ditto, 2 pints **40/–**
Winton's, in bag, with rubber tubing complete, as Fig. 67 .. .. **78/–**
Brass, ½ pint, for calves **18/–**
Brass, 1 pint, for foals **25/–**
And Stomach Pump, in mahogany case .. **110/–**

Dental. Dr. Raison's, in card case **20/–**

Enema. Higginson's seamless, best, **5/–**; medium **3/6**

Glass. Per doz., ½ oz., **6/–**; 1 oz., **8/–**; 2 oz. **14/–**

Hypodermic. For Tuberculin or Mallein, with asbestos plungers, 60 minim, in aseptic metal case **20/–**
Ditto, with spare glass barrel in larger aseptic case **23/–**
Metal, 160 minim, glass barrel with metal plunger, and indiarubber union, in aseptic metal case **27/–**
"All Metal," 10 c.c., graduated on piston, in aseptic metal case **20/–**
For subcutaneous injection, 80 minims, in case, with needles complete.. .. .. **19/–**
Ditto, ditto, 2 drachms **23/–**
"Record" pattern, complete in metal case, with two needles, Fig. 69 :

20 min.	2 c.c.	5 c.c.	10 c.c.	20 c.c.	30 c.c.
7/–	**8/–**	**11/–**	**13/6**	**16/–**	**30/–**

Milk Fever. Major Walker's. Fig. 70. Can be used either for air or liquids. The metal cylinder is packed with medicated cotton wool when air is employed and the lid of the cylinder acts as a plunger when dropped into any solution that may be desired **9/6**
With metal air filter and canula, Fig. 71, in box **13/–**
Indiarubber, with canula, in cardboard box.. **6/6**
Aseptic, with aseptic eye teat catheter .. **30/–**
Consisting of nickel-plated pump, wool chamber and teat tube, in japanned case.. **12/–**

Pewter. Per doz., ½ oz., **36/–**; 1 oz., **44/–**; 2 oz., **60/–**
For cows or mares, with ring handle.. .. **18/–**

Quittor. Brass, with three finger rings, and two pipes, Fig. 72 .. .. **10/–**
Pewter .. .. .. 1 oz., **4/–**; 2 oz. **4/6**

Wound. Pewter, with long canula, Fig. 73 :
1 oz., **7/–**; 2 oz. **9/–**

TABLES, OPERATING.

For Cats and Dogs.
Polished oak frame, linoleum covered top, fitted with 12 hobble cleats and pull-out tray, Fig. 75 **100/–**
Folding, portable, aseptic. Size, 5 ft. 6 ins. long, 2 ft. 6 ins. wide, 2 ft. 11 ins. high. Aluminium silvered tubular steel legs, aluminium enamelled top, which slopes down to the centre and is fitted with a drainage tube. Sliding bars and adjustable clamps for fixing hobbles, Fig. 74 .. .. **260/–**
With zinc top **300/–**

TEAT COMPRESSOR.

As Fig. 76 .. .. **5/3**

TEAT DILATOR.

As Fig. 77 .. .. **4/9**

TEAT TUBE.

With side outlet, as Fig. 79 .. .. .. **2/–**
Self-retaining, as Fig. 78 .. .. **2/3**

TEAT SOUNDS.

Puncturing, as Fig. 80 .. .. **2/6**

THERMOMETERS. Clinical.

Ordinary .. .. **1/6** and **1/9**
Ditto, magnifying index .. .. .. **1/9** and **2/–**
Ditto, stub-end, Fig. 82 .. .. **1/9**
Veterinary **3/9**
Ditto, ordinary **2/9**
Ditto, Hobday's, Fig. 81 .. .. **4/–**

THOROPIN TRUSSES.

Plain pattern **24/–**
With **Bog Spavin** combined **36/–**

TINS.

	¼lb.	½lb.	1lb.	2lb.	
Round, plain, Sizes	2¼"x2½"	3"x3"	3¼"x4"	4½"x5"	
Lift-off lid ..	**33/–**	**37/–**	**45/–**	**70/–**	per gross
Round, plain, lever lid	**36/–**	**41/–**	**48/–**	**75/–**	,,

TOOTH INSTRUMENTS.

Molar Extractor, Robertson's **60/–**
Rasps, with guard for gum, as Fig. 83 .. .. **14/6**
Ditto, ditto, 28 in. long **15/6**
Ditto, ditto, cut both ways **15/6**
Ditto, ditto, ditto, 28 in. long.. .. .. **16/6**
Ditto, unscrews **17/6**
Plain **12/6**
Scalers, for Dogs, assorted patterns, with handle **2/3**
Shears, Thompson's **140/–**
Robertson's **155/–**

TOURNIQUET.

Esmarch's **4/6**

TOW.

Per lb., **10d.** .. .. Fine **1/1**
Carbolized .. .. per lb. **1/2**

TRACHEOTOMY TUBE.

Self-retaining, nickel-plated, Field's **16/–**
Jones', as Fig. 85 .. .. **24/9**

TRANSFUSION TUBE.

Mitchell's, as Fig. 86 .. .. **7/6**
Descriptive circular on application.

TROCARS.

For Hoven Cattle, with German-silver Canula.. **12/–**
Ditto, Aseptic, all-metal **12/–**
Gunn's, with German-silver Canula in leather case **18/–**
Oval, with German-silver Canula, as Fig. 88 .. **12/–**
Exploring, with silver Canula in ivory case .. **7/–**
Hydrothorax, German-silver Canula **12/–**
Trocar and Canula (Williams'), curved **17/–**
Ditto, reversible, for pocket **7/–**
‡Set of four Aseptic Trocars, fitting one handle, very portable, as Fig. 87 .. ..per set **14/6**

TWINE.

Thick .. ..per lb. **2/–**
Medium .. .. ,, **2/–**
Thin .. .. ,, **2/–**

UDDER INFLATOR.

For Ewes **5/6**

‡Foreign

INDEX

	Page	Col.
"AMPULIQUES"	12	–
ANTISEPTIC CREAM	8	1
ANTISEPTIC JELLY (MYCOTIC)	8	1
ANTISEPTIGEN	8	1
ANTITHERMOGEN	8	1
BOUGIES	24	2
CALCIUM BORO-GLUCONATE	8	2
CAPSULES	22–23	–
CARBAMYLCHOLINE	9	1
CATTLE DRENCHES	14	–
COLCHICINE	9	1
COLOURING AGENTS	25	1
DOG POWDERS	16	–
DRAUGHTS FOR HORSES	25	1
DRUGS AND CHEMICALS	1–7	–
EAR CONES	25	2
ELIXIR HORMONIGEN	11	1
ELIXIR VITAMINÆ	11	2
"EVAPOGENS"	25	2
FLAVOURING AGENTS	25	1
HEWSOL	9	2
HORSE BALLS	15	–
HORSE POWDERS	14	–
INJECTIONS	13	–
INSTRUMENTS AND SUNDRIES	31–50	–
LIQUORS PRO TINCTURES	17	–
MANGANESE BUTYRATE	10	2
MIST. TONICA CONC.	9	2
MYROXLINE	10	2
OINTMENTS, OPHTHALMIC	22	–
OLEUM CANTHARID. FORT.	10	1
P.A.B.S.	10	2
PACKED DRUGS	27–30	–
PAROPHYROXIA	10	1
PESSARIES	24	–
PILLS	18–19	–
POWDERS, DOG	16	–
POWDERS, HORSE	14	–
POWDERS, PIG	17	–
PULVETTES	16	–
SERA AND VACCINES	26	–
"SOLTABS"	22	–
SUNDRIES AND INSTRUMENTS	31–50	–
TABLETS, COMPRESSED	20–21	–
TABLETS, HYPODERMIC	13	2
TEAT BOUGIES	24	2
VACCINES AND SERA	26	–

C. J. HEWLETT & SON, LTD.

WHOLESALE & EXPORT DRUGGISTS,

35-43 CHARLOTTE ROAD, AND

83-85 CURTAIN ROAD, LONDON, E.C.2

Telephone: BISHOPSGATE 4753 (four lines) Telegrams: "PEPSINE, FINSQUARE, LONDON."

Printed by Adams Bros. & Shardlow Ltd., London and Leicester